

# Интегрированные машины Rock Event

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [cie@nt-rt.ru](mailto:cie@nt-rt.ru) || сайт: <https://celli.nt-rt.ru/>



## Integrated Machines

# Rock Event

Rock Event is an integrated beer machine with fonts and taps, designed to accommodate a built-in pressure regulator. It has a high peak and average output and an upper work area with a tray and integrated drain.

### Features:

#### Type of dispensed beverage:



Beer



Wine

#### Number of ways/lines:



2 taps

#### Number of people:



90-100



100-125

#### Finish:



Stainless Steel



Black skin-plate

**Flow compensator option:** Yes

# Strengths



## Performance

- Rock Event is a high operational capacity machine, with a 75 liter tank and a peak dispensing of 200 liters per hour, allowing the pouring of 400 0
- 5 liter beverages in one hour
- Thanks to the cooling power of 2100-2200 W, the machine quickly reaches operating temperature, making it ready for events in a few hours and guaranteeing speed and recovery even during peak moments (rush hour)



## Serviceability

- The upper panel hinged on the machine body can be opened without tools thanks to a front latch, while the front drain tube with magnetic door facilitates emptying the tank at the end of the event
- The Silver model features a full panel, while the Dark model has a split panel, with the part for attaching columns remaining fixed to the machine frame



## Advanced Features

- The top panel includes a drip tray with side drain, making it easy to drain excess liquids
- It can be equipped with coils up to 40 meters with an outlet beer temperature of 1°C
- The CO2 pressure can be adjusted via a two-way reducer located internally



## Convenience

- Thanks to the high power output, a single Rock Event system is able to serve events with many participants, eliminating the need for multiple machines of smaller size and lower power



## Design & User Experience

- Rock Event is available in Silver (stainless steel) and Dark (matte black skinplate) models, with options of separate columns or a two-tap column
- The four wheels, two of which tilt, allow agile movements on uneven terrain
- The machine is equipped with a side string for holding the CO<sub>2</sub> (or N<sub>2</sub>) cylinder and handles for easy lifting



## Hygiene & Safety

- The Rock Event's top panel has folded edges to reduce the risk of injury, even without gloves
- Rubber frames around the openings for the tubes (CO<sub>2</sub> and beer) prevent damage
- Brakes on the front wheels lock the machine, ensuring stability during crowded events

# Models of the **Rock Event** series



## Rock Event Silver

Water Basin (L)	77
Ice Bank (kg)	35,8
Cooling Power (W)	2100
Coils (n max)	2



## Rock Event Dark

Water Basin (L)	77
Ice Bank (kg)	35,8
Cooling Power (W)	2268
Coils (n max)	2



# Rock Event

Rock Event is an integrated beer dispenser with font and taps, designed to accommodate a built-in pressure regulator. It has a high peak and average output and an upper work area with a tray and integrated drain.



## KEY STRENGTHS



### Performance

Rock Event is a high capacity integrated machine with a 75 litre tank, capable of delivering up to 200 litres per hour at peak performance. Its cooling power is among the highest in its segment (2100-2200 W), resulting in extremely short ice bank production times, allowing the Rock Event machine to be started just a few hours before the event starts. The large tank capacity and high cooling power ensure speed and quick recovery during the rush hours. The peak performance allows for dispensing 400 beverages of 0.5 liters each in one hour. Mechanical thermostat included. Mechanical thermostat included.



### Advanced Features

Rock Event is equipped with an upper panel featuring an integrated drip tray, complete with a side-mounted drain hose that allows excess liquid from dispensing to flow out without needing to remove any tray. Rock Event can be fitted with coils up to 40 meters in length, ensuring an output beer temperature of 1°C. The carbon dioxide pressure sent to the kegs can be adjusted via a dual-stage pressure regulator housed within the machine, enhancing the compactness of the system. The fonts are cooled using a recirculation tube.



### Serviceability

The top panel is hinged to the machine body and can be opened without unscrewing. It can be opened quickly without tools using a latch on the front. The Silver model has a one-piece panel, while the Dark model has a two-piece panel, with the column attachment section remaining fixed to the machine frame. The tank is easily emptied at the end of the event via a front-mounted discharge hose concealed behind a magnetically latched door that opens effortlessly.



### Convenience

Due to its high dispensing capacity, a single Rock Event machine can be used to serve events with large numbers of visitors, eliminating the need for two smaller or less powerful machines.



### Design & User Experience

Available in two models: Silver, with a stainless steel body, and Dark, with a matte black skinplate body.

Rock Event can be equipped with either two separate fonts or a single font with two taps. The four wheels, two of which are swiveling, allow for easy movement even on uneven surfaces. The side strap secures the CO<sub>2</sub> (or N<sub>2</sub>) cylinder, while the robustly designed side handles facilitate lifting the machine.



### Hygien & Safety

The top of the Rock Event is designed with folded edges to eliminate any risk of injury, even when used without gloves. Likewise, the rubber frames on the CO<sub>2</sub> and beer inlets prevent potential damage. The front wheel brakes ensure the machine can be securely locked in place, providing stability during events with large crowds.



## ROCK EVENT VERSIONS

# ROCK EVENT SILVER

### Type of beverages



Beer



Wine

### Refrigerant gas

R290

### Finishing



polished  
stainless steel

### Lines



2



90-100 place  
settings



wheels



## Rock Event Silver

### General data sheet

Water basin (net)	L	77
Ice bank	kg	35,8
Compressor's nominal power	CV	1
Standard agitator pump	m	1 stage 5,8 m

### Performance & Consumption

Performance - Cooling power	W	2.100
Performance - hourly peak - $\Delta T20^{\circ}\text{C}$	L/h	199
Performance - daily average - $\Delta T20^{\circ}\text{C}$	L/h	48
Max power absorption	W	900
Average daily consumption - standby **	kWh	
Average daily consumption**	kWh	
Overall Height (with pump)*	cm	119
Length x Width	cm x cm	63 x 55
Net Empty Weight	kg	80
Coils - max number 15/20 m each***	n°	2
Coils - max number including 10 m coils**	n°	

### Available Versions

Electric supply		220-240V AC 50/60 Hz
Plug to choose		Schuko

### Options to chose

Number of coils	n°	2
Coils inlet/outlet		1 x Cobra Plus2 2 x Moon T
Coils diameter	mm x mm	7x8
Thermostat option		mechanical only
Enhanced pump	steps / m	no

This is a all-comprehensive list fo all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.



ROCK EVENT

Each item number includes coils, pump, plugV

## ROCK EVENT VERSIONS

# ROCK EVENT DARK

### Type of beverages



Beer



Wine

### Refrigerant gas

R290

### Finishing



matte black  
skinplate steel

### Lines



90-100 place  
settings



wheels



## Rock Event Silver

### General data sheet

Water basin (net)	L	77
Ice bank	kg	35,8
Compressor's nominal power	CV	3/4
Standard agitator pump	m	1 stage 5,8 m

### Performance & Consumption

Performance - Cooling power	W	2.268
Performance - hourly peak - $\Delta T20^{\circ}\text{C}$	L/h	207
Performance - daily average - $\Delta T20^{\circ}\text{C}$	L/h	55
Max power absorption	W	1064
Average daily consumption - standby **	kWh	
Average daily consumption**	kWh	
Overall Height (with pump)*	cm	119
Length x Width	cm x cm	63 x 55
Net Empty Weight	kg	76
Coils - max number 15/20 m each***	n°	2
Coils - max number including 10 m coils**	n°	

### Available Versions

Electric supply		220-240V AC 50 Hz
Plug to choose		Schuko

### Options to chose

Number of coils	n°	2
Coils inlet/outlet		1 x Cobra Plus2 2 x Moon T
Coils diameter	mm x mm	7x8
Thermostat option		mechanical only
Enhanced pump	steps / m	no

This is a all-comprehensive list fo all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.



ROCK EVENT

Each item number includes coils, pump, plug/V

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: [cie@nt-rt.ru](mailto:cie@nt-rt.ru) || сайт: <https://celli.nt-rt.ru/>