# Колонны Cobra, Eos, Lotus, Juliette, Falco, Ery, Extreme, Maya, Moon, Tube, Azur, Zenith, Brauhaus, Magic, Impero, Celine, Barocco

Технические характеристики

#### По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47



# Cobra

The Cobra font represents one of Celli's most iconic and historic lines. Its sinuous and elegant design makes it a versatile font for any type of venue or restaurant. Application up to 4 taps.

#### **Features:**

# Type of dispensed beverage: Beer Water Wine

#### Number of ways/lines:



#### Types of water:



#### Finish:



Connection: Through the Bar, Clamp To Bar

# Strengths



#### **Performance**

• The Cobra font supports up to 4 taps for beer, wine or water dispensing



#### **Advanced Features**

- Equipped with contact recirculation tube to keep the liquid temperature constant
- Also available in the ICE version for glycol systems, ensuring optimal cooling performance



#### Serviceability

- The font can be easily installed in two ways: with a TTB connection, for better management of the pipes, or with an external clamp on the counter
- The Celli coupling system, equipped with a double gasket ring, ensures optimal sealing and resistance over time



#### Convenience

- Monolithic brass font characterized by an extremely solid structure
- The polished chrome finish guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



#### Design & User Experience

- The design of the Cobra font is a Celli exclusive and has revolutionized the market, becoming a source of inspiration for numerous imitative products
- With an elegant and refined design, the column can be customized with branded and illuminated lenses



#### **Hygiene & Safety**

 The completely smooth and crevice-free external surface facilitates cleaning and prevents the accumulation of dirt or bacteria

# Models of the **Cobra** series



#### Cobra Classic 2

Number of ways/lines	2
Height (mm)	390
Lenses	double-sided



# Cobra Plus 1 S

Number of ways/lines	1
Height (mm)	210
Lenses	single-sided



# Cobra Plus 1 M

Number of ways/lines	1
Height (mm)	300
Lenses	single-sided





## Cobra Plus 2

Number of ways/lines	2
Height (mm)	385
Lenses	single-sided
ICE version	Available



# Cobra Plus 3 Light

Number of ways/lines	3
Height (mm)	385
Lenses	single-sided



# Cobra Plus 3


Number of ways/lines	3
Height (mm)	427
Lenses	single-sided

ICE version Available



# Cobra Plus 4

Number of ways/lines	4
Height (mm)	400
Lenses	single-sided
ICE version	Available



#### **KEY STRENGTHS**



Font for draught dispensing of beer or wine, or continuous water dispensing. Supports up to 4 taps.



# Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to moisture and mechanical damage.



# **Hygien & Safety**

The smooth external surface ensures optimal cleanliness due to the absence of gaps.



# **Advanced Features**

The font is equipped with a contact recirculation tube and is available in an ICE version for glycol system applications.



# Design & User Experience

The design of Cobra is an original Celli creation, the first font in the world to replicate the appearance of the namesake snake, serving as inspiration for a long line of imitation products. Cobra is made of polished chrome-plated brass, giving it a regal appearance. It can be customized with a branded lens application.







#### **COBRA VERSIONS**

# Cobra Classic

#### Type of beverages







**Optional** 





**Finishing** 

Connection







# Cobra Plus 1

#### Type of beverages







**Optional** 









Connection

Taps









# Cobra Plus 2-3-4

#### Type of beverages







**Optional** 





















# **KEY FEATURES**

	Classic	Plus 1 Small	Plus 1 Medium	Plus 1 Large	Plus 2	Plus 3 Light	Plus 3	Plus 4
	H	î	Ĩ	1	110	1"	T.	1
Dimensions								
Height	390	210	300	380	385	385	427	400
Base/Plint Depth	120	96	116	116	117	117	137	135
Overall Width	118	87	110	110	118	118	132	178
Options		t 11						
Lense (accessory)	double-sided	single-sided	single-sided	single-sided	single-sided	single-sided	single-sided	single-sided
Tap connection - diameter	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"
Beer tubes options	stainless steel	stainless steel	stainless steel	stainless steel or plastic (MDPE)	stainless steel or plastic (MDPE)	stainless steel	stainless steel or plastic (MDPE)	stainless steel
Recirculation tubes options	stainless steel -copper	stainless steel - plastic (MDPE)	stainless steel	stainless steel - plastic (MDPE)	stainless steel - copper - plastic (MDPE)	stainless steel	stainless steel - copper - plastic (MDPE)	stainless steel - copper













# Eos

The Eos font is a versatile and sophisticated dispensing solution that adapts perfectly to any type of venue or restaurant. Application up to 5 taps.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:



#### Finish:



Gold Chrome Alloy







Connection: Through the Bar, Clamp To Bar

# Strengths



#### **Performance**

- The Eos font supports a single tap or up to 5 taps in the "T" configuration
- Ideal for dispensing beer or wine



#### **Advanced Features**

- Equipped with contact recirculation tube, which guarantees a constant temperature of the liquid
- In addition to the version for glycol systems, a dedicated ICE model is available with advanced Peltier cell technology; the system freezes the column externally via an electrical system, significantly reducing energy consumption compared to traditional systems



#### Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### Convenience

- Monolithic brass font characterized by an extremely solid structure
- The polished chrome finish guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



## Design & User Experience

- The design of the EOS font is inspired by the shape of a trophy, giving it a prestigious and eye-catching appearance
- Made of polished chromed brass, the EOS column stands out for its elegance and can be customized with branded and illuminated lenses, offering a unique and engaging visual experience



## **Hygiene & Safety**

 The completely smooth and crevice-free external surface facilitates cleaning and prevents the accumulation of dirt or bacteria

# Models of the **Eos** series



#### Eos F1

Number of ways/lines	1
Height (mm)	531
Lenses	single-sided, built-in
ICE version	Available



# Eos T2-3

Number of ways/lines	2 - 3
Height (mm)	491
Lenses	single-sided, built-in
ICE version	Available



#### Eos T5

Number of ways/lines	5
Height (mm)	491
Lenses	single-sided, built-in
ICE version	Available



Number of ways/lines	1
Height (mm)	467
Lenses	single-sided, built-in
ICF version	Only



#### **KEY STRENGTHS**



# **Performance**

Eos is a font for beer, wine and water dispensing. Single-tap font, or configuration with up to 5 taps in a 'T' setup.



#### **Advanced Features**

The font is equipped with a contact recirculation tube. Available in the ICE version with Celli Peltier cell technology: the font is externally iced using an electric system, which reduces overall electricity consumption.



# Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



# Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.



# Design &User Experience

Eos is made of polished chrome-plated brass, which gives it a regal look. The shape of Eos is designed to resemble a trophy. Eos can be customised with the application of a branded lens.



# **Hygiene & Safety**

The smooth external surfaceof the font ensures optimal cleanliness due to the absence of gaps.







#### **EOS VERSIONS**

# Eos 1

#### Type of beverages







Optional







Connection









# Eos T3

#### Type of beverages







Optional









Connection





Taps

# **Finishing**





#### Type of beverages







Optional







Connection





Taps







# **KEY FEATURES**

	Eos 1	Eos 1 ICE	Eos T3	Eos T5	
	1	19			
Dimensions		414	-		
Height	531	467	491	491	
Base/Plint Depth	88	80	88	88	
Overall Width	124	124	366	606	
Fixing tube diameter	1″ 1/2 G	1″ 1/2 G	1″ 1/2 G	1″ 1/2 G	
Options					
Lense (accessory)	single-sided, built-in	single-sided, built-in	single-sided, built-in	single-sided, built-in	
Tap connection - diameter	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"		
Beer tubes options	stainless steel - plastic (MDPE)	stainless steel	stainless steel - plastic (MDPE)	stainless steel - plastic (MDPE)	
Recirculation tubes options	stainless steel - copper - plastic (MDPE)	stainless steel	stainless steel - copper - plastic (MDPE)	stainless steel - copper - plastic (MDPE)	

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.











Eos ICE





# Lotus

The Lotus font is a dispensing solution with a refined and minimal design, an excellent choice for bars, restaurants and venues that focus on efficiency and style. Application up to 3 taps.

#### **Features:**

#### Type of dispensed beverage:







#### Number of ways/lines:



#### Types of water:







#### Finish:





Gold Chrome





Connection: Through the Bar

# Strengths



#### **Performance**

 The Lotus font supports up to 3 taps for beer, wine or water dispensing



#### **Advanced Features**

- Equipped with contact recirculation tube to keep the liquid temperature constant
- Also available in the ICE version for glycol systems, ensuring optimal cooling performance



#### Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### Convenience

- Monolithic brass font characterized by an extremely solid structure
- The polished chrome finish guarantees resistance to humidity and mechanical damage, ensuring the durability of the product




## Design & User Experience

- The design of the Lotus font is characterized by simple but refined lines
- Made of polished chromed brass, Lotus stands out for its elegant appearance, perfect for any environment
- The font can be customized with the application of branded and illuminated lenses



## **Hygiene & Safety**

 The completely smooth and crevice-free external surface facilitates cleaning and prevents the accumulation of dirt or bacteria



#### **KEY STRENGTHS**



Lotus is a font for beer, wine and water dispensing, suitable for up to 3 taps.



# **Advanced Features**

The font is equipped with a contact recirculation tube. Available in the ICE version with glycol system.





# Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



# Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer of Lotus ensures resistance to humidity and mechanical damage.



# Design & User Experience

Lotus is made of polished chrome-plated brass, with an elegant and minimalist design. The font can be customised with the application of a branded lens.



# **Hygiene & Safety**

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.





#### **LOTUS VERSIONS**

# Lotus 1

#### Type of beverages



#### **Optional**





#### **Finishing**



#### Connection







# Lotus 2

#### Type of beverages





#### **Optional**





#### **Finishing**













# Lotus 3

#### Type of beverages







#### Optional


















# **KEY FEATURES**


	Lotus 1	Lotus 2	Lotus 3	
	Ž!	7	Ž*	
Dimensions				
Height (tap and lense holder excluded)	455	455	491	
Base/Plint Depth	85	80	88	
Overall Width	88	124	366	
Fixing tube diameter	1″ 1/2 G	1″ 1/2 G	1″ 1/2 G	
Options				
Lense (accessory)	double-sided	double-sided	double-sided	
Tap connection - diameter	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	
Beer tubes options	stainless steel	stainless steel	stainless steel	
Recirculation tubes options	stainless steel - plastic (MDPE)	stainless steel - plastic (MDPE)	stainless steel - plastic (MDPE)	

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.















# Juliette

The Juliette font is a dispensing solution with a vintage and sinuous design, which combines perfectly with a refined and modern environment. Application up to 7 taps.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:





#### Finish:



Gold



**)** Chrome

Connection: Through the Bar

# Strengths



#### **Performance**

 The Juliette font supports up to 7 taps for dispensing beer or wine



# Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### Design & User Experience

- The design of the Juliette font, characterized by a vintage style reinterpreted in a modern key, adapts perfectly to venues with a classic aesthetic, but which desire a contemporary touch
- The 7-way version features two elegant vertical supports, which give it stability and a distinctive look



#### **Advanced Features**

- Equipped with contact recirculation tube to keep the liquid temperature constant
- Also available in the ICE version for glycol systems, ensuring optimal cooling performance



#### Convenience

 The polished chrome finishing of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product

# Models of the **Juliette** series



# Juliette Tbar

Number of ways/lines	3 - 5
Height (mm)	433
Lenses	single-sided



# Juliette Bridge

Number of ways/lines	7
Height (mm)	433
Lenses	single-sided



**BRASS FONT** 

# Juliette is a font made of

polished chrome-plated brass with a classic design.
The font is the ideal choice for points of use looking for a vintage design with a modern reinterpretation.



#### **KEY STRENGTHS**



Juliette is a font for beer, wine and water dispensing, suitable for up to 7 taps.



# **Advanced Features**

The font is equipped with a contact recirculation tube.





# Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



#### Convenience

The polished chrome surface layer ensures resistance to humidity and mechanical damage.



# Design & User Experience

Juliette is a font with a vintage design, reinterpreted with a modern twist and ideal for venues seeking a classic style. The 7-tap version, known as Juliette Bridge, consists of two vertical supports.





# **KEY FEATURES**

Juliette	Type of beverages		Finishing Taps		Connection	
Junette	Beer	Water	Wine		3;5;7	TTB
		Juliette (3;5 ways)			Juliette Bridge (	(7 ways)
			T		4	
Dimensions						
Height (tap and lense holder excluded)		433		433		
Base/Plint Depth		95		95		
Overall Width		388 (+ 120mm increase for 1 additional way)		868		
Fixing tube diameter		2″ G		2" G		
Options						
Lense (accessory)		single-sided		single-sided		
Tap connection - diameter		5/8" or 1/2"		5/8" or 1/2"		
Beer tubes options		stainless steel		stainless steel		
Recirculation tubes options		stainless steel		stainless steel		

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.





# **Falco**

Falco font is a dispensing solution with a compact and essential design for vanues and restaurants that want to maintain simplicity on the counter. Application up to 3 taps.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:



#### Finish:



**)** Chrome



Connection: Through the Bar

# Strengths



#### **Performance**

 The Falco font supports up to 3 taps for dispensing beer or wine



#### **Advanced Features**

- Equipped with contact recirculation tube, which guarantees a constant temperature of the liquid
- In addition to the version for glycol systems, a dedicated ICE model is available with advanced Peltier cell technology; the system freezes the column externally via an electrical system, significantly reducing energy consumption compared to traditional systems



#### Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### Convenience

- Monolithic brass font characterized by an extremely solid structure
- The polished chrome finish guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



#### Design & User Experience

- The design of the Falco font, compact and minimal, makes it a perfect choice for those venues that seek essential aesthetics without sacrificing functionality
- The font can be customized with the application of branded and illuminated lenses



## **Hygiene & Safety**

 The completely smooth and crevice-free external surface facilitates cleaning and prevents the accumulation of dirt or bacteria



# Ery

The Ery font is a dispensing solution with a droplet design that gives style and elegance to the bar counter of restaurants and bars. Application of a single tap.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:



#### Finish:



) Chrome

**Connection:** Through the Bar



#### **Performance**

• The Ery font supports a single tap for dispensing beer or wine



## Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



### **Design & User Experience**

- The teardrop design of the Ery font gives simplicity but at the same time elegance to the counter
- The structure is made of polished chromed brass, with a slender central body



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

- Monolithic brass font characterized by an extremely solid structure
- The polished chrome finish guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



### **Hygiene & Safety**



#### **KEY STRENGTHS**



Ery is a font for beer, wine and water dispensing, suitable for up to 3 taps.



### **Advanced Features**

The font is equipped with a contact recirculation tube.





## Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



## Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.





# Design & User Experience

The droplet design of Ery gives simplicity and elegance to the counter. The structure is in polished chrome-plated brass, with a slender central body.



## Hygiene & Safety

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.



## **KEY FEATURES**

Ery	Type of be		<b>s</b> Vater	Wine	Finishing	Option	<b>al</b> lumination	Taps	Connection  TTB
		E	iry			Ery drop			
				1			1		
Dimensions									
Height (tap and lens	e holder exclude	ed)		426			426		
Base/Plint Depth				62			62		
Overall Width				84			84		
Fixing tube diameter				1"G			1"G		
Options									
Lense (accessory)			double-sided		d		double-side	d	
Tap connection - diameter			5/8" or 1/2"				5/8" or 1/2	,	
Beer tubes options			stainless steel			stainless ste	el		
Recirculation tubes options			stainless steel - copper		stai	nless steel - (	copper		

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.





#### **Fonts**

## Extreme

The Extreme font is a dispensing solution with a droplet design that gives style and elegance to the bar counter of restaurants and clubs. Application of a single tap.

#### **Features:**

Type of dispensed beverage:





#### Number of ways/lines:



#### Finish:



) Chrome

Connection: Through the Bar



#### **Performance**

• The Extreme font supports only one tap for dispensing beer or wine



## Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



### **Design & User Experience**

- The teardrop design of the Extreme font gives simplicity but at the same time elegance to the counter
- The structure is made of polished chromed brass, with a slender central body



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

- Monolithic brass font characterized by an extremely solid structure
- The polished chrome finish guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



### **Hygiene & Safety**



**BRASS FONT** 

# Extreme

The droplet design of Ery font gives simplicity and elegance to the counter.

The structure of the font is in polished chromeplated brass, with a slender central body.



#### **KEY STRENGTHS**



Extreme is a single-tap font for beer, wine and water dispensing.



## **Advanced Features**

The font is equipped with a contact recirculation tube.





## Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



### Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.



# Design & User Experience

The droplet design of Extreme gives simplicity and elegance to the counter. The structure is in polished chrome-plated brass, with a slender central body.



## **Hygiene & Safety**

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.







## **KEY FEATURES**

Extreme	Type of beverages  Beer Water  Extreme	Finishing Wine	Taps	Optional  Illumination	Connection TTB
		74			
Dimensions					
Height (tap and lense holder exclude	ded)	510		0.0	
Base/Plint Depth		68			
Overall Width		95			
Fixing tube diameter		1″G			
Options	NO.				
Lense (accessory)		single-sided			
Tap connection - diameter		5/8" or 1/2"			
Beer tubes options		stainless steel - plastic (MDPE)			
Recirculation tubes options		stainless steel - copper			

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.





#### **Fonts**

# Maya

The Maya font is a dispensing solution with an essential and sinuous design, which combines perfectly with a refined and modern environment. Application to one tap or 4 to 6 taps in the bridge version.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:





✓ 1 tap ✓ from 4 to 6

#### Finish:



Chrome

Connection: Through the Bar



#### **Performance**

- The Eos font supports a single tap or up to 6 taps in the bridge configuration
- Ideal for dispensing beer or wine



### Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

 The polished chrome finishing of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



## Design & User Experience

- Maya font design features a simple tubular structure, but characterized by a curved movement that embellishes its presence on the counter
- Maya can be customized with the application of a branded lens (double in the bridge version)



### **Hygiene & Safety**

## Models of the **Maya** series



## Maya Maya 1

Number of ways/lines	1
Height (mm)	425
Lenses	single-sided



## Maya Maya Bridge

Number of ways/lines	4-6
Height (mm)	420
Lenses	double-sided



#### **KEY STRENGTHS**



Maja is a font for beer, wine and water dispensing. The font is available as a single unit with 1 tap, or in a Bridge configuration with up to 6 taps.



#### **Advanced Features**

The font is equipped with a contact recirculation tube.





## Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



## Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.



# Design & User Experience

Maya features a simple tubular structure, but with a curved movement that enhances its presence on the counter. Maya can be customised with the application of a branded lens (double lens in the Bridge version)





## **KEY FEATURES**

Maya

## Maya Bridge

Type of beverages







**Finishing** 



**Optional** 



























Maya







		В			
Dimensions					
Height (tap and lense holder excluded)	425	420			
Base/Plint Depth	100	100			
Overall Width	100	684 (+ 96mm increase for 1 additional way)			
Fixing tube diameter	1″ G	1" G			
Options					
Lense (accessory)	double-sided	single-sided			
Tap connection - diameter	5/8"	5/8"			
Beer tubes options	stainless steel	stainless steel			
Recirculation tubes options	stainless steel	stainless steel - copper			





#### **Fonts**

## Moon

The Moon font is a dispensing solution characterized by a simple, yet refined tubular design. Application of a single tap.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:



#### Finish:



Stainless Steel

Connection: Through the Bar



#### **Performance**

 The Moon font supports a single tap for dispensing beer or wine



## Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

 The stainless steel structure of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



### **Design & User Experience**

- Moon is a tubular font with a simple but refined design
- The 62 mm stainless steel tube gives lightness and rigidity
- It is available in a straight version, in a curved version (Moon C), in a straight version but with an obliquely "cut" tip (Moon T)



### **Hygiene & Safety**

## Models of the **Moon** series



## **Moon Straight**

Number of ways/lines	1
Height (mm)	500
Lenses	single-sided



### Moon C

Number of ways/lines	1
Height (mm)	500
Lenses	single-sided



## Moon T

Number of ways/lines	1
Height (mm)	572
Lenses	single-sided



**STAINLESS STEEL FONT** 

# Moon

Moon is a tubular font with a

simple yet elegant design.
The font is available in 3 versions: a straight version, a curved version (Moon C) and a straight version with an angled "cut" tip (Moon T).



#### **KEY STRENGTHS**



Moon is a beer, wine, and water dispensing font, designed for 1 tap.



## **Advanced Features**

The font is equipped with a contact recirculation tube.





## Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



## Convenience

The body of the font is made of stainless steel, which ensures resistance to humidity and mechanical damage.



## Design & User Experience

Moon is a tubular font with a simple yet refined design. The 62 mm stainless steel tube provides lightness and rigidity. It is available in 3 versions: a straight version, a curved version (Moon C) and a straight version with an angled "cut" tip (Moon T).



## **Hygiene & Safety**

The smooth external surfaceof the font ensures optimal cleanliness due to the absence of gaps.



#### STAINLESS STEEL FONT MOON VERSIONS

## Moon

#### Type of beverages



#### Connection



#### Finishing







## Moon C

#### Type of beverages



#### Connection

Taps

Finishing









## Moon T

#### Type of beverages



#### Connection



Taps









## **KEY FEATURES**

	Moon	Moon C	Moon T	
	44			
Dimensions				
Height (tap and lense holder excluded)	549	549	549	
Base/Plint Depth	195	195	195	
Overall Width	947 (+ 125mm increase for 1 additional way)	724 (+ 125mm increase for 1 additional way)	1002 (+ 125mm increase for 1 additional way)	
Fixing tube diameter	hole 110 [mm]	hole 110 [mm]	hole 110 [mm]	
Options				
Lense (accessory)	double-sided	double-sided	double-sided	
Tap connection - diameter	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"	
Beer tubes options	stainless steel	stainless steel	stainless steel	
Recirculation tubes options	stainless steel	stainless steel	stainless steel	

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.





Moon C







#### **Fonts**

## Tube

**Features:** 

The Tube font is a dispensing solution characterized by a simple and robust tubular design. Application up to 2 taps.

## Type of dispensed beverage:



### Number of ways/lines:



#### Types of water:



#### Finish:



Connection: Through the Bar, Clamp To Bar



#### **Performance**

 The Tube font supports 1 or 2 taps for continuous beer, wine or water dispensing



## Serviceability

- The font can be easily installed in two ways: with a TTB connection, for better management of the pipes, or with an external clamp on the counter
- The Celli coupling system, equipped with a double gasket ring, ensures optimal sealing and resistance over time



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

 The stainless steel structure of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product




## Design & User Experience

- Tube font has a simple and robust design
- The 90 mm stainless steel tube gives visual impact and solidity
- It is available in a version with a flat upper surface and with an oblique "cut" tip



## **Hygiene & Safety**



#### **KEY STRENGTHS**



Tube is a font for beer, wine and water dispensing, suitable for 1 or 2 taps.



## **Advanced Features**

The font is equipped with a contact recirculation tube.



## Serviceability

The font offers two connection options for installation. The first is a counter mount with a through-the-bar hole, and the second is an external clamp mount on the outside of the counter. In the first option, the Celli ring fastening system with double seal (TTB) ensures attachment durability.



## **Convenience**

The body of the font is made of stainless steel, which ensures resistance to humidity and mechanical damage.



# Design & User Experience

Tube is a tubular font with a simple and robust design. The 90 mm stainless steel tube provides visual impact and rigidity. It is available in a version with a flat top surface or with an angled 'cut' tip



## **Hygiene & Safety**

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.







## **KEY FEATURES**

Tube

Type of beverages













	Tube Straight / flat	Tube Straight / tip
	#	Î
Dimensions		
Height (tap and lense holder excluded)	600	600
Base/Plint Depth	89	89
Overall Width	89	89
Fixing tube diameter	1"G	1″G
Options		
Tap connection - diameter	5/8"	5/8"
Beer tubes options	stainless steel	stainless steel
Recirculation tubes options	stainless steel - plastic (MDPE)	stainless steel - plastic (MDPE)

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.



#### **Fonts**

## Azur

The Azur font is a dispensing solution characterized by a simple, elegant design with a great aesthetic impact within the venue. Application from 2 to 8 taps.

#### **Features:**

#### Type of dispensed beverage:



Beer



#### Number of ways/lines:



#### Finish:



Stainless Steel

Geometric versatility: Yes

**Connection:** Through the Bar



#### **Performance**

• The Azur font supports from 2 to 8 taps in the bridge version for dispensing beer or wine



## Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

 The stainless steel structure of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



### **Design & User Experience**

- Azur font has an elegant and minimalist design, with an 89 mm supporting tube and a large reflective surface that creates a strong visual impact on the counter
- Available in Bridge, Flag (with lateral connection and taps on the opposite side) and T (with central upright and asymmetrical upper bar) versions



### **Hygiene & Safety**

## Models of the **Azur** series



## Azur Bridge

- III	
Number of ways/lines	3-8
Height (mm)	487
Lenses	double-sided



## Azur Flag (Right / Left)

Number of ways/lines	3-6
Height (mm)	487
Lenses	double-sided



## Azur T-Bar

Number of ways/lines	2-6
Height (mm)	444
Lenses	double-sided



#### **Fonts**

## Zenith

The Zenith font is a dispensing solution characterized by a geometric and alternative design, giving modernity to the venue. Application from 3 to 7 taps.

#### **Features:**

#### Type of dispensed beverage:





#### Number of ways/lines:





#### Finish:



Stainless Steel

Geometric versatility: Yes

**Connection:** Through the Bar



#### **Performance**

 The Azur font supports 3 to 7 taps in the Mini version for dispensing beer or wine



## Serviceability

- The installation of the font is simple and robust thanks to the attachment to the counter with perimeter screws applied to the base flanges of the column
- Large passage hole for recirculation pipes and coils to manage a large number of beer lines



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

 The stainless steel structure of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



## Design & User Experience

- Zenith font offers an alternative design, characterized by oblique lines
- The atypical font shape gives a touch of modernity to the counter
- Zenith is also available in a small model: Mini-Zenith



## **Hygiene & Safety**

## Models of the **Zenith** series



## Zenith Zenith

Number of ways/lines	3-5
Height (mm)	560
Lenses	double-sided



## Zenith Mini Zenith

Number of ways/lines	3-5,7
Height (mm)	445
Lenses	double-sided



#### **KEY STRENGTHS**



Zenith is a font for beer, wine and water dispensing, designed for up to 5 taps



## **Advanced Features**

The font is equipped with a contact recirculation tube.





## Serviceability

The type of connection for installation is counter mounting with a through-the-bar hole. The attachment to the counter is made with perimeter screws applied to the base flanges of the column. The large passage hole for the beer/recirculation tubes allows the font to accommodate a high number of lines.



## Convenience

The body of the font is made of stainless steel, which ensures resistance to humidity and mechanical damage.



## Design & User Experience

Zenith offers an alternative design, characterized by oblique lines. Zenith's unconventional shape adds a touch of modernity to the counter.

Zenith is also available in a smaller model: Mini-Zenith.



## Hygiene & Safety

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.





Zenith

Mini Zenith

Type of beverages



Beer Water Wine



**Finishing** 



Taps

Optional Illumination

Optional

TTB

Connection

Type of beverages



Beer 🗍 Water 🖣 Wine



Finishing



Taps



Illumination



Connection


Zenith



Mini Zenith



Dimensions			
Height (tap and lense holder excluded)	560	4450	
Base/Plint Depth	174	106	
Overall Width	510 (+ 180mm increase for 1 additional way)	306 (+ 100mm increase for 1 additional way)	
Fixing tube diameter	2" G	2" G	
Options			
Lense (accessory)	single-sided	single-sided	
Tap connection - diameter	5/8"	5/8"	
Beer tubes options	plastic (MDPE)	plastic (MDPE)	
Recirculation tubes options	plastic (MDPE)	plastic (MDPE)	



#### **Fonts**

### **Brauhaus**

The Brauhaus represents the iconic Celli font with an industrial style. Its design makes it a perfect font for traditional pubs and breweries. Application up to 12 taps.

#### **Features:**

#### Type of dispensed beverage:



Beer



#### Number of ways/lines:



#### Finish:



Gold (



Copper



Stainless Steel

Geometric versatility: Yes

Connection: Through the Bar

### Strengths



#### **Performance**

- The Brauhaus font supports up to 12 taps for dispensing beer or wine
- Custom configurations can be made based on specific designs and projects, with up to 20 faucets



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



### Serviceability

- The installation of the font is simple and robust thanks to the attachment to the counter with perimeter screws applied to the base flanges of the column
- Large passage hole for recirculation pipes and coils to manage a large number of beer lines



#### Convenience

 The stainless steel structure of the font guarantees resistance to humidity and mechanical damage, ensuring the durability of the product



### Design & User Experience

- Brauhaus is the Celli font with an iconic industrial style, inspired by retro lines and 19th century architecture, ideal for traditional pubs and breweries
- Available in Bridge, Flag (with lateral connection and taps on the opposite side) and Y (two symmetrical arms from the central upright) versions



#### **Hygiene & Safety**

 The smooth outer surface of the straight elements facilitates cleaning and prevents the accumulation of dirt or bacteria

### Models of the **Brauhaus** series



### **Brauhaus Bridge**

Number of ways/lines	3-6, 8,10,12
Height (mm)	549
Lenses	double-sided



### Brauhaus Flag (Right / Left)

Number of ways/lines	3-5
Height (mm)	549
Lenses	double-sided



### Brauhaus Y (T-Bar)

Number of ways/lines	4,6,8
Height (mm)	549
Lenses	double-sided



**STAINLESS STEEL FONT** 

# Brauhaus

The Brauhaus font, designed for up to 12 taps, is characterised by an elegant and minimalist design.

Brauhaus provide installations that are not only advanced in terms of quality and reliability but also spectacular and innovative, allowing beer brands to convey their power.





Brauhaus is a beer, wine, and water dispensing font, designed for up to 12 taps. Possible configurations upon custom design and project, up to 20 taps.



### **Advanced Features**

The font is equipped with a contact recirculation tube.



### Serviceability

The type of connection for installation is counter mounting with a through-the-bar hole. The attachment to the counter is made with perimeter screws applied to the base flanges of the column. The large passage hole for the beer/recirculation tubes allows the font to accommodate a high number of lines.



#### **Convenience**

The body of the font is made of stainless steel, which ensures resistance to humidity and mechanical damage.



### **Hygiene & Safety**

The smooth external surfaceof the font ensures optimal cleanliness due to the absence of gaps.



# Design & User Experience

Brauhaus represents the iconic Celli font with an industrial style, featuring lines that evoke retro production installations or 19th-century architectural elements. It is the perfect solution for pubs or breweries that want to embody the most traditional style of beer production.

Azur is available in three versions: Bridge version, Flag version (with the mounting point on the right or left side and the taps positioned on the opposite side) or Y version (with two symmetrical arms diverging from a central support).





#### **BRAUHAUS VERSIONS**

### Brauhaus Bridge

#### Type of beverages





#### **Optional**





#### Connection





# **Finishing**



### Brauhaus Flag

#### Type of beverages





#### **Optional**








Taps



#### **Finishing**







### Brauhaus Y

#### Type of beverages









#### **Optional**



Illumination






Taps 4;6;8

#### **Finishing**











	Brauhaus Bridge	Brauhaus Flag (right/left)	Brauhaus Y
Dimensions			
Height (tap and lense holder excluded)	549	549	549
Base/Plint Depth	195	195	195
Overall Width	947 (+ 125mm increase for 1 additional way)	724 (+ 125mm increase for 1 additional way)	1002 (+ 125mm increase for 1 additional way)
Fixing tube diameter	hole 110 [mm] hole 110 [mm]		hole 110 [mm]
Options			
Lense (accessory)	double-sided	double-sided	double-sided
Tap connection - diameter	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"
Beer tubes options	stainless steel	stainless steel	stainless steel
Recirculation tubes options	stainless steel	stainless steel	stainless steel

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.





Brauhaus Flag Right





#### **Fonts**

## Magic

**Features:** 

The Magic font is a dispensing solution with a spiral design, an excellent choice for bars, restaurants and venues that aim for a modern style. Application up to 3 taps.

# Type of dispensed beverage: Beer Water Wine Number of ways/lines: from 1 to 2

#### Types of water:



#### Finish:



Connection: Through the Bar

### Strengths



#### **Performance**

• The Magic font supports up to 3 taps for beer, wine or water dispensing



### Serviceability

- The installation of the font is simple and robust thanks to the TTB connection
- The Celli coupling system, with double gasket ring, ensures a reliable and long-lasting seal, maintaining the stability of the column for a long period of time



#### **Advanced Features**

• Equipped with contact recirculation tube to keep the liquid temperature constant



#### Convenience

 The robust structure of Magic ensures high resistance to mechanical damage, while the vitreous-ceramic material of which it is made does not suffer deterioration due to humidity




### **Design & User Experience**

- Magic is a modern font with a spiral design and shapes that convey solidity and lightness
- Magic stands out for its elegant appearance, perfect for any environment



### **Hygiene & Safety**

 The completely smooth and crevice-free external surface facilitates cleaning and prevents the accumulation of dirt or bacteria





Magic is a font for beer, wine and water dispensing, suitable for up to 3 taps.



### **Advanced Features**

The font is equipped with a contact recirculation tube.





### Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



#### Convenience

The rigid structure of Magic ensures resistance to mechanical damage, just as the vitreous-ceramic material it is made of is not prone to deterioration due to humidity.



# Design & User Experience

Magic is a modern font with a spiral design that combines solidity and lightness.



### Hygiene & Safety

The smooth external surfaceof the font ensures optimal cleanliness due to the absence of gaps.





Magic 1

Type of beverages

Beer Water Wine







Connection

Magic 3

Type of beverages



Finishing





Taps

**Д** ттв

Connection

	Magic 1	Magic 3
	1	**
Dimensions		
Height (tap and lense holder excluded)	460	475
Base/Plint Depth	73	97
Overall Width	104	131
Fixing tube diameter	1"G or 1" 1/2 G	1"G or 1" 1/2 G
Options		
Lense (accessory)	single-sided, built-in	single-sided, built-in
Tap connection - diameter	5/8"	5/8"
Beer tubes options	stainless steel	stainless steel







Impero is a font for beer, wine and water dispensing, designed for up to 4 taps.



### **Advanced Features**

The font is equipped with a contact recirculation tube.





### Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



### Convenience

Impero is a brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.



### Design & User Experience

The Impero font features the typical Belle Époque design. The font is available in a single-tap version or as a T-bar with 2, 3, or 4 taps, with additional taps arranged on a horizontal oval band.



### **Hygiene & Safety**

The monolithic composition of the font and the absence of joints facilitate external cleaning.





Impero 1

Impero **2,3,4** 





Beer Water Wine



**Finishing** 



Taps Connection











**Finishing** 



Taps



Connection

Impero 1







		S. 48.25			
Dimensions					
Height (tap and lense holder excluded)	500	500			
Base/Plint Depth	90	90			
Overall Width	100	268			
Fixing tube diameter	1" 1/2 G	1″ 1/2 G			
Options					
Lense (accessory)	/	/			
Tap connection - diameter	5/8"	5/8"			
Beer tubes options	stainless steel	stainless steel			
Recirculation tubes options	stainless steel	stainless steel - copper			





Valy is a single-tap font for beer, wine and water dispensing.



### **Advanced Features**

The font is equipped with a contact recirculation tube.





### Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



### Convenience

Monolithic brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.



### Design & User Experience

Valy's shape is reminiscent of a trophy, in which the beverage company's logo is embedded. Light reflected from the cavities in the font body further highlights the lens holder.



### Hygiene & Safety

The smooth external surfaceof the font ensures optimal cleanliness due to the absence of gaps.








Valy	Type of be	verages  Water	<b>₽</b> wi	ine	Finishing	Optional  Continuation	-	Connectio
	( Beer	U water	I			- Indiana	~`` 5 <sub>7</sub> •• '	#
				Valy				
						Ŷ		
Dimensions								
Height (tap and lense	holder excluded)					553		
Base/Plint Depth						80		
Overall Width						137		
Fixing tube diameter						1" G		
Options								
Lense (accessory)						double-sided		
Tap connection - dian	meter					5/8"		
Beer tubes options						stainless steel		
Recirculation tubes o	ptions					stainless steel		

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.







Celine is a font for beer, wine and water dispensing, designed for up to 7 taps.



### **Advanced Features**

The font is equipped with a contact recirculation tube.





### Serviceability

The type of connection for installation is counter mounting with through the bar hole. The Celli ring fastening system with double seal (TTB) ensures the durability of the attachment.



#### Convenience

Celine is a brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.



# Design & User Experience

Celine features elegant shapes inspired by 19th-century furniture elements. The font is available in a single-way version (Celine), a 3-way version (Celine Tbar 3), and finally a bridge version with 5 or 7 way (Celine Bridge). The 5- and 7-ways versions consist of two vertical supports.



### **Hygiene & Safety**

The monolithic composition of the font and the absence of joints facilitate external cleaning.



#### **CELINE VERSIONS**

### Celine **Bridge**

#### Type of beverages









Connection





**Finishing** 





### Celine Tbar 3

#### Type of beverages







Connection

**Д** ттв

Taps

**Finishing** 





### Celine Bridge

#### Type of beverages









Connection




Taps



**Finishing** 







	Celine	Celine TBar 3	Celine Bridge
		1-11-	111
Dimensions			
Height (tap and lense holder excluded)	450	450	450
Base/Plint Depth	100	100	100
Overall Width	95	386	633 (+ 124cm increase for 1 additional way)
Fixing tube diameter	1" G	1" G	1″ G
Options			
Lense (accessory)	double-sided	double-sided	double-sided
Tap connection - diameter	5/8" - 1/2"	5/8" - 1/2"	5/8" - 1/2"
Beer tubes options	stainless steel	stainless steel	stainless steel
Recirculation tubes options	stainless steel	stainless steel	stainless steel

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.













### **CERAMIC SEMI-SANDSTONE FONT**

Barocco is a ceramic semisandstone font with a vintage desing.

The ceramic texture recalls the terracotta fixtures of the past, blending seamlessly with traditional





Barocco is a single-tap font for beer, wine, and water dispensing. The body is made of ceramic semi-sandstone.



#### **Advanced Features**

The font is equipped with a contact recirculation tube.





### Serviceability

The lid of the Barocco can be easily lifted to access the product tubes and tap connections inside the font. The wide base hole allows easy insertion of all necessary pipework.



### Convenience

The ceramic used in the construction of the font provides virtually unlimited resistance to any liquid or chemical agent over time.



# Design & User Experience

The vintage Barocco design draws inspiration from the classic lines of traditional beverage dispensing fonts. The ceramic texture evokes the terracotta fixtures of the past, blending seamlessly with traditional bar décor.



### **Hygiene & Safety**

The smooth external surfaceof the font ensures optimal cleanliness due to the absence of gaps.







Barocco	Type of beverages  Beer Water	Finishing Wine	Taps Connection  1 TTB
	Barocco		
		6	
Dimensions			
Height (tap and lense holder exclud	ed)	550	12
Base/Plint Depth		165	
Overall Width		165	
Fixing tube diameter		M75 x 3	
Options			
Lense (accessory)		1	
Tap connection - diameter		5/8"	
Beer tubes options		stainless steel	);; (1)
Recirculation tubes options		/	

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.





**BRASS FONTS** 

Classic is a font made of polished chrome-plated brass with a regal design.

The font can be customised with a branded lens and special metallic finishes including gold, brass, polished brushed, copper, brushed copper, brushed brass, antique brass and brushed antique brass.





Classic is a font for beer, wine and water dispensing, designed for up to 4 taps.



### **Advanced Features**

The font is equipped with a contact recirculation tube.





### Convenience

The installation offers two connection options: mounting through a bar hole (ensuring smoother pipe alignment) or clamping to the outer edge of the counter.



### Serviceability

Classic is a brass font characterized by high structural solidity. The polished chrome surface layer ensures resistance to humidity and mechanical damage.





# Design & User Experience

Classic is made of polished chrome-plated brass, which gives the design a regal touch. It can be customised with a branded lens and special metallic finishes including gold, brass, polished brushed, copper, brushed copper, brushed brass, antique brass and brushed antique brass. The font can also be screen-printed with customer graphics or covered with vinyl, subject to additional charges and minimum order quantities.





### **Hygiene & Safety**

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.

#### **CLASSIC VERSIONS**

### Classic 1

#### Type of beverages





#### **Optional**



Illumination



Connection











### Classic 2

#### Type of beverages







#### **Optional**



| Illumination







TTB CLAMP 2



#### **Finishing**





### Classic 3

#### Type of beverages









#### **Optional**













### **Finishing**





### Classic 4

#### Type of beverages







#### Optional





#### Connection



TTB CLAMP 4



#### **Finishing**








	Classic 1	Classic 2	Classic 3	Classic 4
		Ï	Ï	Y
Dimensions				
Height (tap and lense holder excluded)	390	390	390	390
Base/Plint Depth	118	118	118	118
Overall Width	50 (+ 45mm increase for 1 additional way)	50 (+ 45mm increase for 1 additional way)	50 (+ 45mm increase for 1 additional way)	50 (+ 45mm increase for 1 additional way)
Fixing tube diameter	1" BSPP	1" BSPP	1" BSPP	1" BSPP
Options				
Lense (accessory)	single-sided, double-sided	single-sided, double-sided	single-sided, double-sided	single-sided, double-sided
Tap connection - diameter	5/8"	5/8"	5/8"	5/8"
Beer tubes options	plastic (MDPE)	plastic (MDPE)	plastic (MDPE)	plastic (MDPE)
Recirculation tubes options	plastic (MDPE)	plastic (MDPE)	plastic (MDPE)	plastic (MDPE)


This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.













# Tubular

Tubular is a font with a simple and light tubular design that

can be adapted to any context.
The font is available in three different heights (200, 300, and 400mm), allowing the font to be adapted to any type of counter.





### **Performance**

Tubular is a font for beer, wine and water dispensing, designed for up to 2 taps. It is available in three different heights (200, 300, and 400mm), allowing the font to be adapted to any type of counter.



### **Advanced Features**

The font is equipped with a contact recirculation tube.



### Serviceability

The installation offers two connection options: mounting through a bar hole (ensuring smoother pipe alignment) or clamping to the outer edge of the counter.



### Convenience

Monolithic brass font with a compact structure and reduced weight. The polished chrome finish ensures resistance to humidity and mechanical damage.



### Design & User Experience

Tubular is a tubular font with a simple and light design that can be adapted to any context. The Tubular font is available in a neutral version or with a round lens holder in the front position. corretto



### Hygiene & Safety

The smooth external surface of the font ensures optimal cleanliness due to the absence of gaps.







#### **TUBULAR VERSIONS**

### Tubular 200

#### Type of beverages



#### **Optional**



#### Connection

TTB LAMP 1-2

#### **Finishing**





### Tubular 300

#### Type of beverages



#### Optional



#### Connection

Connection raps

TTB CLAMP 1-2

#### **Finishing**





### Tubular 400

#### Type of beverages



#### Optional

Illumination

#### Connection

TTB CLAMP 7 1-2

#### **Finishing**








	Tubular 200	Tubular 300	Tubular 400	
	ľ	ď	Ĺ	
Dimensions				
Height (tap and lense holder excluded)	223	323	423	
Base/Plint Depth	45	45	45	
Overall Width	45 (+ 45mm increase for 1 additional way)	45 (+ 45mm increase for 1 additional way)	45 (+ 45mm increase for 1 additional way)	
Fixing tube diameter	1" BSPP	/	/	
Options				
Lense (accessory)	single-sided	/	/	
Tap connection - diameter	5/8"	/	/	
Beer tubes options	plastic (MDPE)	/	/	
Recirculation tubes options	plastic (MDPE)	/	/	

This is a all-comprehensive list fo all possibile features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the Celli price list.











#### По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Казахстан +7(727)345-47-04 Беларусь +

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35

**Узбекистан** +998(71)205-18-59

Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47