

Настольные диспенсеры Niagara

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>



Overcounters

Niagara TOP 65

Niagara TOP 65 is a 65 liter water dispenser with ice bank technology, designed for over-the-counter application in small restaurants and cafes. It allows single or simultaneous dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:



Water

Number of ways/lines:



from 1 to 2

Number of people:



70-80

Types of water:



Ambient



Natural cold



Sparkling cold

Finish:



Skin-plate



Stainless Steel

Strengths



Performance

- Niagara TOP 65 can dispense up to 65 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 40L/h in continuous service
- The ice bank with double coil in the ACWG versions makes the simultaneous dispensing of cold and sparkling water faster and more efficient



Design & User Experience

- Thanks to its compact and solid design, Niagara TOP 65 can be easily positioned on different worktops such as bar and restaurant counters
- The reduced depth facilitates positioning in small or narrow spaces



Label & Certification

- Niagara TOP 65 is WRAS certified
- The dispenser is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC



Advanced Features

- Niagara TOP 65 supports the application of dechlorinator and purifier filters to improve the taste and odor of water



Hygiene & Safety

- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions

Models of the **Niagara** series



Niagara TOP 65

L/H continuous	40
Channel	Horeca - Small Size
Water type	Ambient, Sparkling, Natural cold



Niagara TOP 120

L/H continuous	70
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Niagara TOP 180

L/H continuous	100
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Overcounters

Niagara TOP 120

Niagara TOP 120 is a 120 liter water dispenser with ice bank technology, designed for over-the-counter application in large restaurants and cafes. It allows single or simultaneous dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:



Water

Number of ways/lines:



from 1 to 2

Number of people:



>250

Types of water:



Ambient



Natural cold



Sparkling cold

Finish:



Skin-plate



Stainless Steel

Strengths



Performance

- Niagara TOP 120 can dispense up to 120 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 70L/h in continuous service
- The ice bank with double coil in the ACWG versions makes the simultaneous dispensing of cold and sparkling water faster and more efficient



Design & User Experience

- Thanks to its compact and solid design, Niagara TOP 120 can be easily positioned on different worktops such as bar and restaurant counters
- The reduced depth facilitates positioning in small or narrow spaces



Label & Certification

- Niagara TOP 120 is WRAS certified
- The dispenser is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC



Advanced Features

- Niagara TOP 120 supports the application of dechlorinator and purifier filters to improve the taste and odor of water



Hygiene & Safety

- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions

Models of the **Niagara** series



Niagara TOP 65

L/H continuous	40
Channel	Horeca - Small Size
Water type	Ambient, Sparkling, Natural cold



Niagara TOP 120

L/H continuous	70
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Niagara TOP 180

L/H continuous	100
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Overcounters

Niagara TOP 180

Niagara TOP 180 is a 180 liter water dispenser with ice bank technology, designed for over-the-counter application in large restaurants and cafes. It allows single or simultaneous dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

☒ from 1 to 2

Number of people:

☒ >250

Types of water:

 Ambient  Natural cold  Sparkling cold

Finish:

☒ Skin-plate ☐ Stainless Steel

Strengths



Performance

- Niagara TOP 180 can dispense up to 180 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 100L/h in continuous service
- The ice bank with double coil in the ACWG versions makes the simultaneous dispensing of cold and sparkling water faster and more efficient



Design & User Experience

- Thanks to its compact and solid design, Niagara TOP 180 can be easily positioned on different worktops such as bar and restaurant counters
- The reduced depth facilitates positioning in small or narrow spaces



Label & Certification

- Niagara TOP 180 is WRAS certified
- The dispenser is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC



Advanced Features

- Niagara TOP 180 supports the application of dechlorinator and purifier filters to improve the taste and odor of water



Hygiene & Safety

- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions

Models of the **Niagara** series



Niagara TOP 65

L/H continuous	40
Channel	Horeca - Small Size
Water type	Ambient, Sparkling, Natural cold



Niagara TOP 120

L/H continuous	70
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Niagara TOP 180

L/H continuous	100
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Overcounters

Niagara FS 120 New Generation

Niagara FS 120 New Generation is a free-standing professional dispenser designed for the Horeca channel, ideal for medium/large premises and restaurants. It allows single or simultaneous dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

 from 1 to 2

Number of people:

 >250

Types of water:

 Ambient  Natural cold  Sparkling cold

Finish:

 Stainless Steel

 Energy Saving  Self Service  Lighting

Strengths



Performance

- Niagara FS 120 New Generation can dispense up to 120 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 80L/h in continuous service
- The ice bank with double coil in the ACWG versions makes the simultaneous dispensing of cold and sparkling water faster and more efficient



Serviceability

- Plug & play installation, simple and immediate
- Niagara FS 120 New Generation is equipped with sturdy wheels and ergonomic handles, which facilitate quick and safe movement for maintenance or change of location



Design & User Experience

- Modern design and intuitive user interface, with improved display, button pad and front LED indicators
- The internal components and accessories are housed inside, promoting a clean and tidy aesthetic
- The Easy Touch version is designed to ensure accessible use even for the most sensitive categories, such as people with disabilities and children



Advanced Features

- Niagara FS 120 New Generation supports the application of dechlorinator and purifier filters to improve the taste and odor of water



Convenience

- The standard electronic control allows you to certain machine functions, such as the automatic water dispensing volume or the ice bank temperature, in favor of more efficient consumption
- Thanks to the Energy Saving function, it is possible to significantly reduce the electrical absorption of the system during stand-by periods



Hygiene & Safety

- The protected internal taps guarantee greater hygiene, reducing the risk of contamination
- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions



Label & Certification

- Niagara FS New Generation 120 is ACS and WRAS certified
- The dispenser is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC

Models of the **Niagara** series



Niagara FS 120 New Generation

L/H continuous	70
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold



Niagara FS 120 New Generation Easy Touch

L/H continuous	70
Channel	Horeca - Big Size
Water type	Ambient, Sparkling, Natural cold

NIAGARA TOP

Easy to place on bar and restaurant counters, in line with canteens or worktops; the reduced depth facilitates positioning in small or restrictive spaces. It optimises service management, guaranteeing the same high performance as the floor-standing model.

Suggested optionals

WATER BLOCK, NO SHOCK, filtration system



Types of water:



Safety:
Anti flooding valve

Colors:



Certifications*:

	description						lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
	NIAGARA TOP 65 IB AC			•	•		65	40	213907	207923	42,2x49x51
NEW	NIAGARA TOP 65 IB AC	•		•	•		65	40	N.A.	300456	42,2x49x51
	NIAGARA TOP 65 IB ACWG			•	•	•	65	40	213913	200043	42,2x49x51
NEW	NIAGARA TOP 65 IB ACWG	•		•	•	•	65	40	N.A.	300457	42,2x49x51
	NIAGARA TOP 65 IB AC EC			•	•		65	40	213889	300570	42,2x49x51
NEW	NIAGARA TOP 65 IB AC EC	•		•	•		65	40	214466	300571	42,2x49x51
	NIAGARA TOP 65 IB ACWG EC			•	•	•	65	40	213902	209780	42,2x49x51
	NIAGARA TOP 65 IB ACWG EC CU			•	•	•	65	40	213903	302297	42,2x49x51
	NIAGARA TOP 65 IB ACWG EC			•	•	•	65	40	214452	300562	42,2x49x51
	NIAGARA TOP 120 IB AC			•	•		120	70	213958	200044	48,2x49x51
NEW	NIAGARA TOP 120 IB AC	•		•	•		120	70	N.A.	209621	48,2x49x51
	NIAGARA TOP 120 IB ACWG			•	•	•	120	70	213982	200045	48,2x49x51
NEW	NIAGARA TOP 120 IB ACWG	•		•	•	•	120	70	215662	209622	48,2x49x51
	NIAGARA TOP 120 IB AC EC			•	•		120	70	213966	200058	48,2x49x51
NEW	NIAGARA TOP 120 IB AC EC	•		•	•		120	70	216154	209626	48,2x49x51
	NIAGARA TOP 120 IB ACWG EC			•	•	•	120	70	213987	200056	48,2x49x51
	NIAGARA TOP 120 IB ACWG EC CU			•	•	•	120	70	213989	302299	48,2x49x51
NEW	NIAGARA TOP 120 IB ACWG EC	•		•	•	•	120	70	216149	300566	48,2x49x51
NEW	NIAGARA TOP 120 IB ACWG EC IW	•		•	•	•	120	70	W.I.P.	208887	48,2x49x51
	NIAGARA TOP 180 IB AC			•	•		180	100	214472	200046	53,2x49x51
	NIAGARA TOP 180 IB ACWG			•	•	•	180	100	214493	300472	53,2x49x51
	NIAGARA TOP 180 IB AC EC			•	•		180	100	214480	300575	53,2x49x51
	NIAGARA TOP 180 IB ACWG EC			•	•	•	180	100	214496	200057	53,2x49x51
	NIAGARA TOP 180 IB ACWG EC CU			•	•	•	180	100	215658	302300	53,2x49x51
NEW	NIAGARA TOP 180 IB ACWG EC	•		•	•	•	180	100	214526	300569	53,2x49x51
NEW	NIAGARA TOP 180 IB ACWG EC IW	•		•	•	•	180	100	215659	300567	53,2x49x51

Max. quantity for pallet 4. Pallet dimensions (WxDxH) 80x120x140 cm
* The Niagara range has WRAS certification. Driptray not included

optional	code	dimension (WxDxH)
RETROFIT KIT for NIAGARA FS & TOP TOUCH. STILL	209617	-
RETROFIT KIT for FS & TOP TOUCH. WG	302189	-
RETROFIT KIT for NIAGARA TOP EC TOUCH. CARBON.	302201	-



ACWG VERSION

COMPLETE INSTALLATION WITH:



DRIPTRAY VR-P



DRIPTRAY VR-PA



DRIPTRAY VR-IS



DRIPTRAY VR-IS2

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>