

Кулеры Ideal

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>



Coolers

Ideal 30

Ideal 30 is a high quality post-mix refrigeration machine with a 30 liter tank with ice bank technology, ideal for medium/high restaurants or capacity venues. Designed for fixed dispensing systems applied under the counter or in remote corners of the room, it allows the dispensing of water and carbonated drinks. Supports 6 or 8 syrup lines.

Features:

Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

Number of ways/lines:



6 taps



8 taps

Number of people:



90-100

Types of water:



Natural cold



Sparkling cold

Finish:



Skin-plate



Energy Saving



Connectable System

Exclusive for:

Strengths



Performance

- Ideal 30 allows you to refrigerate soda, water and 6 or 8 lines of syrup
- The 13 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- The soda recirculation system ensures perfect dispensing of the drink in terms of temperature and carbonation



Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency



Serviceability

- Ideal 30 is designed to guarantee simple maintenance and rapid interventions thanks to the standardization of the components
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



Convenience

- The Ideal range is made with high quality and corrosion resistant materials, ensuring high product durability
- Furthermore, the use of ecological gases such as R744 and R290, free of HFCs, ensures high energy efficiency with a low environmental impact



Design & User Experience

- Ideal 30 is characterized by a red skin-plate bodywork capable of combining a robust design with impactful aesthetics
- The integrated handles facilitate transport and installation, making it ideal even for environments with limited space
- Compatible with postmix fonts to maximize brand impact



Label & Certification

- Ideal 30 is certified in accordance with Coca Cola's rigorous standards for machine reliability and performance

Models of the **Ideal** series



Ideal 30

Water Basin (L)	30
Ice Bank (kg)	13
Cooling Power (W)	660
Coils (n max)	8



Ideal 60

Water Basin (L)	46
Ice Bank (kg)	20
Cooling Power (W)	930
Coils (n max)	8



Ideal 90

Water Basin (L)	92
Ice Bank (kg)	39
Cooling Power (W)	2213
Coils (n max)	8



Ideal 120

Water Basin (L)	123
Ice Bank (kg)	50
Cooling Power (W)	4426
Coils (n max)	8



Coolers

Ideal 60

Ideal 60 is a high quality post-mix refrigeration machine with a 46 liter tank with ice bank technology, ideal for restaurants or medium/high capacity venues. Designed for fixed dispensing systems applied under the counter or in remote corners of the room, it allows the dispensing of water and carbonated drinks. Supports 8 syrup lines.

Features:

Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

Number of ways/lines:



8 taps

Number of people:



150-200

Types of water:



Natural cold



Sparkling cold

Finish:



Skin-plate



Energy Saving



Connectable System

Exclusive for:

Strengths



Performance

- Ideal 60 allows you to refrigerate soda, water and 8 lines of syrup
- The 20 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- The soda recirculation system ensures perfect dispensing of the drink in terms of temperature and carbonation



Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency



Serviceability

- Ideal 60 is designed to guarantee simple maintenance and quick interventions thanks to the standardization of the components
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



Convenience

- The Ideal range is made with high quality and corrosion resistant materials, ensuring high product durability
- Furthermore, the use of ecological gases such as R744 and R290, free of HFCs, ensures high energy efficiency with a low environmental impact



Design & User Experience

- Ideal 60 features a red skin-plate bodywork, which combines a robust design with captivating aesthetics
- The integrated handles facilitate transport and installation, making it ideal even for environments with limited space
- Compatible with postmix fonts to maximize brand impact



Label & Certification

- Ideal 60 is certified in accordance with Coca Cola's rigorous standards for machine reliability and performance

Models of the **Ideal** series



Ideal 30

Water Basin (L)	30
Ice Bank (kg)	13
Cooling Power (W)	660
Coils (n max)	8



Ideal 60

Water Basin (L)	46
Ice Bank (kg)	20
Cooling Power (W)	930
Coils (n max)	8



Ideal 90

Water Basin (L)	92
Ice Bank (kg)	39
Cooling Power (W)	2213
Coils (n max)	8



Ideal 120

Water Basin (L)	123
Ice Bank (kg)	50
Cooling Power (W)	4426
Coils (n max)	8



Coolers

Ideal 90

Ideal 90 is a high quality post-mix refrigeration machine with a 92 liter tank with ice bank technology, ideal for high-capacity restaurants or venues. Designed for fixed dispensing systems applied under the counter or in remote corners of the room, it allows the dispensing of water and carbonated drinks. Supports 8 syrup lines.

Features:

Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

Number of ways/lines:



8 taps

Number of people:



>250

Types of water:



Natural cold



Sparkling cold

Finish:



Skin-plate



Energy Saving



Connectable System

Strengths



Performance

- Ideal 90 allows you to refrigerate soda, water and 8 lines of syrup
- The 39 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- The soda recirculation system ensures perfect dispensing of the drink in terms of temperature and carbonation



Serviceability

- Ideal 90 is designed to guarantee simple maintenance and quick interventions thanks to the standardization of the components
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



Design & User Experience

- Ideal 90 features a red skin-plate bodywork, which combines a robust design with captivating aesthetics
- It is equipped with practical handles and integrated wheels, which simplify its transport and installation
- Compatible with postmix fonts to maximize brand impact



Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency



Convenience

- The Ideal range is made with high quality and corrosion resistant materials, ensuring high product durability
- Furthermore, the use of ecological gases such as R744 and R290, free of HFCs, ensures high energy efficiency with a low environmental impact



Label & Certification

- Ideal 90 is certified in accordance with Coca Cola's rigorous standards for machine reliability and performance

Models of the **Ideal** series



Ideal 30

Water Basin (L)	30
Ice Bank (kg)	13
Cooling Power (W)	660
Coils (n max)	8



Ideal 60

Water Basin (L)	46
Ice Bank (kg)	20
Cooling Power (W)	930
Coils (n max)	8



Ideal 90

Water Basin (L)	92
Ice Bank (kg)	39
Cooling Power (W)	2213
Coils (n max)	8



Ideal 120

Water Basin (L)	123
Ice Bank (kg)	50
Cooling Power (W)	4426
Coils (n max)	8



Coolers

Ideal 120

Ideal 120 is a high quality post-mix refrigeration machine with a 123 liter tank with ice bank technology, ideal for high-capacity restaurants or venues. Designed for fixed dispensing systems applied under the counter or in remote corners of the room, it allows the dispensing of water and carbonated drinks. Supports 8 syrup lines.

Features:

Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

Number of ways/lines:



8 taps

Number of people:



>250

Types of water:



Natural cold



Sparkling cold

Finish:



Skin-plate



Energy Saving



Connectable System

Exclusive for:

Strengths



Performance

- Ideal 120 allows you to refrigerate soda, water and 8 lines of syrup
- The 50 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- The soda recirculation system ensures perfect dispensing of the drink in terms of temperature and carbonation



Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency



Serviceability

- Ideal 120 is designed to guarantee simple maintenance and quick interventions thanks to the standardization of the components
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



Convenience

- The Ideal range is made with high quality and corrosion resistant materials, ensuring high product durability
- Furthermore, the use of ecological gases such as R744 and R290, free of HFCs, ensures high energy efficiency with a low environmental impact



Design & User Experience

- Ideal 120 features a red skin-plate bodywork, which combines a robust design with captivating aesthetics
- It is equipped with practical handles and integrated wheels, which simplify its transport and installation
- Compatible with postmix fonts to maximize brand impact



Label & Certification

- Ideal 120 is certified in accordance with Coca Cola's rigorous standards for machine reliability and performance

Models of the **Ideal** series



Ideal 30

Water Basin (L)	30
Ice Bank (kg)	13
Cooling Power (W)	660
Coils (n max)	8



Ideal 60

Water Basin (L)	46
Ice Bank (kg)	20
Cooling Power (W)	930
Coils (n max)	8



Ideal 90

Water Basin (L)	92
Ice Bank (kg)	39
Cooling Power (W)	2213
Coils (n max)	8



Ideal 120

Water Basin (L)	123
Ice Bank (kg)	50
Cooling Power (W)	4426
Coils (n max)	8

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>