

Дополнительное оборудование и аксессуары

Описание

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>



Complementary Equipment & Accessories

MicroPro

MicroPro filters are designed for the microfiltration of water in combination with professional dispensing systems, improving the flavor and smell of the beverage. Available with either carbon-block filtration technology, with dechlorifying coconut carbon, or pre-coat, with additional polyethylene membrane for superior filtration.

Features:

Type of dispensed beverage:

 Water

Strengths



Performance

- MicroPro filters retain impurities as small as 0.5 microns, eliminating pollutants, chlorine and other undesirable tastes and odors
- Available in different sizes depending on autonomy: S (10,000 litres), M (15,000 litres), L (35,000 litres)



Advanced Features

- Both the carbon block and pre-coat filtration technologies support the version with activated carbon enriched with silver salts (Ag) capable of also exerting an effective bacteriostatic action



Serviceability

- MicroPro disposable filters are compatible with all Celli water dispenser
- Installation of filters is only possible vertically, easy to install and replace



Convenience

- No electricity is required to activate the MicroPro filters



Hygiene & Safety

- MicroPro filters contribute to safer water, ensuring the retention of impurities and suspended substances, eliminating excess chlorine present in the water and any metals and toxic compounds



Label & Certification

- MicroPro filters are WRAS, ACS, MOCA, EAC, ICIM certified

Models of the **MicroPro** series



MicroPro S

Height (mm)	260
Flow (L/H)	200
Autonomy (L)	10.00



MicroPro M

Height (mm)	375
Flow (L/H)	350
Autonomy (L)	15.00



MicroPro L

Height (mm)	525
Flow (L/H)	420
Autonomy (L)	35.00.00



Complementary Equipment & Accessories

Cabinet Hi-Class

The Hi-Class cabinets represent an essential design accessory for the free installation of the Hi-Class range over-counter dispensers in a wide variety of places: from offices, to gyms, to the home environment.

Features:

Type of dispensed beverage:



Water

Finish:



Black

Strengths



Serviceability

- Hi-Class cabinets facilitate the quick and safe movement of Hi-Class range over-counter dispensing systems for maintenance or change of location



Design & User Experience

- The Hi-Class cabinets are characterized by a minimal, modern design and in perfect harmony with the over-counter dispensers
- They allow all the internal components and accessories of the system to be housed inside, ensuring a clean and tidy aesthetic



Complementary Equipment & Accessories

Pressure regulators

Celli pressure regulators represent essential complementary equipment for perfect beer draught, ensuring perfect regulation of gas pressure.

Features:

Type of dispensed beverage:



Beer



Wine



Water



Soft Drink

Number of ways/lines:



from 1 to 5

Geometric versatility: Yes

Strengths



Performance

- The maximum flow rate of Celli pressure regulators complies with the requirements of Class 1 of the ISO 2503 regulation and allows their use between -20 °C and +60 °C
- Each configuration, including inlet, outlet and gauges, is factory tested to ensure the performance of each model



Convenience

- The front body is made of high-strength zamak alloy (zinc+aluminum+manganese+copper), which guarantees greater resistance and durability compared to plastic bodies



Label & Certification

- Celli pressure regulators are SK certified, compliant with DIN 6650-5, and suitable for various gases
- They guarantee safety and compatibility with the main global certifications required by beer producers



Serviceability

- Pressure regulation is done via Allen screw, with the possibility of adding an optional knob for greater convenience
- All materials used are compatible with mixed CO₂/N₂ gases, making the regulators easily adaptable to different field applications



Hygiene & Safety

- Celli pressure regulators guarantee an internal leakage of less than 12 cm³/h (ISO 9090), support a maximum inlet pressure of 300 bar and a burst pressure of 800 bar
- The safety valve, equipped with a seal, has a discharge pressure with a tolerance of ±10% bar



Complementary Equipment & Accessories

Keg couplers

Celli keg couplers represent essential complementary equipment for perfect beer draught.

Features:

Type of dispensed beverage:



Beer



Wine



Soft Drink

Number of ways/lines:



1 tap

Geometric versatility: Yes

Strengths



Serviceability

- All materials used are compatible with mixed CO₂/N₂ gases, making the keg couplers easily adaptable to different field applications



Label & Certification

- Celli keg couplers are SK certified, compliant with DIN 6650-5, and suitable for use with any type of beer or wine
- They guarantee safety and compatibility with the main global certifications required by beer producers



Hygiene & Safety

- Celli keg couplers are structurally built with high-strength materials and a robust internal geometry
- Types D, S and K can be equipped with a built-in safety valve as an option

Models of the **Testate fusto** series



Testate fusto A

Material	Stainless Steel, Brass
Beverage	beer,wine



Testate fusto D

Material	Stainless Steel
Safety valve	Integrated (optional)
Beverage	beer,wine



Testate fusto G

Material	Stainless Steel, Brass
Beverage	beer,wine



Testate fusto M

Material	Stainless Steel, Brass
Beverage	beer,wine



Testate fusto S

Material	Stainless Steel
Safety valve	Integrated (optional)
Beverage	beer,wine



Testate fusto U

Material	Stainless Steel, Brass
Beverage	beer,wine



Testate fusto K (Keykeg)

Material	Stainless Steel
Safety valve	Integrated (optional)
Beverage	beer, wine, soft-drink



Testate fusto Cruzcampo

Material	Stainless Steel, Brass
Beverage	beer



Complementary Equipment & Accessories

Fob stop

The Celli Fob Stop is a foam control device for beer draught, essential for ensuring high-quality pours without product waste.

Features:

Type of dispensed beverage:



Beer

Number of ways/lines:



1 tap

Strengths



Performance

- The Fob stop Celli integrates consolidated experience in flow regulation devices, offering an innovative product with advanced and updated features



Convenience

- The use of the Fob stop reduces product waste when changing kegs, preventing the beer lines from filling with foam and preventing the necessary discharging of several pints to re-establish normal flow



Hygiene & Safety

- The use of the Celli Fob stop prevents the filling of the beer lines with foam, reducing the risk of proliferation of bacteria and yeasts that make the beer un consumable
- Furthermore, it prevents costly operations of emptying and sanitizing the lines



Serviceability

- The Celli Fob Stop can be easily rinsed by operating a lever marked in red at the base of the device
- The upper vent allows for easy drainage of the main chamber from accumulated air
- The device can be easily disassembled









Design & User Experience

- The product is available in two versions: with magnetic sensor and without
- The magnetic sensor detects whether the float has closed the line, ensuring precise flow monitoring

Taps for domestic and office use

Taps and riser fittings are always supplied with fittings and pipe for connection to the water mains, as well as with flow compensator for the riser fittings or solenoid box for electronic taps.

			AC	ACH	ACHWG	ACWG	C	CWG	CHWG	
code	name	description								
300009	G100 ACWG chrome	5 ways tap with double control, available for ACWG/CHWG versions, and with two finishing: chromated or brushed steel				•				
208204	G100 ACWG brushed steel					•				
208149	G100 CHWG chrome								•	
208205	G100 CHWG brushed steel								•	
208075	G200 ACWG chrome	5 ways tap with double control, available for ACWG version, and with two finishing: chromated or brushed steel				•				
208206	G200 ACWG brushed steel					•				
300018	G300 ACWG chrome	5 ways tap, with double control, available for ACWG/CHWG version, swivel spout, pull-out showerhead, chromated finishing				•				
210241	G300 CHWG chrome								•	
209096	G400 ACWG chrome	3 ways electronic tap with keys, available for ACWG and CHWG version, chromated finishing				•				
208207	G400 CHWG chrome								•	
304657	G400 Touchless complete set with box					•			•	
210056	GZero ACHWG EC black	Chrome touch tap with black or brushed stainless steel cover. Available in ACWG and ACHWG version			•					
209531	GZero ACHWG EC brushed stainless steel				•					
302153	GZero ACWG EC black					•				
302154	GZero ACWG EC brushed stainless steel					•				

			AC	ACH	ACHWG	ACWG	C	CWG	CHWG	
code	name	description								
300965	G65	1 way push button tap					•			
206851	G71	1 way tap push button control					•			
208191	G68 WG	3 ways lever tap				•		•		
206826	G72 A	2 ways lever tap	•				•			
206842	G72 WG					•		•		
301975	G73 WG	3 ways faucet				•		•		
206861	G7 EC ACWG	2 or 3 ways tap with touch screen: ambient and cold, or ambient, cold and sparkling 2 or 3 ways solenoid box included				•				
302057	G7 EC AC		•							
206840	BOX G7 EC CH	1 way solenoid box for PRO-STREAM + cold water dispenser					•			
206825	BOX G7 EC CHWG	2 way solenoid box for PRO-STREAM + cold and soda water dispenser						•		

Towers for HoReCa use


Taps and riser fittings are always supplied with fittings and pipe for connection to the water mains, as well as with flow compensator for the riser fittings or solenoid box for electronic taps.

			J-CLASS IN		NIAGARA IN		TE-MIX	BRAVE 90	
code	name	description	AC	ACWG	AC	ACWG	CWG	CWG	
207933	COBRA® plus-large	1-way chrome-plated brass tower Height of the tower: 46 cm Height from the tap: 29,7 cm	•		•				
302061	FALCO	1-way chrome-plated brass tower Height of the tower: 56 cm Height from the tap: 38,2 cm	•		•				
208116	LOTUS	1-way chrome-plated brass tower Height of the tower: 57,5 cm Height from the tap: 31,2 cm	•		•				
206864	COBRA® 2	2-way chrome-plated brass tower Height of the tower: 49,3 cm Height from the tap: 30,5 cm	•	•	•	•	•	•	
208145	COBRA® 2 GOLD	2-way goldplated brass tower Height of the tower: 49,3 cm Height from the tap: 30,5 cm	•	•	•	•	•	•	
208146	FALCO 2	2-way chrome-plated brass tower Height of the tower: 58,1 cm Height from the tap: 36,2 cm	•	•	•	•	•	•	
208117	LOTUS 2	2-way chrome-plated brass tower Height of the tower: 54,4 cm Height from the tap: 31,2 cm	•	•	•	•	•	•	

			J-CLASS IN		NIAGARA IN		TE-MIX	BRAVE 90	
code	name	description	AC	ACWG	AC	ACWG	CWG	CWG	
302063	TUBE	2-way straight stainless steel tower with white luminous cover Height of the tower: 60 cm Height from the tap: 31,1 cm	•	•	•	•	•	•	
208150	COBRA® light	3-way chrome-plated brass tower Height of the tower: 60 cm Height from the tap: 29,5 cm		•		•	•	•	
302060	COBRA® light GOLD	3-way goldplated brass tower Height of the tower: 60 cm Height from the tap: 29,5 cm		•		•	•	•	
208147	FALCO 3	3-way chrome-plated brass tower Height of the tower: 59,2 cm Height from the tap: 36,4 cm		•		•	•	•	
088125	LOTUS 3	3-way chrome-plated brass tower Height of the tower: 61,5 cm Height from the tap: 31,2 cm		•		•	•	•	
088108	MAGIC	3-way vitreous ceramic tower White ceramic handles Height of the tower: 45,9 cm Height from the tap: 31,2 cm		•		•	•	•	

130

Driptrays

			H2OMY	J-CLASS	NIAGARA		HI-CLASS	DRINK TOWER	TE MIX	BRAVE 90	
code	name	description	IN	IN	IN	TOP	45				
206845	VR-P	Plastic driptray 33,8x16x2,5 cm	•	•	•	•			•	•	
206849	VR-P2	Plastic driptray with drainage 33,8x16x2,5 cm	•	•	•	•			•	•	
301900	VR-PA	Plastic deep driptray 33,8x16x5,5 cm	•	•	•	•			•	•	
301901	VR-PA2	Plastic deep driptray with drainage 33,8x16x5,5 cm	•	•	•	•			•	•	
206848	VR-I	On-the-counter stainless steel driptray 40,5x22,5x22,8 cm	•	•	•			•	•	•	
301034	VR-I GOLD	On-the-counter goldplated stainless steel driptray and grill in stainless steel 40,5x22,5x22,8 cm	•	•	•				•	•	
206850	VR-I2	Recessed stainless steel driptray with drainage 40x22x3 cm	•	•	•	•		•	•	•	
301035	VR-I2 GOLD	Recessed goldplated stainless steel driptray and grill in stainless steel with drainage 40x18x3 cm	•	•	•	•			•	•	

			H2OMY	J-CLASS	NIAGARA		HI-CLASS	G7-EC	DRINK TOWER	TE MIX	BRAVE 90	
code	name	description	IN	IN	IN	TOP	45					
206863	VR-IS	Inox hooks on driptray 40,8x18,9x3,2 cm				•						
209529	VR-IS2	Higher inox driptray with drainage 40,8x18,9x5,4 cm				•						
209530	VR-IR	On-the-counter reduced inox driptray 15x22x3 cm	•	•	•				•	•	•	
030954	VR-IR2	Reduced inox driptray with drainage 23x21x3 cm	•	•	•				•	•	•	
208203	VR-G7	Driptray with drain 12,8x12,2x8,6 cm						•				
302142	VR-IH2	Driptray with drainage for Hi-Class Top 45 40x18x3 cm					•					

132

Cabinets and supports

			H2OMY	J-CLASS	HI-CLASS				
code	name	description	TOP	TOP	20	30	45	65	
300026	CABINET JCLASS BLACK-SILVER	Cabinet for J-Class 34x57x92 cm		●					
301912	CABINET JCLASS K22 GREY	Cabinets for J-Class, refrigerator holder, cup distributor, equipped for filter storage 28x52x90 cm		●					
210444	CABINET HI-CLASS TOP 20	Cabinet for Hi-Class Top 20 36x43,7x105,5 cm			●				
210443	CABINET HI-CLASS TOP 30	Cabinet for Hi-Class Top 30 36x55,3x105,5 cm				●			
206838	CABINET HI-CLASS TOP 45 PREMIUM	Complete cabinet for Hi-Class Top 45 34x53,5x107,2 cm					●		

			H2OMY	J-CLASS	HI-CLASS				
code	name	description	TOP	TOP	20	30	45	65	
309508	CABINET HI-CLASS TOP 65	Cabinet for Hi-Class Top 65 42,2x51,8x108,7 cm						●	
302155	VASCHETTA CON SCARICO HI-CLASS TOP 65	Stainless steel driptray with drainage for Hi-Class Top 65 on cabinet						●	
302027	CABINET H2OMY	Cabinet for H2omy 39,5x36x95,3 cm	●						
303387	EXTENSION CABINET H2OMY CHWG	Cabinet extension for H2omy CHWG 26x10,2x10 cm	●						
305649	PLINTH	Riser for Hi-Class Top 45 for installation without cabinet 34x54x4 cm					●		

134

Filtration

			HI-CLASS				J-CLASS		NIAGARA			PRO-STREAM	H2OMY		AQUALITY POU	RIVER		
code	name	description	20	30	45	65	TOP	IN	FS	TOP	IN		TOP	IN		FS	UP	
209370	F	4C Chlorine filter/ purifier with head and shut off valve	●	●	●	●	●	●		●	●					●	●	
301980															■			
300957									■									
300955																■		
300956																	■	
300979	FC	Multilayer + Carbon Block filters	●	●	●	●	●	●					●	●				
301979															■			
301914	F-CAL	Customized chlorine purifier filter, bacteriostatic, descaler with shut off head	●	●	●	●	●	●	●	●	●	●	●	●		●	●	
301976															■			
300007	F-MICRO	Customized antibacterial micro-filter, with shut off head	●	●	●	●	●	●	●	●	●		●	●		●	●	
301977															■			
301974	F-SMALL+	Customized chlorine fillter/ purifier with bypassing head	●	●	●	●	●	●					●	●				
302082															■			
301996																		
301969	F-SOFT	Ion exchange resin filter purifier for hardness reduction with shut off head	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
301872	F-UV	F + UV 12W sterilizer	●	●	●	●	●	●		●	●	●						
301862									■									

■ Filtration system installed inside the cooler ● External filtration system

Spareparts for filtration systems

			F	FC	F-CAL	F-MICRO	F-SMALL+	F-SOFT	F-UV
code	name	description							
300021	4C	Filter cartridge 0,5µ 11.000 lt	•						•
302384	C.B.	Carbon block 0,5µ filter cartridge 6.000 lt		•					
302377	FM	Multilayered 5µ filter cartridge 6.000 lt		•					
301915	CAL	Filter cartridge 0,5µ 7.600 lt			•				
300022	MICRO	Filter cartridge 0,2µ 7.600 lt				•			
302392	SMALL+	Filter cartridge 0,5µ 4.000 lt					•		
302430	SOFT	Filter cartridge 2.300 lt						•	
304946	O-RING QUARZ N	O-ring for quartz sleeve for 12W UV (1pc)							•
306403	QUARZ N	Quartz sleeve for UV 12W + O-RING							•
306400	UV bulb N	UV bulb 12w for water filtration 8.000 h							•

Hydraulic accessories

			EVO					HI-CLASS			J-CLASS		NIAGARA		TE-MIX					AQUATAP2	CARBONATOR	IBRAVEO	PRO-STREAM	H2OMY	AQUALITY POU	RIVER	WATERBAR	AQUALITY BOTTLE
code	name	description	HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 65 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65			TOP	IN	FS	UP	
210474	 ELECTRONIC NO LEAK	Electronic shut-off system	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
304858	Flow Regulator 8 mm	Flow regulator														●	●	●	●	●	●	●	●					
208078	Flow Regulator 6 mm											●												●				
301916	 No shock	Water hammer arrestor	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
301906	 PRV 1/4"	Water pressure reducing valve																							●			
208200	 PRV 8 mm							●	●	●	●	●	●			●	●	●	●	●	●	●	●	●	●	●	●	
302081	 PRV+ 1/4"	Water pressure stabilizer with gauge																							●			
302080	 PRV+ 8 mm															●	●	●	●	●	●	●	●					
300023	 WATER BLOCK 8 mm (high-flow)	Anti - flooding valve				●	●						●	●	●	●	●	●	●	●	●	●	●					
207928	 WATER BLOCK 8 mm (low-flow)		●	●	●			●	●	●	●	●												●	●	●	●	
301883	 WATER BLOCK 1/4" (low-flow)																								●			
301946	WATER METER 8 mm	Mechanical liter counter	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
301948	WATER METER 1/4"																								●			

● Product recommended for additional security, against floods. It includes fittings for connection

138

Carbonation accessories

			EVO					HI-CLASS			J-CLASS		NIAGARA		TE-MIX						AQUAPART2	CARBONATOR	BRAYEN	PRO-STREAM	H2OMY		AQUALITY POU	RIVER		WATERBAR	AQUALITY BOTTLE		
code	name	description	HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 65 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65					TOP	IN		FS	UP			
206882	B-UG	CO2 cylinder 0,600 Kg one use						•	•	•	•	•	•													•	•	•				•	
209615	OR-RIC	Gasket for R-RIC and R-RIC+ (10 pcs)						•	•	•	•	•	•	•	•	•									•	•	•	•				•	
302053	OR-UG NEW	Gasket for R-UG and R-UGN (10 pcs)							•	•	•	•	•	•											•	•	•	•				•	
301927	OR-UG OLD	OR 106 for R-UG and R-UGN (10 pcs)							•	•	•	•	•	•											•	•	•	•				•	
207930	R-RIC	Pressure reducer for refillable bottle (max 4.7 bar)						•	•	•		•	•												•	•	•	•				•	
300024	R-RIC 5.5	Double gauge pressure reducer for refillable bottle (max 5.5 bar)															•	•	•	•	•	•	•										
208171	R-RIC+	Double gauge pressure reducer for refillable bottle (max 4.7 bar)	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•									
208190	R-UG	Pressure reducer for B-UG (max 4.7 bar)						•	•	•		•	•												•	•	•					•	
208131	R-UGN	Pressure reducer for B-UG (max 4.7 bar)						•	•	•		•	•												•	•	•	•				•	
208118	ADAPTOR	Adapter for pressure regulator from B-UG to B-RIC						•	•	•	•	•	•												•	•	•	•				•	

Various accessories

code	name	description	EVO						HI-CLASS			J-CLASS		NIAGARA		TE-MIX						AQUARIAP2	CARBONATOR	BRANEO	PRO-STREAM	H2OMY	AQUALITY POU	RIVER	WATERBAR	AQUALITY BOTTLE
			HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 68 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65				TOP	IN		FS	UP	
301943	KIT INST	Water connection kit																												
302085																														
302079																														
302078																														
208079																														
300025																														
302077																														
271995	TUB	8 mm tubing																												
272235		1/4" tubing																												
272038		6 mm tubing																												
305679		3/8" tubing																												
301922	KIT 8	8 mm quick insertion fittings kit																												
301924	KIT 6	6 mm quick insertion fittings kit																												
209616	KIT WG	Carbonator fittings kit																												
301878	PRA	Recycling water pump for python (no Niagara 55)																												
305720	PIT	Recycle python (tubing 8 mm – recirculation 3/8")																												
107462	PUMP	Low ratio peristaltic																												
107463	PUMP	High ratio peristaltic																												



NEW

			EVO						HI-CLASS			J-CLASS			NIAGARA			TE-MIX						AQUAVAR2	CARBONATOR	BRANEO	PRO-STREAM	H2OMY		AQUALITY POU	RIVER		WATERBAR	AQUALITY BOTTLE
code	name	description	HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 65 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65				TOP	IN		FS	UP					
304591	KL	UVC-led reactor		●	●	●	●	●																										
306396	UV BULB A	Replacement UV lamp for dispensing area										●		●	●																			
308184																														●				
308185																										●								
301926	NOZZLE	Anti-splash nozzle (10 pcs)																																
208141	KEY	Key for unscrewing the outlet spouts (10 pcs)	●	●	●			●	●	●	●	●		●	●										●	●								
301928	AIR	Hygienic-system air filter + o-ring (10 pcs)																												●				

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>