

Настольные диспенсеры Hi-Class

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>



Overcounters

Hi-Class TOP 20

Hi-Class TOP 20 is a 20 liter water dispenser with ice bank technology, designed for over-the-counter application in small offices or for domestic use. It allows the dispensing of water at room temperature, cold still, cold sparkling, and hot water.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

✓ from 1 to 4

Number of people:

✓ 1-5 ✓ 5-10

Types of water:



Ambient



Natural cold



Sparkling cold



Hot

Finish:



White



Black



Self Service



Lighting

Strengths



Performance

- Hi-Class TOP 20 can dispense up to 20 liters per hour of cold water, still and sparkling, water at room temperature or hot water, with a capacity of 3L/h in continuous service
- Hot water supplied at 98°C with a boiler capacity of 1 liter in the CHWG version and 1
- 4 liters in the ACHWG version



Design & User Experience

- HI-Class TOP 20 is characterized by a modern and compact design, favoring positioning in small or restricted spaces
- The elegant blue and red LEDs facilitate the positioning of bottles or glasses and protect the person when dispensing hot water



Label & Certification

- Hi-Class TOP 20 is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC



Serviceability

- Plug & play installation, simple and immediate
- The cabinet version facilitates quick and safe movement of the system for maintenance or change of location



Hygiene & Safety

- The protected internal taps guarantee greater hygiene, reducing the risk of contamination
- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions

Models of the **Hi-Class** series



Hi-Class TOP 20

L/H continuous	3
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 30

L/H continuous	7
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 45

L/H continuous	9
Channel	Horeca, Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 65

L/H continuous	40
----------------	----

Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 65 TAP

L/H continuous	40
Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Overcounters

Hi-Class TOP 30

Hi-Class TOP 30 is a 30 liter water dispenser with ice bank technology, designed for over-the-counter application in small restaurants, offices or for domestic use. It allows the dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

☒ from 1 to 2

Number of people:

☒ 10-20 ☒ 20-30

Types of water:

 Ambient  Natural cold  Sparkling cold

Finish:

☐ White ☒ Black

 Self Service  Lighting

Strengths



Performance

- Hi-Class TOP 30 can dispense up to 30 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 7L/h in continuous service
- Possibility to set the dose in two sizes, small and large, for each type of water



Convenience

- The version with electronic control allows you to pre-set certain machine functions, such as the automatic water dispensing volume or the ice bank temperature
- This enables real-time monitoring of operation and helps optimize energy consumption



Hygiene & Safety

- The protected internal taps guarantee greater hygiene, reducing the risk of contamination
- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions



Serviceability

- Plug & play installation, simple and immediate
- The cabinet version facilitates quick and safe movement of the system for maintenance or change of location



Design & User Experience

- HI-Class TOP 30 is characterized by a modern and compact design, favoring positioning in small or restricted spaces
- The elegant blue LEDs that facilitate the correct positioning of the bottle or glass under the dispenser



Label & Certification

- Hi-Class TOP 30 is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC, USA

Models of the **Hi-Class** series



Hi-Class TOP 20

L/H continuous	3
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 30

L/H continuous	7
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 45

L/H continuous	9
Channel	Horeca, Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 65

L/H continuous	40
----------------	----

Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 65 TAP

L/H continuous	40
Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Overcounters

Hi-Class TOP 45

Hi-Class TOP 45 is a 45 liter water dispenser with ice bank technology, designed for over-the-counter application in restaurants or medium-capacity offices. It allows the dispensing of water at room temperature, cold still, cold sparkling, and hot water.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

 from 1 to 4

Number of people:

 30-40  40-50

Types of water:

 Ambient  Natural cold  Sparkling cold  Hot

Finish:

 Black

 Self Service  Lighting

Strengths



Performance

- Hi-Class TOP 45 can dispense up to 20 liters per hour of cold water, still and sparkling, water at room temperature or hot water, with a capacity of 9L/h in continuous service
- Hot water supplied at 98°C with a boiler capacity of 1 liter in the CHWG version and 1
- 4 liters in the ACHWG version
- Possibility to set the dose in two sizes, small and large, for each type of water



Convenience

- Thanks to the electronic control it is possible to pre-set some functions of the machine such as the dose of water to be dispensed automatically with a volumetric criterion
- This allows you to monitor operation in real time and make consumption more efficient



Hygiene & Safety

- The protected internal taps guarantee greater hygiene, reducing the risk of contamination
- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions



Serviceability

- Plug & play installation, simple and immediate
- The cabinet version facilitates quick and safe movement of the system for maintenance or change of location



Design & User Experience

- Hi-Class TOP 45 is characterized by a refined and compact design, favoring positioning in small or restricted spaces
- The user interface is equipped with a modern touch display for selecting the type of water to be dispensed and a dispensing spout with adjustable vertical movement based on the size of the desired drink



Label & Certification

- Hi-Class TOP 45 is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC, USA

Models of the **Hi-Class** series



Hi-Class TOP 20

L/H continuous	3
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 30

L/H continuous	7
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 45

L/H continuous	9
Channel	Horeca, Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 65

L/H continuous	40
----------------	----

Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 65 TAP

L/H continuous	40
Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Overcounters

Hi-Class TOP 65

Hi-Class TOP 65 is a 65 liter water dispenser with ice bank technology, designed for over-the-counter application in medium-capacity restaurants or offices. It allows the dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

 from 1 to 2

Number of people:

 40-50  50-60  60-70  80-90  90-100

Types of water:

 Ambient  Natural cold  Sparkling cold

Finish:

 White  Black

 Self Service  Lighting

Strengths



Performance

- Hi-Class TOP 65 can dispense up to 65 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 40L/h in continuous service
- Possibility to set the dose in two sizes, small and large, for each type of water



Convenience

- The version with electronic control allows you to pre-set certain machine functions, such as the automatic water dispensing volume or the ice bank temperature
- This enables real-time monitoring of operation and helps optimize energy consumption



Hygiene & Safety

- The protected internal taps guarantee greater hygiene, reducing the risk of contamination
- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions



Serviceability

- Plug & play installation, simple and immediate
- The cabinet version facilitates quick and safe movement of the system for maintenance or change of location



Design & User Experience

- HI-Class TOP 65 is characterized by a modern and compact design, favoring positioning in small or restricted spaces
- Equipped with double dispensing spout
- The elegant blue LEDs that facilitate the correct positioning of the bottle or glass under the dispenser



Label & Certification

- Hi-Class TOP 65 is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC, USA

Models of the **Hi-Class** series



Hi-Class TOP 20

L/H continuous	3
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 30

L/H continuous	7
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 45

L/H continuous	9
Channel	Horeca, Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 65

L/H continuous	40
----------------	----

Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 65 TAP

L/H continuous	40
Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Overcounters

Hi-Class TOP 65 TAP

Hi-Class TOP 65 TAP is a 65 liter water dispenser with ice bank technology, designed for over-the-counter application in medium-capacity restaurants or offices. It allows the supply of water at room temperature and cold, still or sparkling, through external taps.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

✓ from 1 to 2

Number of people:

✓ 40-50 ✓ 50-60 ✓ 60-70 ✓ 80-90 ✓ 90-100

Types of water:

 Ambient  Natural cold  Sparkling cold

Finish:

 Black

 Self Service  Lighting

Strengths



Performance

- Hi-Class TOP 65 TAP can dispense up to 65 liters per hour of cold water, still and sparkling, or water at room temperature, with a capacity of 40L/h in continuous service



Design & User Experience

- Hi-Class TOP 65 TAP is characterized by a modern and compact design, favoring positioning in small or restricted spaces
- Equipped with 3 external taps
- The elegant blue LEDs that facilitate the correct positioning of the bottle or glass under the dispenser



Serviceability

- Plug & play installation, simple and immediate
- The cabinet version facilitates quick and safe movement of the system for maintenance or change of location



Label & Certification

- Hi-Class TOP 65 TAP is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC, USA

Models of the **Hi-Class** series



Hi-Class TOP 20

L/H continuous	3
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 30

L/H continuous	7
Channel	Office, Home
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 45

L/H continuous	9
Channel	Horeca, Office, Home
Water type	Ambient, Sparkling, Natural cold, Warm



Hi-Class TOP 65

L/H continuous	40
----------------	----

Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold



Hi-Class TOP 65 TAP

L/H continuous	40
Channel	Horeca, Office
Water type	Ambient, Sparkling, Natural cold

HI-CLASS TOP 20

Hi-Class 20 is the smallest in the range and it is perfect for lower levels of consumption. Available in two different colors: black and white. It has an elegant blue LED that assists bottle / glass positioning.

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,
R-RIC or R-UG (only for WG version).








Types of water:



Safety:
Anti flooding valve

Colors:
 



description	   				It/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 20 IB AC BLACK	•	•			20	3	214211	206853	26,2x43,6x40,7
HI-CLASS TOP 20 IB AC WHITE	•	•			20	3	N.A.	300622	26,2x43,6x40,7
HI-CLASS TOP 20 IB ACWG BLACK	•	•	•		20	3	214220	206852	26,2x43,6x40,7
HI-CLASS TOP 20 IB ACWG WHITE	•	•	•		20	3	214231	300002	26,2x43,6x40,7
 HI-CLASS TOP 20 IB ACWG BLACK	•	•	•	•	20	3	215799	300621	26,2x43,6x40,7

Driptray without drainage included. MOQ 12 pcs
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x160 cm

optional	code	dimension (WxDxH)
Cooler cabinet with integrated cup dispenser and internal filter compartment	210444	36x43,7x105,5
RETROFIT KIT (2pcs) TOUCH. HI-CL20 BLACK ACWG	302204	-



ACWG VERSION



CABINET

HI-CLASS TOP 30

Hi-Class 30 is the counter-top solution that perfectly combines the request for design, performance and compactness in the most traditional performance class of 30 liters per hour. Available in two different colors: black and white. It has an elegant blue LED that assists bottle / glass positioning.

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,
R-RIC or R-UG (only for WG version)







Types of water:



Safety:
Anti flooding valve

Colors:
 



	description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
	HI-CLASS TOP 30 IB AC BLACK	●	●			30	7	213008	300650	26,2x55,2x40,7
	HI-CLASS TOP 30 IB AC WHITE	●	●			30	7	215161	300653	26,2x55,2x40,7
	HI-CLASS TOP 30 IB AC WHITE 230V-60HZ	●	●			30	7	N.A.	300654	26,2x55,2x40,7
NEW	HI-CLASS TOP 30 IB ACWG BLACK	●	●	●		30	7	212742	300015	26,2x55,2x40,7
	HI-CLASS TOP 30 IB ACWG BLACK	●	●	●	●	30	7	215132	209623	26,2x55,2x40,7
NEW	HI-CLASS TOP 30 IB ACWG WHITE	●	●	●		30	7	215177	300641	26,2x55,2x40,7
	HI-CLASS TOP 30 IB ACWG WHITE	●	●	●	●	30	7	215169	300649	26,2x55,2x40,7
NEW	HI-CLASS TOP 30 IB ACWG BLACK EC	●	●	●	●	30	7	214083	300016	26,2x55,2x40,7
	HI-CLASS TOP 30 IB ACWG BLACK EC	●	●	●	●	30	7	214141	300640	26,2x55,2x40,7
	HI-CLASS TOP 30 IB ACWG WHITE EC	●	●	●	●	30	7	214106	300642	26,2x55,2x40,7
NEW	HI-CLASS TOP 30 IB ACWG WHITE EC	●	●	●	●	30	7	214127	300648	26,2x55,2x40,7
NEW	HI-CLASS TOP 30 IB AC WHITE UV LED KL	●	●			30	7	215159	300655	26,2x55,2x40,7
	HI-CLASS TOP 30 IB AC BLACK UV LED KL	●	●			30	7	215164	300652	26,2x55,2x40,7
NEW	HI-CLASS TOP 30 IB ACWG BLACK UV LED KL	●	●	●		30	7	214111	300637	26,2x55,2x40,7

Drip tray without drainage included, MOQ 12 pcs
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x160 cm

optional	code	dimension (WxDxH)
Cooler cabinet with integrated cup dispenser and internal filter compartment	210443	36x55,3x105,5
Cooler cabinet without integrated cup dispenser and internal filter compartment	213561	36x55,3x105,5
RETROFIT KIT (2pcs) TOUCH. HI-CL30 WHITE ACWG MEC.	302193	-
RETROFIT KIT (2pcs) TOUCH. HI-CL30 BLACK ACWG MEC.	209618	-
RETROFIT KIT (2pcs) TOUCH. HI-CL30 EC BLACK ACWG	302202	-
RETROFIT KIT (2pcs) TOUCH. HI-CL30 EC WHITE ACWG	302203	-



ACWG EC VERSION



UVC-LED



CABINET



AC VERSION



ACWG VERSION

HI-CLASS TOP 45

Hi-Class TOP 45 embodies excellence within the sector: sophisticated design, quality materials, innovative technology and high performance. It is able to satisfy a demand for any type of water.

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,
R-RIC or R-UG (only for WG version)



Types of water:








Safety:
Anti flooding valve

Colors:



NEW

description						lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 45 IB AC EC		•	•			45	9	214403	206832	34x54x40
HI-CLASS TOP 45 IB ACWG EC		•	•	•		45	9	214424	200060	34x54x40
HI-CLASS TOP 45 IB ACHWG EC		•	•	•	•	45-13	9	214421	200059	34x54x40
HI-CLASS TOP 45 IB ACWG EC	•	•	•	•		45	9	215031	300608	34x54x40

Drip tray without drainage included. MOQ 8 pcs
Max. quantity for pallet 8. Pallet dimensions (WxDxH) 80x120x120 cm

optional	code	dimension (WxDxH)
Cabinet, cooler cabinet with integrated cup dispenser and internal filter compartment. Waste kit included	206838	34x53,5x107,2
BASEMENT PLINTH	305649	34x54x4
Drip tray with drain (combined with the plinth and not the cabinet)	302142	40x18x3
RETROFIT KIT TOUCHLESS HI-CLASS 45 ACWG EC	209619	-



ACHWG VERSION



CABINET



DRIPTRAY



BASEMENT

HI-CLASS TOP 65

Hi-Class 65 is the counter-top water dispenser ideal for small venues and restaurants. Available in two different colors, black and white, it has a double spout and two elegant blue LEDs that assist bottle / glass positioning.

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system, bracket for bottle positioning, R-RIC or R-UG (only for WG version)







Types of water:



Safety:
Anti flooding valve

Colors:



description	   				lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 65 IB AC BLACK		•	•		65	40	214341	200063	42,4x53,3x51,2
HI-CLASS TOP 65 IB AC WHITE		•	•		65	40	N.A.	300661	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG BLACK		•	•	•	65	40	214389	300656	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG WHITE		•	•	•	65	40	215635	200062	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG EC BLACK		•	•	•	65	40	214372	300004	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG EC WHITE		•	•	•	65	40	214366	300665	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG EC BLACK	•	•	•	•	65	40	215633	300664	42,4x53,3x51,2

NEW

Drip tray without drainage included. MOQ 4 pcs
Max. quantity for pallet 4. Pallet dimensions (WxDxH) 80x120x140 cm

optional	code	dimension (WxDxH)
Cooler cabinet with integrated cup dispenser and internal filter compartment	309508	42,2x51,8x108,7
Stainless steel drip tray with drainage for Hi-Class Top 65 on cabinet	302155	-
RETROFIT KIT (2pcs) TOUCH. HI-CL65 EC BLACK ACWG	209628	-



ACWG EC VERSION



CABINET



DRIPTRAY



ACWG VERSION

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>