

Отдельно стоящие диспенсеры Aqualitya

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>

AQUALITY POU

Aquality Pou is the cooler with a contemporary and sophisticated design. The robustness of the materials and cutting-edge technology make it a champion of efficiency and reliability.

Suggested optionals

WATER BLOCK, PRV, No Shock, KIT NST, Filtration system, R-RIC o R-UG (only WG version)



Types of water:



Safety:
Anti flooding valve

Colors:



	description						lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
	AQUALITY 20 IB AC F16 BLACK	•	•				20	3	214716	200273	33,4x33x112
	AQUALITY 20 IB AC F16 WHITE	•	•				20	3	214743	302308	33,4x33x112
	AQUALITY 20 IB ACH F16 BLACK	•	•	•			20-8	3	214759	302310	33,4x33x112
	AQUALITY 20 IB ACH F16 WHITE	•	•	•			20-8	3	214774	302314	33,4x33x112
	AQUALITY 20 IB AC F16 - BLACK + FILTER (FC)	•	•				20	3	214781	212504	33,4x33x112
	AQUALITY 20 IB ACH F16 - BLACK + FILTER (FC)	•	•	•			20	3	216158	212506	33,4x33x112
	AQUALITY 28 IB AC F16 BLACK	•	•				28	5	214965	300140	33,4x33x112
NEW	AQUALITY 28 IB AC F16 BLACK	•	•	•			28	5	214841	212262	33,4x33x112
	AQUALITY 28 IB AC F16 WHITE	•	•	•			28	5	214962	300146	33,4x33x112
	AQUALITY 28 IB ACH F16 BLACK	•	•	•			28-13	5	214940	300148	33,4x33x112
	AQUALITY 28 IB ACH F16 WHITE	•	•	•			28-13	5	214938	300152	33,4x33x112
	AQUALITY 28 IB ACWG F16 BLACK	•	•	•			28	5	214922	208733	33,4x33x112
NEW	AQUALITY 28 IB ACWG F16 BLACK	•	•	•	•		28	5	214844	309272	33,4x33x112
	AQUALITY 28 IB ACWG F16 WHITE	•	•	•			28	5	214926	300781	33,4x33x112
	AQUALITY 28 IB CHWG F16 BLACK		•	•	•		28-13	5	214916	300785	33,4x33x112
	AQUALITY 28 IB CHWG F16 WHITE		•	•	•		28-13	5	214917	300789	33,4x33x112
	AQUALITY 28 IB AC F16 UV BLACK	•	•				28	5	214961	209923	33,4x33x112
	AQUALITY 28 IB AC F16 UV WHITE	•	•				28	5	214973	300156	33,4x33x112
	AQUALITY 28 IB ACH F16 UV BLACK	•	•	•			28-13	5	214945	300807	33,4x33x112
	AQUALITY 28 IB ACH F16 UV WHITE	•	•	•			28-13	5	214944	300809	33,4x33x112
	AQUALITY 28 IB ACWG F16 UV BLACK	•	•	•			28	5	214933	300070	33,4x33x112
	AQUALITY 28 IB ACWG F16 UV WHITE	•	•	•			28	5	214930	300035	33,4x33x112
	AQUALITY 28 IB CHWG F16 UV BLACK		•	•	•		28-13	5	214919	300036	33,4x33x112
	AQUALITY 28 IB AC F16 - BLACK + FILTER (F)	•	•				28	5	214800	212513	33,4x33x112
	AQUALITY 28 IB ACWG F16 - BLACK + FILTER (F)	•	•	•			28	5	214792	212509	33,4x33x112

Cup dispenser integrated. MOQ 12 pcs. Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x245 cm

optional	code	dimension (WxDxH)
Cup holder for Premium version	302054	-
RETROFIT KIT for AQUALITY 28 TOUCHLESS BLACK	309536	-
RETROFIT KIT for AQUALITY 28 TOUCHLESS WHITE	309537	-



ACWG UV VERSION



TOUCHLESS

AQUALITY BOTTLE

Aquality Bottle is the bottle cooler characterized by advanced technology, elegant design and robust materials. The two versions, which differ in the type of water supplied, provide different water combinations.

Suggested optionals

R-RIC or R-UG (only for WG versions)

Types of water:



Safety:
“NO WATER” DEVICE
to protect the carbonator
in case of water exhaustion
(versions CWG & CHWG)

Colors:



description					lt/h	R290 code	R134a code	dimension (WxDxH)
AQUALITY BOTTLE 22 ACWG F16 BLACK	•	•	•		22	214819	300936	33,7x34,5x111,9
AQUALITY BOTTLE 22 ACWG F16 WHITE	•	•	•		22	215550	300940	33,7x34,5x111,9
AQUALITY BOTTLE 22 ACWG F16 UV BLACK	•	•	•		22	215545	300946	33,7x34,5x111,9
AQUALITY BOTTLE 22 ACWG F16 UV WHITE	•	•	•		22	215546	300947	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 BLACK		•	•	•	22-8	214816	300942	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 WHITE		•	•	•	22-8	215547	300944	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 UV BLACK		•	•	•	22-8	215544	300948	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 UV WHITE		•	•	•	22-8	215549	300949	33,7x34,5x111,9

AQUALITY BOTTLE is sold without bottle. Cup dispenser integrated. Removable stainless steel tank. MOQ 12 pcs
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x245 cm

optional	code	dimension (WxDxH)
Cup holder	302054	-



ACWG VERSION



Freestanding

Aquality POU

Aquality Pou is a point-of-use water dispenser with ice bank technology, available in two models with different performances, 20 l/h and 28 l/h. Ideal solution for placement inside offices and gyms, it allows the dispensing of water at room temperature and cold, still or sparkling.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

 from 1 to 4

Number of people:

 10-20  20-30

Types of water:

 Ambient  Natural cold  Sparkling cold  Hot

Finish:

 Grey  Black

 Self Service  Lighting

Strengths



Performance

- Aquality POU can dispense up to 20 or 28 liters per hour of cold water, still and sparkling, water at room temperature or hot water, with a capacity of 3 and 5 L/h respectively in continuous service



Serviceability

- Plug & play installation, simple and immediate



Hygiene & Safety

- The protected internal taps guarantee greater hygiene, reducing the risk of contamination
- The integrated safety valve prevents any water leakage due to internal faults, ensuring safe operation in all conditions



Advanced Features

- Aquality POU supports the application of dechlorinator and purifier filters to improve the taste and odor of water



Design & User Experience

- The design of Aquality POU is characterized by simple and clean lines and the predominance of metal gives the system a modern, technological and robust appearance
- The positioning of the control panel and the dispensing area allow you to select and withdraw water effortlessly



Label & Certification

- Aquality POU is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>