

Питьевые фонтанчики River

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>

RIVER

River is a drinking fountain connected to the water mains, ensuring constant quality over time, with barely any maintenance and the guarantee of a reliable system for drinking water in public areas. It is available with different performance levels to meet different needs and user loads. There is also a pedal-operated version for safer dispensing.

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, KIT INST, filtration system



Types of water:



Colors:



Certifications:

NEW

NEW

description		lt/h	condensation	R290 code	R134a code	dimension (WxDxH)
RIVER 20 IB C G62/61 C6	●	20	static	215279	302543	34x32,5x96
RIVER 20 IB C G62/61 C6 50-60Hz	●	20	static	N.A.	300683	34x32,5x96
RIVER 20 IB C G62/61 C8	●	20	static	215281	302545	34x32,5x96
RIVER 20 IB C G62 C8 50-60Hz	●	20	static	N.A.	300682	34x32,5x96
RIVER 30 IB C G61 C6	●	30	ventilated	215104	300104	34x32,5x96
RIVER 30 IB C G61 C6 50-60Hz	●	30	ventilated	215043	300684	34x32,5x96
RIVER 30 IB C G61 WITH PEDAL C6	●	30	ventilated	N.A.	300126	34x32,5x96
RIVER 30 IB C G61 C8	●	30	ventilated	215114	209388	34x32,5x96
RIVER 30 IB C G61 WITH PEDAL C8	●	30	ventilated	N.A.	300044	34x32,5x96
RIVER 30 IB C G62 C6	●	30	ventilated	215100	300080	34x32,5x96
RIVER 30 IB C G62 C8	●	30	ventilated	215090	300081	34x32,5x96
RIVER 30 IB C G62 C8 AF	●	30	ventilated	215145	300165	34x32,5x96
RIVER 30 IB C G62/61 C6	●	30	ventilated	215131	200011	34x32,5x96
RIVER 30 IB C G62/61 C6 50-60Hz	●	30	ventilated	215085	300687	34x32,5x96
RIVER 30 IB C G62/61 C8	●	30	ventilated	214867	200010	34x32,5x96
RIVER 30 IB C G62/61 C8 50-60Hz	●	30	ventilated	N.A.	300686	34x32,5x96
RIVER 30 IB C G62/61 C8 50-60Hz AF	●	30	ventilated	215035	300178	34x32,5x96
RIVER 30 IB C G62/61 C8 AF	●	30	ventilated	215144	206822	34x32,5x96
RIVER 30 IB C G63/61 C6	●	30	ventilated	215122	300122	34x32,5x96
RIVER 30 IB C G63/61 C6 50-60Hz	●	30	ventilated	215046	300689	34x32,5x96
RIVER 30 IB C G63/61 C8	●	30	ventilated	215125	209320	34x32,5x96
RIVER 30 IB C G63/61 C8 50-60Hz	●	30	ventilated	N.A.	300688	34x32,5x96
RIVER 30 IB C G62/61 C6 + FILTER (F)	●	30	ventilated	215088	212490	34x32,5x96
RIVER 30 IB C G62/61 C8 + FILTER (F)	●	30	ventilated	215092	212488	34x32,5x96
RIVER 55 IB C G61 C8	●	55	ventilated	N.A.	300179	34x32,5x96
RIVER 55 IB C G62/61 C6	●	55	ventilated	215197	200019	34x32,5x96
RIVER 55 IB C G62/61 C6 50-60Hz	●	55	ventilated	215056	300693	34x32,5x96
RIVER 55 IB C G62/61 C8	●	55	ventilated	215202	200020	34x32,5x96
RIVER 55 IB C G62/61 C8 50-60Hz	●	55	ventilated	N.A.	300695	34x32,5x96
RIVER 55 IB C G62/61 C8 AF	●	55	ventilated	N.A.	300220	34x32,5x96
RIVER 55 IB C G63/61 C6	●	55	ventilated	215203	300204	34x32,5x96
RIVER 55 IB C G63/61 C6 50-60Hz	●	55	ventilated	N.A.	300697	34x32,5x96
RIVER 55 IB C G63/61 C8	●	55	ventilated	215205	300206	34x32,5x96
RIVER 55 IB C G63/61 C8 50-60Hz	●	55	ventilated	N.A.	300698	34x32,5x96

MOQ 12 pcs. Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x225 cm

optional	code	dimension (WxDxH)
RIVER WALL FIX	302151	-



TOPS AVAILABLE:



G61



G62



G62 - G61



G63 - G61
with pedal control

RIVER UP

Practicality and compactness characterized in a wall-mounted version. River UP is the mains fed fountain connected to the water system. It offers all the advantages of the floor standing model but in a smaller space. It features a pre-filled ice bank technology.



Types of water:



Colors:



Certifications:

Suggested optionals

WATER BLOCK, PRV, NO SHOCK,
KIT INST, filtration system.

description		lt/h	R290 code	R134a code	dimension (WxDxH)
RIVER UP 30 IB C G62 C6	●	30	215057	300129	43,2x36x50,5
RIVER UP 30 IB C G62 C8	●	30	215054	200015	43,2x36x50,5
RIVER UP 30 IB C G62/61 C6	●	30	215271	200014	43,2x36x50,5
RIVER UP 30 IB C G62/61 C8	●	30	215282	200013	43,2x36x50,5
RIVER UP 30 IB C G62/61 C6 50-60Hz	●	30	N.A.	300691	43,2x36x50,5
RIVER UP 30 IB C G62/61 C8 50-60Hz	●	30	215127	300690	43,2x36x50,5
RIVER UP 55 IB C G62 C6	●	55	N.A.	300211	43,2x36x50,5
RIVER UP 55 IB C G62 C8	●	55	215664	300209	43,2x36x50,5
RIVER UP 55 IB C G62/61 C6	●	55	215212	209319	43,2x36x50,5
RIVER UP 55 IB C G62/61 C8	●	55	215059	300212	43,2x36x50,5

MOQ 12 pcs
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 100x130x150 cm



TOPS AVAILABLE:



G62



G62- G61



Freestanding

River

River is the drinking fountain connected to the water network designed to be used in public environments and areas, waiting rooms, schools and shopping centres. Available in different performance levels, 30 or 55 litres, to meet various needs and user demands.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

☒ 1 tap

Number of people:

☒ 10-20 ☒ 20-30

Types of water:

 Natural cold

Finish:

 Stainless Steel

Strengths



Performance

- River can dispense up to 30 or 55 liters of cold water per hour thanks to the innovative pre-filled ice bank cooling system
- Available with special voltage - 230V-50/60Hz - to allow its use in the naval sector



Serviceability

- Plug & play installation, simple and immediate



Hygiene & Safety

- The spout faucet or the goose-neck faucet can also be pedal-operated, making it easier to dispense water even in critical situations or when hands are occupied, ensuring maximum hygiene
- The ice bank is filled and sealed during the production process to prevent evaporation or accidental water spillage during transport



Advanced Features

- River supports the application of dechlorinator and purifier filters to improve the taste and smell of water



Design & User Experience


- River features a robust and reliable design, thanks to its stainless steel body
- A wide range of taps allows for product customization, enabling drinking directly from the spout and/or with a glass



Label & Certification

- River is ACS and WRAS certified
- The dispenser is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC

Models of the **River** series



River 30

L/H continuous	30
Channel	Office
Water type	Natural cold



River 55

L/H continuous	55
Channel	Office
Water type	Natural cold

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>