

# Холодильные установки для розлива Joy

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [cie@nt-rt.ru](mailto:cie@nt-rt.ru) || сайт: <https://celli.nt-rt.ru/>



## Overcounters

# Joy 30

Joy 30 is a 28 liter post-mix refrigeration unit for dispensing carbonated and non-carbonated drinks with ice bank technology, designed for over-the-counter application, including self-service, within bars and restaurants with a medium daily product consumption. Supports 4 syrup lines.

### Features:

#### Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

#### Number of ways/lines:



4 taps

#### Number of people:



70-80

#### Types of water:



Natural cold



Sparkling cold

#### Finish:



Stainless Steel



Energy Saving



Lighting



Connectable System

# Strengths



## Performance

- Joy 30 allows you to refrigerate soda, water and 4 lines of syrup
- The 9 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- Equipped with the innovative ThermoFlex technology for insulation up to the valves and immediate switch between water and soda without the need for special tools



## Serviceability

- The refrigeration unit and system components are easily accessible, allowing quick installation without the need to disconnect hydraulic parts or syrup pipes
- Joy 30 also offers high adaptability to all climatic and humidity conditions
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



## Design & User Experience

- Joy 30 combines custom illuminated elements and aesthetic details for a modern and elegant look
- The thermoformed front shield, optional LED lighting and customizable adhesive magnets make the design distinctive for eye-catching brand communication



## Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency
- It also includes the Still Water Kit to allow the dispensing of non carbonated beverages without the need for an external pump



## Convenience

- Joy 30 allows you to reduce energy consumption thanks to a series of technical solutions, such as advanced thermal insulation or the use of eco-friendly R290 refrigerant gas
- Furthermore, the control unit reduces the speed of the agitator after 45 minutes of stand-by, ensuring maximum efficiency



## Hygiene & Safety

- LED indicators signal any low pressure alarms for H2O and CO2, ensuring constant and safe control



## Label & Certification

- Joy 30 is certified in compliance with the rigorous standards of the world's most important soft drink companies in terms of machine reliability and performance

## Models of the **Joy** series



Joy 30

Water Basin (L)	28
Ice Bank (kg)	9
Cooling Power (W)	625
Coils (n max)	4



Joy 50

Water Basin (L)	45
Ice Bank (kg)	12
Cooling Power (W)	850
Coils (n max)	6



Joy 65

Water Basin (L)	59
Ice Bank (kg)	20
Cooling Power (W)	1287
Coils (n max)	8



## Overcounters

# Joy 50

Joy 50 is a 45 liter post-mix refrigeration unit for dispensing carbonated and non-carbonated drinks with ice bank technology, designed for over-the-counter application, including self-service, in bars and restaurants with medium/high daily product consumption. Supports 6 syrup lines.

### Features:

#### Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

#### Number of ways/lines:



6 taps

#### Number of people:



90-100

#### Types of water:



Natural cold



Sparkling cold

#### Finish:



Stainless Steel



Energy Saving



Lighting



Connectable System

# Strengths



## Performance

- Joy 50 allows you to refrigerate soda, water and 6 lines of syrup
- The 12 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- Equipped with the innovative ThermoFlex technology for insulation up to the valves and immediate switch between water and soda without the need for special tools



## Serviceability

- The refrigeration unit and system components are easily accessible, allowing quick installation without the need to disconnect hydraulic parts or syrup pipes
- Joy 50 also offers high adaptability to all climatic and humidity conditions
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



## Design & User Experience

- Joy 50 combines custom illuminated elements and aesthetic details for a modern and elegant look
- The thermoformed front shield, optional LED lighting and customizable adhesive magnets make the design distinctive for eye-catching brand communication



## Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency
- It also includes the Still Water Kit to allow the dispensing of non carbonated beverages without the need for an external pump



## Convenience

- Joy 50 allows you to reduce energy consumption thanks to a series of technical solutions, such as advanced thermal insulation or the use of eco-friendly R290 refrigerant gas
- Furthermore, the control unit reduces the speed of the agitator after 45 minutes of stand-by, ensuring maximum efficiency



## Hygiene & Safety

- LED indicators signal any low pressure alarms for H2O and CO2, ensuring constant and safe control



## Label & Certification

- Joy 50 is certified in compliance with the rigorous standards of the world's most important soft drink companies in terms of machine reliability and performance

## Models of the **Joy** series



### Joy 30

Water Basin (L)	28
Ice Bank (kg)	9
Cooling Power (W)	625
Coils (n max)	4



### Joy 50

Water Basin (L)	45
Ice Bank (kg)	12
Cooling Power (W)	850
Coils (n max)	6



### Joy 65



Water Basin (L)	59
Ice Bank (kg)	20
Cooling Power (W)	1287
Coils (n max)	8



## Overcounters

# Joy 65

Joy 65 is a 59 liter post-mix refrigeration unit for dispensing carbonated and non-carbonated drinks with ice bank technology, designed for over-the-counter application, including self-service, within bars and restaurants with high daily consumption of product. Supports 8 syrup lines.

### Features:

#### Type of dispensed beverage:



Water



Soft Drink



Non Carbonated Beverages

#### Number of ways/lines:



8 taps

#### Number of people:



150-200

#### Types of water:



Natural cold



Sparkling cold

#### Finish:



Stainless Steel



Energy Saving



Lighting



Connectable System

# Strengths



## Performance

- Joy 65 allows you to refrigerate soda, water and 8 lines of syrup
- The 20 kg ice bank guarantees constant cooling even during peaks of use, without interruptions in service
- Equipped with the innovative ThermoFlex technology for insulation up to the valves and immediate switch between water and soda without the need for special tools



## Serviceability

- The refrigeration unit and system components are easily accessible, allowing quick installation without the need to disconnect hydraulic parts or syrup pipes
- Joy 65 also offers high adaptability to all climatic and humidity conditions
- The advanced control system, with H2O and CO2 pressure alarms, prevents cooler malfunctions



## Design & User Experience

- Joy 65 combines custom illuminated elements and aesthetic details for a modern and elegant look
- The thermoformed front shield, optional LED lighting and customizable adhesive magnets make the design distinctive for eye-catching brand communication



## Advanced Features

- Intellidraught 2, an IoT-based telemetry system, allows you to monitor systems remotely and manage their vital parameters to prevent breakdowns and facilitate maintenance
- It also provides data on volumes dispensed per line, optimizing operation and energy efficiency
- It also includes the Still Water Kit to allow the dispensing of non carbonated beverages without the need for an external pump



## Convenience

- Joy 65 allows you to reduce energy consumption thanks to a series of technical solutions, such as advanced thermal insulation or the use of eco-friendly R290 refrigerant gas
- Furthermore, the control unit reduces the speed of the agitator after 45 minutes of stand-by, ensuring maximum efficiency



## Hygiene & Safety

- LED indicators signal any low pressure alarms for H2O and CO2, ensuring constant and safe control



## Label & Certification

- Joy 65 is certified in compliance with the rigorous standards of the world's most important soft drink companies in terms of machine reliability and performance

## Models of the **Joy** series



**Joy 30**

Water Basin (L)	28
Ice Bank (kg)	9
Cooling Power (W)	625
Coils (n max)	4



**Joy 50**

Water Basin (L)	45
Ice Bank (kg)	12
Cooling Power (W)	850
Coils (n max)	6



**Joy 65**

Water Basin (L)	59
Ice Bank (kg)	20
Cooling Power (W)	1287
Coils (n max)	8

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: [cie@nt-rt.ru](mailto:cie@nt-rt.ru) || сайт: <https://celli.nt-rt.ru/>