

Кулеры H2OMY

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>

H2OMY TOP

Compact dimensions, modern design and intuitive operation; a champion of efficiency, style and simplicity. Room temperature, cold, sparkling and hot water are always available practically and quickly. The housing is built in stainless steel with a front in anti-fingerprint material.

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, Filtration system,
R-RIC o R-UGN (only WG version)



Types of water:



Safety:
Anti flooding valve

Colors:



description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
H2OMY TOP 15 IB AC BLACK	•	•			15	3	215378	207925	26x33x40,7
H2OMY TOP 15 IB AC WHITE	•	•			15	3	215384	300846	26x33x40,7
H2OMY TOP 15 IB ACH BLACK	•	•	•		15-13	3	215382	300849	26x33x40,7
H2OMY TOP 15 IB ACH WHITE	•	•	•		15-13	3	215390	300848	26x33x40,7
H2OMY TOP 15 IB ACWG BLACK	•	•	•		15	3	214820	200070	26x33x40,7
H2OMY TOP 15 IB ACWG WHITE	•	•	•		15	3	215377	300853	26x33x40,7
H2OMY TOP 15 IB CHWG BLACK		•	•	•	15	3	214822	300859	26x43x40,7
H2OMY TOP 15 IB CHWG WHITE		•	•	•	15	3	215379	300858	26x43x40,7

MOQ 18 pcs
Max. quantity for pallet 18 (AC, ACH, ACWG) / 12 (CHWG). Pallet dimensions (WxDxH) 80x120x160 cm

optional	code	dimension (WxDxH)
Cabinet cooler cabinet with integrated cup dispenser and internal filter compartment	302027	39,5x36x95,3
EXTENSION CABINET H2OMY CHWG	303387	26x10,2x10



ACWG VERSION



CABINET

H2OMY IN

Essential in shape and function, H2omy In is synonymous with functionality and efficiency. Small and discreet, it can be positioned under the sink of the house. Cold, sparkling and hot water can immediately be available from the house tap. This the fastest and most practical way to drink good tasting water!

Suggested optionals

WATER BLOCK, PRV, NO SHOCK, Filtration system,
R-RIC o R-UGN, Flow regulator (only WG version)



Types of water:



Colors:



Certifications*:

description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
H2OMY IN 15 IB C*		•			15	3	215354	200068	26x23,5x40,7
H2OMY IN 15 IB ACH	•	•		•	15-13	3	215364	300818	26x30x40,7
H2OMY IN 15 IB CWG		•	•		15	3	215350	200069	26x30x40,7
H2OMY IN 15 IB CHWG		•	•	•	15-13	3	215360	209532	26x30x40,7

MOQ 18 pcs
Max. quantity for pallet 18. Pallet dimensions (WxDxH) 80x120x160 cm
*The H2omy IN 15 IB C cooler is WRAS certified



COMPLETE INSTALLATION WITH:



GZERO
*for the complete range
go to page 118*



G100



G200



G300



G400



Coolers

H2OMY IN 15

H2OMY IN 15 is a 15 liter refrigeration machine with ice bank technology, ideal for offices or home installations. Designed for fixed dispensing systems in under-counter applications, it allows the dispensing of water at room temperature, cold, still and sparkling, or hot.

Features:

Type of dispensed beverage:

 Water

Number of ways/lines:

☒ from 1 to 4

Number of people:

☒ 1-5 ☒ 5-10

Types of water:

 Ambient  Natural cold  Sparkling cold  Hot

Finish:

☐ White

Strengths



Performance

- H2OMY IN 15 can dispense up to 15 litres/ hour of cold water between 3° and 10°C - still or sparkling - and 13 litres/hour of hot water, from the sink tap directly into your glass



Convenience

- H2OMY IN 15 simplifies domestic water management, eliminating the need to purchase, transport and store disposable bottles
- It offers economic, time and space savings



Label & Certification

- H2OMY IN 15 is WRAS certified
- The refrigeration machine is tested and engineered in the Celli testing laboratories and complies with the technical regulations for a wide range of countries: EU, UK, APAC, USA



Advanced Features

- Niagara IN 15 supports the application of dechlorinator and purifier filters to improve the taste and odor of water



Design & User Experience

- Small and discreet, H2OMY IN can be easily placed under the sink at home or in the office, leaving the support surfaces free
- A wide range of faucets complete and allow you to customize the product

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: cie@nt-rt.ru || сайт: <https://celli.nt-rt.ru/>