

# Каталог продукции для воды Celli

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +7(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [cie@nt-rt.ru](mailto:cie@nt-rt.ru) || сайт: <https://celli.nt-rt.ru/>

### range

Acqua Alma Point  
Aquality Bottle  
Aquality Pou  
Aquatap 12  
Brave 90  
Carbonator  
Drink Tower  
EVO  
H2omy  
Hi-Class  
J-Class  
Niagara  
Pro-Stream  
River  
Te-Mix  
Waterbar

### code

**EXE.** - executive  
**M.D.B.** - multi-drop bus  
**N.A.** - not available  
**W.I.P.** - work in progress

### model

**8 - 22 - 30 - 45 - 55 - 60 - 65 - 120 - 180**

### types of water

**A** - water at room temperature  
**C** - cold water  
**H** - hot water  
**WG** - sparkling water

### cooling systems

**IB** - ice bank  
**RI** - tank  
**SD** - soda direct  
**AB** - dry cooling

### plus

**C6** - stainless steel  
**C8** - skinplate  
**AF** - front panel  
**UV** - antibacterial UV system  
**CU** - hydraulic circuit in copper  
**EC** - electronic control

### colors available

**black - white - grey**

### target market



**home - apartment block**



**ho.re.ca.**



**office - workplace**



**on-the-go**

### accessories



**intelliwater**



**touchless**



# The water you want, wherever you want it



Our water coolers have obtained the most important European and international certifications hence bearing witness to the quality and safety standards of Cosmetal products. This guarantee of integrity also extends to suppliers and the production process. The entire range uses materials suitable for food use. It also complies with the standards for electrical and hydraulic safety. It follows with the most stringent reference standards.

# Index

Suggestions for use	4
Leader of drinking water solutions	6
A success story that has lasted for 70 years	8
A complete range, for every requirement	10
Legambiente	12
<b>TECHNOLOGY</b>	14
UVC-LED	16
Touchless	17
Ozone	18
Cu+ Safepath	19
Intelliwater	20
<b>POU AND BOTTLED SYSTEMS</b>	22
EVO	24
HI-CLASS	36
NIAGARA	46
TE-MIX	54
CARBONATOR	58
BRAVE 90	62
DRINK TOWER	66
AQUATAP 12	70
AQUALITY POU	74
AQUALITY BOTTLE	78
RIVER	82
RIVER UP	86
ACQUA ALMA POINT	88
WATERBAR	92
J-CLASS	96
H2OMY	102
<b>TAPS</b>	108
<b>ACCESSORIES</b>	124

# Suggestions for use

The products recommended for each range of people are the result of evaluations that take into consideration various factors such as performances, functionalities and design.



**1-5  
PEOPLE**



**RIVER  
20-30**



**AQUALITY  
IB 20**



**H2OMY**



**HI-CLASS  
20**



**PRO  
STREAM**



**5-10  
PEOPLE**



**RIVER  
30**



**AQUALITY  
IB 20**



**H2OMY**



**HI-CLASS  
20**



**PRO  
STREAM**



**10-20  
PEOPLE**



**RIVER  
30-55**



**AQUALITY**



**J-CLASS  
30**



**HI-CLASS  
30**



**PRO  
STREAM**



**20-30  
PEOPLE**



**RIVER  
55**



**AQUALITY  
IB 28**



**J-CLASS  
30**



**HI-CLASS  
30**



**PRO  
STREAM**



**HI-CLASS  
30 EVO**



**30-40  
PEOPLE**



**J-CLASS  
30**



**J-CLASS  
45**



**HI-CLASS  
45**



**40-50  
PEOPLE**



**J-CLASS**  
45



**TE-MIX**  
8-15



**NIAGARA**  
55



**NIAGARA**  
65



**HI-CLASS**  
45



**HI-CLASS**  
65



**AQUATAP**  
12



**50-100  
PEOPLE**



**NIAGARA**  
65



**TE-MIX**  
15-25



**HI-CLASS**  
65



**AQUATAP**  
12



**HI-CLASS**  
65 EVO



**WATERBAR**



**100-150  
PEOPLE**



**NIAGARA**  
120



**TE-MIX**  
25-50



**NIAGARA**  
EVO



**NIAGARA**  
EVO SMART



**ACQUAALMA**  
POINT



**150-220  
PEOPLE**



**TE-MIX**  
50



**>220  
PEOPLE**



**BRAVE**  
90



**TE-MIX**  
65



# Leader of drinking water solutions

**The quality of Made in Italy  
for safe and sustainable water**



Today, Cosmetal is the largest Italian manufacturer and international leader in the production of innovative solutions for drinking water. Our production of coolers, both in the bottle and in the water network, is 100% Made in Italy. It boasts one of the most extensive ranges in the sector, both for types of water supplied i.e. room temperature, cold, hot or sparkling - and for different models available. International vocation and product quality have allowed a company of artisan origin, like ours, to reach high levels of excellence and become supplier to some of the most important buying groups, both Italian and foreign, for which we also carry out customized projects.





**60**

YEARS OF  
HISTORY



**800**

CUSTOMERS AROUND  
THE WORLD



**>45000**

COOLERS MANUFACTURED  
IN 2019




**120**

EMPLOYEES




Cosmetal is made up of a team of water experts, each specialized in their skills. They are at the service of Cosmetal and its customers. The team members have years of experience in the ho.re.ca. sector, in addition to in-depth technological knowledge on water supply dispensers. They belong to a European group specialized in 360 ° dispensing solutions. United by a common vision, we are convinced that treating water carefully is the future of our work and represents an important protection for the environment.

## The evolution of a company that has been able to grow together with the market



# A success story that has lasted for 70 years



# A complete range, for every requirement

Thanks to our production flexibility, we offer a range of unique water coolers for completeness and performance, with different models for function, technology and usage environments.

Each product supplies different types of water:



**ambient**



**cold**



**sparkling**



**hot**



**extra hot**



**water+**



## Quality inspires our every move

Guaranteeing the highest levels of quality for us means using high quality raw materials, such as AISI 316 L stainless steel, choosing suppliers with proven reliability and performing tests on water coolers made exclusively with water and not with air. However quality also means paying attention to sustainability, for example by adopting the use of the ecological R290 refrigerant gas.

Every year the company invests important resources in the Research and Development sector. This is done not only with a view to constant technological improvement, but also to offer the final consumer what we like to call a drinking experience. This is a new dimension of drinking water, which combines pleasure and functionality. It is in harmony with the new needs of users.



## Cosmetal, the challenge of “drinking responsibly”

The resources of our planet are precious and each of us should be concerned about using and consuming them responsibly. According to the Global Footprint Network, in 2017 we used well over 171% of the Earth's resources in terms of human demand for natural elements such as food, wood, fiber and water. This is why the stronghold of our cause is “drink responsibly”.



Combating wastage: because water is such a precious commodity that it must be preserved at all costs.



Struggle against plastic: because to produce a 1.5 liter PET bottle of water, we need about 750 mls of water and it remains as waste for centuries.



The difficult challenge disposal: because the world produces 340 million tons of plastic a year. This is a material harmful to humans and the environment.



In light of this, we have decided to undertake our (r) evolution: to combat the throwing away of disposable bottles, in favor of water supplied in reusable containers. Our mission is to trigger a cultural conversion of consumption that brings water back to its best natural element- respected, controlled and without waste.





**Legambiente's  
recognition of our  
commitment to  
sustainability**



## Since 2020, the Celli Group has been an official partner of environmentalist association Legambiente.

With this partnership, the Group commits to implementing a series of projects and initiatives every year in order to make the most of water from the mains supply rather than bottled water, and refills rather than disposable bottles.

The main aims are two: to break down the cultural barriers that now condition the choices made by many consumers and contribute to the transformation of the production system, towards an economy with greater respect for the ecosystem.

Cosmetal dispensers, which are designed for the hotel and restaurant sector, as well as for workplace environments are among the products recommended by Legambiente, which also recognises them as models of innovation and sustainable development, able to make a solid contribution to more aware, careful consumer practices.

“

*Every year, the production and transport of bottled water generates more than 1.2 million tons of CO<sub>2</sub> in Italy alone, as well as adding to pollution in rivers and seas with large quantities of plastic waste. The time is more than right to convert to more balanced consumption models, setting out actions we can share in to make the most of our water and to manage it in a more virtuous manner.*

Mauro Gallavotti  
Celli Group CEO

”

**Legambiente** is an Italian association that works to protect the environment in all its forms. For 40 years it has been fighting for a more equal society and a better quality of life. Its mission, founded on science-based environmentalism, takes shape in the collection of thousands of data elements on the ecosystem, which are then processed and used as a base for every report and proposal.

Cutting-edge solutions for a new drinking experience

# Technology

The spirit of observation, combined with in-depth knowledge of the water cooling sector, allows us to proactively respond to the evolution of the markets and to interact with them through continuous and innovative proposals.




## Ozone sanitisation

Eliminates bacteria, viruses and germs from drinking water. Rinsing with ozonised water sterilises bottles and glasses.



## Ice bank cooling

Cools large amounts of water and maintains a constant temperature, even during prolonged extractions.



## Pre-filled ice bank cooling

The ice bank is filled and sealed during the production process, for greater hygiene and ease of use.



## Touchless sensors

Remote automatic sensor activation allows for full water dispensing control, leaving users and dispensers safe from germs, viruses and bacteria.



### Boiler

Hot water with a temperature of 98 ° is available instantly with electronic control and an energy saving system.



### Cold carbonation

The best technology available to produce Intensely refreshing quality carbonated water.



### Tank heating

The system heats the water in the water network while at the same time reducing energy consumption.




### UV and UVC LED sterilizing systems

Ultraviolet rays to protect the dispensing area from bacteria, while preserving maximum hygiene.



### Electronic control

Allows you to customize the functions of the cooler and monitor its operation in real time to optimize maintenance. Moreover, it is also possible to programme the dose and check the volumes dispensed. Available in 4 languages.



### Eco-friendly refrigerant gas

Cosmetal brand chillers use R290 natural refrigerant gas, which is not harmful to humans and the environment.




# UVC-LED technology, High-efficiency microfiltration



Cosmetal achieves the highest level of sanitisation for drinking water, with its new UVC-LED module.

Compact and powerful, this technology sanitises water with beams of top-performance ultraviolet light, able to eliminate even the smallest germs (up to 265 nanometres).

On the machines where it is installed, the device is located near the channel dispensing the water and a dedicated electronic card activates it at every dispensing operation.




## Optimised design

The inside of the dispenser is designed to have no solid points and the UVC light is able to carry out full sanitisation of the water being dispensed. Moreover, the top-quality materials used, including stainless steel, are ideal to make the most of the properties of UVC light.



## Safe and eco friendly

The UVC-LED sanitisation system is completely free from mercury and chemicals to give you safe, controlled water dispensing, always.



## Maximum sanitisation

Light is emitted at a wavelength of 265 nanometres, meaning it has a high germ-killing power that guarantees an effective sanitising action.



## Tried and tested performance

According to surveys carried out by the 'University of Colorado, UVC LEDs guarantee more than 99.9% disinfection (against *Escherichia coli* and *Pseudomonas aeruginosa* germs), at a flow rate of 2 litres per minute for a total of 60,000 litres.

The UVC-LED system has been integrated into the new version of the Hi-Class TOP 30 UVC-LED dispenser and it is already included with the models in the new EVO range: Hi-Class 30 Evo and 65 Evo, Niagara Evo and Evo Smart. Find out more in the Catalogue.



**Hi-Class 30 Evo**  
for the complete range  
go to page 26



**Hi-Class 65 Evo**  
for the complete range  
go to page 30



**Niagara Evo**  
for the complete range  
go to page 32



**Niagara Evo Smart**  
for the complete range  
go to page 34



# New

## Touchless dispensers for a safe, quality drinking experience

When dispensing is activated from the traditional button pad, hands can leave their germs, bacteria and viruses on the surface.



For some time, several of our products avoid direct contact: for example, all of the dispensers that can be controlled by app or integrated with UV sensors. Following the Covid-19 emergency, we have also introduced a new, efficient technology: automatic activation of dispensing, thanks to reflecting and infra-red sensors. The principle is simple, just move your hand closer to activate the dispenser.

This solution is now native to all main dispenser families. It can also be purchased as a Retrofit kit for existing products.

### Retrofit Kit

Cosmetal offers the possibility to apply touchless innovation to a series of dispensing systems that are compatible for installing the Retrofit kit, a compact, efficient conversion kit that needs no additional parts.



#### EASY AND RELIABLE

With a 1-5 cm range of action, the sensors allow for precise movement readings, avoiding random activation and limiting wastage.



#### FUNCTIONAL DESIGN

Touchless solutions are designed to integrate perfectly with the design and operation of different Cosmetal products.



#### DEDICATED RANGE

Providing water safely is a requirement in many workplaces or places that are open to the public. Our proposal covers all of the most frequent user settings.

### Discover our Touchless products



**Niagara FS**  
for the complete range  
go to page 48



**Niagara Top**  
for the complete range  
go to page 50



**Hi-Class Top 20/30**  
for the complete range  
go to page 38/40



**Hi-Class Top 45**  
for the complete range  
go to page 42



**Hi-Class Top 65**  
for the complete range  
go to page 44



**Drink Tower**  
for the complete range  
go to page 68

# Perfect sanitisation using ozone

Never before has it been so important to ensure total sanitisation of rooms and equipment, especially when talking about places that are open to the public. This is why Cosmetal chooses to use a natural method that is most effective when it comes to eliminating bacteria from water and pipes downstream of the ozone dispensing system.



It is the most effective sanitiser against viruses, bacteria, and other germs - better than bleach!



It will not change the properties of the water



It does not form biofilms or toxic residues or anything else that can harm health



It is generated in situ, eliminating a large part of the safety problems associated with transport



## RINSING WITH OZONIZED WATER

**Ariel 2.0** is a new sterilising glass wash designed for the best, safest drinking experience. It is equipped with a sanitising function that uses two separate sprays:

- A central spray to sanitise the inside of the glass
- A circular spray that works on the outside of the glass

**Ariel 2.0** can sanitise the glass, inside and out, with a simple press action. It can be installed on any bar counter, especially in view of the customers. It can be integrated into the dispensing system or installed as a stand-alone piece of equipment.




## OZONISED AIR

Thanks to a compact, top-performance ozone generator, complete with dispensing jet, it is possible to sanitise equipment with a jet of ozonised air. This technology has been successfully applied to the water boxes independently managed by the Celli Group for some years now.



**Traditional cooler**  
The carbon skeleton of plastic materials offers bacteria an environment conducive to colony aggregation and reproduction.



**Cooler with Cu+ Safepath**  
Copper prevents bacteria from sticking to its surface giving rise to biofilm formation.

## Safety of incoming and dispensed water



**Cu<sup>+</sup>SAFE PATH**  
Permanent Biofilm Prevention

### The Cu+ Safepath patent offers a simple but effective and safe solution regarding the problem of bacterial pollution in water coolers.

The problem is addressed through design interventions associated with the extensive application of copper. Copper, whose bactericidal properties have been known since ancient times, starts a degenerative process of the bacterial cells which causes their elimination.

This has a continuous and constant effect throughout the life of the cooler, which does not require maintenance. The quality of the water coming from the water supply is preserved, without altering its organoleptic and saline characteristics.

Cosmetal, in the collaboration of the University of Camerino and with supplier contribution, has developed a complete and exclusive range of components: circuitry, solenoid valves and fittings in pure metallic 99% copper. Any alloys all have a copper content higher than 60%. In this way, the regulators are no longer subject to contamination, nor are they a source of bacterial proliferation.

All the alloys used have been declared by the Environmental Protection Agency (EPA) of the United States as "antibacterial material" suitable for the transport of drinking water.



# intelli

CONNECTED SOLUTIONS WATER



## Monitored Parameters

# The digital Water (r)evolution

## Intelliwater is the IoT solution that enhances and simplifies your business

### COST REDUCTION

cost optimization with  
data-driven processes

#### SMART MAINTENANCE

Remote equipment breakage alert system



Reduction of emergency interventions



Increase telephone resolutions



Increased level of customer service

#### CUSTOMER MANAGEMENT

Management of routine interventions  
based on measured data



Planning routine activities



Optimization of visits to exits

### SALES INCREASE

new business models

#### PAY PER USE RENTAL

Smart rental contracts on the actual use  
of the machine



Easier to hire new customers



Higher profits opportunity

#### REMOTE SWITCH-OFF

Possibility of remote switching off



No risk of missed payments



More assurance in new business creation

## See our products fitted with Intelliwater



**Niagara EVO Smart**  
for the complete range  
go to page 34



**Niagara Top**  
for the complete range  
go to page 50



**Niagara In**  
for the complete range  
go to page 52



**Drink Tower**  
for the complete range  
go to page 68



To find out activation costs, services and rental fee, contact us to get a customized offer



EVO  
HI-CLASS  
NIAGARA  
TE-MIX  
CARBONATOR  
BRAVE 90  
DRINK TOWER  
AQUATAP 12  
AQUALITY POU  
AQUALITY BOTTLE  
RIVER  
RIVER UP  
ACQUA ALMA POINT  
WATERBAR  
J-CLASS  
H2OMY

**POU and bottled  
systems**





# EVO

## A leap forward in water dispensing

The new stage in the development of water dispensers. The new EVO range, created to provide a firm response to the needs of workplace environments, ho.re.ca., and on-the-go consumption, without compromising on quality or performance. The machines are fitted with cutting-edge technology, and are fitted for cashless operation as standard (Executive Protocol and M.D.B.) as well as having an input filter using UV lamp.



HI-CLASS 30  
EVO



HI-CLASS 30  
EVO PREMIUM



HI-CLASS 65  
EVO PREMIUM



NIAGARA  
EVO



NIAGARA  
EVO SMART

# HI-CLASS

## 30 EVO

Hi-Class 30 EVO is the ideal model to meet workplace needs. Fitted with innovative UV LED technology, for maximum hygiene levels. Model ready to work with cashless payments and compatible with R290 eco-friendly gas. Complete with cabinet for the tank collecting waste water and CO2 canister.

### Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,  
R-RIC or R-UG (only for WG version)






Types of water:



Safety:  
Anti flooding valve

Colors:  


NEW

description				lt/h	continuously lt	R290 code	dimension (WxDxH)
HI-CLASS EVO 30 ACWG EXE. EC BLACK	•	•	•	30	7	211420	26,2x55x40,8
HI-CLASS EVO 30 ACWG M.D.B. EC BLACK	•	•	•	30	7	211421	26,2x55x40,8

*Drip tray without drainage included. MOQ 12 pcs. Cashless payments compatible with EVO machines: EXE. - executive / M.D.B. - multi-drop bus  
Max. quantity for pallet 4 Hi-Class Evo + 4 cabinets. Pallet dimensions (WxDxH) 90x140x170 cm*



ACWG EC VERSION



# HI-CLASS

## 30 EVO PREMIUM

The Premium version of Hi-Class 30 EVO is the very best when it comes to water dispensing in small and medium locations. As well as the already excellent features of the basic model, it also offers a version with cloud connection, using Intellewater, optimum touchless technology and UVC-LED antibacterial system to sanitise the water dispensed.

### Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,  
R-RIC or R-UG (only for WG version)






Types of water:



Safety:  
Anti flooding valve

Colors:  


NEW

description				lt/h	continuously lt	R290 code	dimension (WxDxH)
HI-CLASS EVO 30 PREMIUM ACWG EXE. EC BLACK	•	•	•	30	7	211394	26,2x55x40,8
HI-CLASS EVO 30 PREMIUM ACWG M.D.B. EC BLACK	•	•	•	30	7	211418	26,2x55x40,8

*Drip tray without drainage included. MOQ 12 pcs. Cashless payments compatible with EVO machines: EXE. - executive / M.D.B. - multi-drop bus  
Max. quantity for pallet 4 Hi-Class Evo + 4 cabinets. Pallet dimensions (WxDxH) 90x140x170 cm*



ACWG EC VERSION


HI-CLASS

65 EVO PREMIUM

Ideal for medium locations such as restaurants and smaller premises, Hi-Class 65 EVO Premium has an extra dispensing nozzle compared to the smaller versions. The one-touch interface means it is possible to use cashless payments (Executive Protocol). Complete with VC-LED sanitisation system and compatible with R290 gas.




Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system, bracket for bottle positioning, R-RIC or R-UG (only for WG version)



40-100  
PEOPLE

Types of water:






Safety:

Anti flooding valve

Colors:



NEW

description				lt/h	continuously lt	R290 code	dimension (WxDxH)
HI-CLASS EVO 65 PREMIUM ACWG EXE. EC BLACK	•	•	•	65	40	214657	26,2x55,2x40,7
HI-CLASS EVO 65 PREMIUM ACWG M.D.B. EC BLACK	•	•	•	65	40	214658	26,2x55,2x40,7

Drip tray without drainage included. MOQ 12 pcs. Cashless payments compatible with EVO machines: EXE. - executive / M.D.B. - multi-drop bus  
Max. quantity for pallet 4 Hi-Class Evo + 4 cabinets. Pallet dimensions (WxDxH) 90x140x170 cm



ACWG EC VERSION



# NIAGARA EVO

For higher dispensing volumes, the EVO line offers its Niagara models. In particular, Niagara EVO has been designed to meet the needs of the HoReCa industry, with three dispensing points, Intelliwater technology and a UVC LED sanitising system. Also available in version Touchless.



40-300  
PEOPLE

Types of water:



Safety:

Anti flooding valve





Colors:



## Suggested optionals

WATER BLOCK, NO SHOCK, filtration system

NEW

description					lt/h	continuously lt	R290 code	dimension (WxDxH)
NIAGARA EVO 120 IB ACWG C6 EC M.D.B.	•	•	•	•	120	80	309568	48,5x55,8x155,1
NIAGARA EVO 120 IB ACWG C6 EC M.D.B.		•	•	•	120	80	309569	48,5x55,8x155,1
NIAGARA EVO 120 IB ACWG C6 EC EXE.	•	•	•	•	120	80	309570	48,5x55,8x155,1
NIAGARA EVO 120 IB ACWG C6 EC EXE.		•	•	•	120	80	309571	48,5x55,8x155,1

Cashless payments compatible with EVO machines: EXE. - executive / M.D.B. - multi-drop bus  
Max. quantity for pallet 1. Pallet dimensions (WxDxH) 50x6x0175 cm





# NIAGARA EVO SMART

The Smart model comes with an NFC scanner and camera to read a QR code, for customising every aspect of the digital interaction with the user, via app or using the Smart Bottle. Designed for office use, it offers maximum hygiene for incoming and outgoing water, thanks to the UVC-LED system and the internal microfiltration.

### Suggested optionals

WATER BLOCK, NO SHOCK, filtration system








Types of water:



Safety:  
Anti flooding valve

Colors:  
 

NEW

description						lt/h	continuously lt	R290 code	dimension (WxDxH)
NIAGARA EVO SMART 120 IB ACWG C6 EC M.D.B.	•	•	•	•	•	120	80	309572	48,5x55,8x155,1
NIAGARA EVO SMART 120 IB ACWG C6 EC EXE.	•	•	•	•	•	120	80	309573	48,5x55,8x155,1

Cashless payments compatible with EVO machines: EXE. - executive / M.D.B. - multi-drop bus  
Max. quantity for pallet 1. Pallet dimensions (WxDxH) 50x6x0175 cm



**12" Touchscreen**  
for a completely interactive  
experience





# HI-CLASS

## The classy dispenser, for those seeking excellence

The Hi-Class range includes 4 models: Hi-Class Top 20, 30, 65 and Premium, to meet the needs of any setting where service needs to be combined with design. The intuitive electronic interface and elegant styling make it perfect for use at home, in the office, or in public premises.



HI-CLASS TOP 20



HI-CLASS TOP 30



HI-CLASS TOP 45



HI-CLASS TOP 65



# HI-CLASS TOP 20

Hi-Class 20 is the smallest in the range and it is perfect for lower levels of consumption. Available in two different colors: black and white. It has an elegant blue LED that assists bottle / glass positioning.



Types of water:



Safety:  
Anti flooding valve





Colors:



## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,

R-RIC or R-UG (only for WG version).

description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 20 IB AC BLACK	•	•			20	3	214211	206853	26,2x43,6x40,7
HI-CLASS TOP 20 IB AC WHITE	•	•			20	3	N.A.	300622	26,2x43,6x40,7
HI-CLASS TOP 20 IB ACWG BLACK	•	•	•	•	20	3	214220	206852	26,2x43,6x40,7
HI-CLASS TOP 20 IB ACWG WHITE	•	•	•	•	20	3	214231	300002	26,2x43,6x40,7
<b>NEW</b> HI-CLASS TOP 20 IB ACWG BLACK	•	•	•	•	20	3	215799	300621	26,2x43,6x40,7

*Driptray without drainage included. MOQ 12 pcs  
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x160 cm*

optional	code	dimension (WxDxH)
Cooler cabinet with integrated cup dispenser and internal filter compartment	210444	36x43,7x105,5
RETROFIT KIT (2pcs) TOUCH. HI-CL20 BLACK ACWG	302204	-



ACWG VERSION



CABINET

# HI-CLASS TOP 30

Hi-Class 30 is the counter-top solution that perfectly combines the request for design, performance and compactness in the most traditional performance class of 30 liters per hour. Available in two different colors: black and white. It has an elegant blue LED that assists bottle / glass positioning.

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,

R-RIC or R-UG (only for WG version)



Types of water:



Safety:  
Anti flooding valve

Colors:



description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 30 IB AC BLACK	•	•			30	7	213008	300650	26,2x55,2x40,7
HI-CLASS TOP 30 IB AC WHITE	•	•			30	7	215161	300653	26,2x55,2x40,7
HI-CLASS TOP 30 IB AC WHITE 230V-60HZ	•	•			30	7	N.A.	300654	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB ACWG BLACK	•	•	•		30	7	212742	300015	26,2x55,2x40,7
HI-CLASS TOP 30 IB ACWG BLACK	•	•	•	•	30	7	215132	209623	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB ACWG WHITE	•	•	•		30	7	215177	300641	26,2x55,2x40,7
HI-CLASS TOP 30 IB ACWG WHITE	•	•	•	•	30	7	215169	300649	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB ACWG BLACK EC	•	•	•		30	7	214083	300016	26,2x55,2x40,7
HI-CLASS TOP 30 IB ACWG BLACK EC	•	•	•	•	30	7	214141	300640	26,2x55,2x40,7
HI-CLASS TOP 30 IB ACWG WHITE EC	•	•	•	•	30	7	214106	300642	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB ACWG WHITE EC	•	•	•	•	30	7	214127	300648	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB AC WHITE UV LED KL	•	•			30	7	215159	300655	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB AC BLACK UV LED KL	•	•			30	7	215164	300652	26,2x55,2x40,7
NEW HI-CLASS TOP 30 IB ACWG BLACK UV LED KL	•	•	•		30	7	214111	300637	26,2x55,2x40,7

*Driptray without drainage included. MOQ 12 pcs  
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x160 cm*

optional	code	dimension (WxDxH)
Cooler cabinet with integrated cup dispenser and internal filter compartment	210443	36x55,3x105,5
Cooler cabinet without integrated cup dispenser and internal filter compartment	213561	36x55,3x105,5
RETROFIT KIT (2pcs) TOUCH. HI-CL30 WHITE ACWG MEC.	302193	-
RETROFIT KIT (2pcs) TOUCH. HI-CL30 BLACK ACWG MEC.	209618	-
RETROFIT KIT (2pcs) TOUCH. HI-CL30 EC BLACK ACWG	302202	-
RETROFIT KIT (2pcs) TOUCH. HI-CL30 EC WHITE ACWG	302203	-



ACWG EC VERSION



UVC-LED



CABINET



AC VERSION



ACWG VERSION



# HI-CLASS TOP 45

Hi-Class TOP 45 embodies excellence within the sector: sophisticated design, quality materials, innovative technology and high performance. It is able to satisfy a demand for any type of water.

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,

R-RIC or R-UG (only for WG version)



30-50  
PEOPLE

Types of water:



Safety:  
Anti flooding valve

Colors:



description						lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 45 IB AC EC	•	•				45	9	214403	206832	34x54x40
HI-CLASS TOP 45 IB ACWG EC	•	•	•			45	9	214424	200060	34x54x40
HI-CLASS TOP 45 IB ACHWG EC	•	•	•	•		45-13	9	214421	200059	34x54x40
HI-CLASS TOP 45 IB ACWG EC	•	•	•	•		45	9	215031	300608	34x54x40

NEW

*Drip tray without drainage included. MOQ 8 pcs  
Max. quantity for pallet 8. Pallet dimensions (WxDxH) 80x120x120 cm*

optional	code	dimension (WxDxH)
Cabinet, cooler cabinet with integrated cup dispenser and internal filter compartment. Waste kit included	206838	34x53,5x107,2
BASEMENT PLINTH	305649	34x54x4
Drip tray with drain (combined with the plinth and not the cabinet)	302142	40x18x3
RETROFIT KIT TOUCHLESS HI-CLASS 45 ACWG EC	209619	-





ACHWG VERSION



CABINET



DRIPTRAY



BASEMENT

# HI-CLASS TOP 65

Hi-Class 65 is the counter-top water dispenser ideal for small venues and restaurants. Available in two different colors, black and white, it has a double spout and two elegant blue LEDs that assist bottle / glass positioning.

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system, bracket for bottle positioning, R-RIC or R-UG (only for WG version)



40-100  
PEOPLE

Types of water:







Safety:

Anti flooding valve

Colors:



description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
HI-CLASS TOP 65 IB AC BLACK		•	•		65	40	214341	200063	42,4x53,3x51,2
HI-CLASS TOP 65 IB AC WHITE		•	•		65	40	N.A.	300661	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG BLACK		•	•	•	65	40	214389	300656	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG WHITE		•	•	•	65	40	215635	200062	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG EC BLACK		•	•	•	65	40	214372	300004	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG EC WHITE		•	•	•	65	40	214366	300665	42,4x53,3x51,2
HI-CLASS TOP 65 IB ACWG EC BLACK	•	•	•	•	65	40	215633	300664	42,4x53,3x51,2

NEW

Drip tray without drainage included. MOQ 4 pcs  
Max. quantity for pallet 4. Pallet dimensions (WxDxH) 80x120x140 cm

optional	code	dimension (WxDxH)
Cooler cabinet with integrated cup dispenser and internal filter compartment	309508	42,2x51,8x108,7
Stainless steel drip tray with drainage for Hi-Class Top 65 on cabinet	302155	-
RETROFIT KIT (2pcs) TOUCH. HI-CL65 EC BLACK ACWG	209628	-



ACWG EC VERSION



CABINET



DRIPTRAY



ACWG VERSION



# NIAGARA

## Efficiency, savings and sustainability for every need

Niagara water coolers are an equipment that is professional, robust and reliable. Targeted towards facilitating the management of water bottles and improving service efficiency, they meet the highest quality standards in terms of performance and product quality. All are certified and equipped with a highly technological content. They ensure the dispensing of large quantities of cold, still and sparkling water. To be used with jugs or glasses, they are a practical, fast and economical solution. The Niagara range is WRAS certified.



NIAGARA FS



NIAGARA TOP



NIAGARA IN 55



NIAGARA IN 65-120-180





# NIAGARA FS

Niagara is a professional cooler, ideal for large uses because it allows instant delivery of large quantities of water in room temperature cold or sparkling choices. The floor standing model is also able to house both the parts that make up the dispenser and the accessories.

## Suggested optionals

WATER BLOCK, NO SHOCK, filtration system



40-300  
PEOPLE

Types of water:



Safety:

Anti flooding valve

Colors:



Certifications\*:

							lit/h	continuously lit	R290 code	R134a code	dimension (WxDxH)
	NIAGARA 55 IB AC C6			•	•		55	12	213856	300233	36x36x148
	NIAGARA 55 IB AC C8			•	•		55	12	213868	206824	36x36x148
	NIAGARA 65 IB AC C6			•	•		65	40	213811	300484	48x40,5x148
NEW	NIAGARA 65 IB AC C6		•	•	•		65	40	214069	309561	48x40,5x148
	NIAGARA 65 IB AC C8			•	•		65	40	213812	200047	48x40,5x148
	NIAGARA 65 IB AC C8		•	•	•		65	40	N.A.	209624	48x40,5x148
NEW	NIAGARA 65 IB ACWG C8			•	•	•	65	40	213819	200048	48x56x148
	NIAGARA 65 IB AC C8 CU			•	•	•	65	40	213844	302271	48x40,5x148
NEW	NIAGARA 65 IB ACWG C8		•	•	•	•	65	40	214445	300492	48x56x148
	NIAGARA 65 IB ACWG C6			•	•	•	65	40	213711	300483	48x56x148
	NIAGARA 65 IB ACWG C6 CU			•	•	•	65	40	213830	300043	48x56x148
NEW	NIAGARA 65 IB ACWG C6		•	•	•	•	65	40	214448	309563	48x56x148
	NIAGARA 65 IB ACWG C8 CU			•	•	•	65	40	213845	302272	48x56x148
	NIAGARA 65 IB AC C8 EC			•	•		65	40	213826	300552	48x40,5x148
	NIAGARA 65 IB ACWG C6 EC			•	•	•	65	40	213822	300538	48x56x148
	NIAGARA 65 IB ACWG C8 EC			•	•	•	65	40	213823	300539	48x56x148
NEW	NIAGARA 120 IB AC C6			•	•		120	70	300501	207924	48x40,5x148
	NIAGARA 120 IB AC C6		•	•	•		120	70	214073	309565	48x40,5x148
	NIAGARA 120 IB AC C8			•	•		120	70	300506	200049	48x40,5x148
NEW	NIAGARA 120 IB AC C8		•	•	•		120	70	215663	209620	48x40,5x148
	NIAGARA 120 IB ACWG C6			•	•	•	120	70	214046	300499	48x56x148
	NIAGARA 120 IB ACWG C8			•	•	•	120	70	214048	200050	48x56x148
	NIAGARA 120 IB AC C8 CU			•	•		120	70	214062	302275	48x40,5x148
	NIAGARA 120 IB ACWG C6 CU			•	•	•	120	70	214058	302273	48x56x148
NEW	NIAGARA 120 IB ACWG C8 CU			•	•	•	120	70	214064	302276	48x56x148
	NIAGARA 120 IB ACWG C8		•	•	•	•	120	70	N.A.	300516	48x56x148
	NIAGARA 120 IB AC C8 EC			•	•		120	70	300555	208178	48x40,5x148
	NIAGARA 120 IB ACWG C6 EC			•	•	•	120	70	214050	300541	48x56x148
	NIAGARA 120 IB ACWG C8 EC			•	•	•	120	70	214053	200054	48x56x148
	NIAGARA 120 IB ACWG C8 EC CU			•	•	•	120	70	214065	302287	48x56x148
NEW	NIAGARA 120 IB ACWG C8 EC		•	•	•	•	120	70	214071	209627	48x56x148
	NIAGARA 120 IB ACWG C8 + FILTER (F)		•	•	•	•	120	70	216081	212500	48x56x148
	NIAGARA 120 IB ACWG C8 EC + FILTER (F)		•	•	•	•	120	70	216096	212494	48x56x148
NEW	NIAGARA 120 IB ACWG EC IW		•	•	•	•	120	70	214055	208881	48x56x148
	NIAGARA 180 IB AC C6			•	•		180	100	300521	200052	48x40,5x148
	NIAGARA 180 IB AC C8			•	•		180	100	300524	200053	48x40,5x148
	NIAGARA 180 IB ACWG C6			•	•	•	180	100	215641	200051	48x56x148
	NIAGARA 180 IB ACWG C8			•	•	•	180	100	215640	300529	48x56x148
	NIAGARA 180 IB AC C8 CU			•	•		180	100	215648	302279	48x40,5x148
	NIAGARA 180 IB ACWG C6 CU			•	•	•	180	100	215644	302277	48x56x148
	NIAGARA 180 IB ACWG C8 CU			•	•	•	180	100	215642	302280	48x56x148
	NIAGARA 180 IB AC C8 EC			•	•		180	100	300561	300560	48x40,5x148
	NIAGARA 180 IB ACWG C6 EC			•	•	•	180	100	215645	300546	48x56x148
	NIAGARA 180 IB ACWG C8 EC			•	•	•	180	100	215034	200055	48x56x148
	NIAGARA 180 IB ACWG C8 EC CU			•	•	•	180	100	215643	302289	48x56x148
NEW	NIAGARA 180 IB ACWG EC IW		•	•	•	•	180	100	W.I.P.	208882	48x56x148

Max. quantity for pallet 1 (FS) / 1 (FS WG) / 6 (55). Pallet dimensions (WxDxH) 50x60x170 cm (FS) / 65x60x170 cm (FS WG) / 90x130x165 cm (55)

\* The Niagara range has WRAS certification. All Niagara Floor Standing models also have ACS certification



ACWG EC VERSION

**optional**

	code	dimension (WxDxH)
RETROFIT KIT for NIAGARA FS & TOP TOUCH. STILL	209617	-
RETROFIT KIT for NIAGARA FS & TOP TOUCH. WG	302189	-
RETROFIT KIT for NIAGARA FS & TOP 2E TOUCH. STILL	302198	-
RETROFIT KIT for NIAGARA FS EC TOUCH. CARBON.	209629	-
RETROFIT KIT for NIAGARA FS AC EC TOUCH.	212678	-
RETROFIT KIT for NIAGARA FS AC EC TOUCH.	212684	-

# NIAGARA TOP

Easy to place on bar and restaurant counters, in line with canteens or worktops; the reduced depth facilitates positioning in small or restrictive spaces. It optimises service management, guaranteeing the same high performance as the floor-standing model.

## Suggested optionals

WATER BLOCK, NO SHOCK, filtration system



40-300  
PEOPLE

Types of water:



Safety:  
Anti flooding valve

Colors:



Certifications\*:

							lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
	NIAGARA TOP 65 IB AC			•	•		65	40	213907	207923	42,2x49x51
NEW	NIAGARA TOP 65 IB AC		•	•	•		65	40	N.A.	300456	42,2x49x51
	NIAGARA TOP 65 IB ACWG			•	•	•	65	40	213913	200043	42,2x49x51
NEW	NIAGARA TOP 65 IB ACWG		•	•	•	•	65	40	N.A.	300457	42,2x49x51
	NIAGARA TOP 65 IB AC EC			•	•		65	40	213889	300570	42,2x49x51
NEW	NIAGARA TOP 65 IB AC EC		•	•	•		65	40	214466	300571	42,2x49x51
	NIAGARA TOP 65 IB ACWG EC			•	•	•	65	40	213902	209780	42,2x49x51
	NIAGARA TOP 65 IB ACWG EC CU			•	•	•	65	40	213903	302297	42,2x49x51
	NIAGARA TOP 65 IB ACWG EC			•	•	•	65	40	214452	300562	42,2x49x51
	NIAGARA TOP 120 IB AC			•	•		120	70	213958	200044	48,2x49x51
NEW	NIAGARA TOP 120 IB AC		•	•	•		120	70	N.A.	209621	48,2x49x51
	NIAGARA TOP 120 IB ACWG			•	•	•	120	70	213982	200045	48,2x49x51
NEW	NIAGARA TOP 120 IB ACWG		•	•	•	•	120	70	215662	209622	48,2x49x51
	NIAGARA TOP 120 IB AC EC			•	•		120	70	213966	200058	48,2x49x51
NEW	NIAGARA TOP 120 IB AC EC		•	•	•		120	70	216154	209626	48,2x49x51
	NIAGARA TOP 120 IB ACWG EC			•	•	•	120	70	213987	200056	48,2x49x51
	NIAGARA TOP 120 IB ACWG EC CU			•	•	•	120	70	213989	302299	48,2x49x51
NEW	NIAGARA TOP 120 IB ACWG EC		•	•	•	•	120	70	216149	300566	48,2x49x51
NEW	NIAGARA TOP 120 IB ACWG EC IW	•		•	•	•	120	70	W.I.P.	208887	48,2x49x51
	NIAGARA TOP 180 IB AC			•	•		180	100	214472	200046	53,2x49x51
	NIAGARA TOP 180 IB ACWG			•	•	•	180	100	214493	300472	53,2x49x51
	NIAGARA TOP 180 IB AC EC			•	•		180	100	214480	300575	53,2x49x51
	NIAGARA TOP 180 IB ACWG EC			•	•	•	180	100	214496	200057	53,2x49x51
	NIAGARA TOP 180 IB ACWG EC CU			•	•	•	180	100	215658	302300	53,2x49x51
NEW	NIAGARA TOP 180 IB ACWG EC		•	•	•	•	180	100	214526	300569	53,2x49x51
NEW	NIAGARA TOP 180 IB ACWG EC IW	•		•	•	•	180	100	215659	300567	53,2x49x51

Max. quantity for pallet 4. Pallet dimensions (WxDxH) 80x120x140 cm  
\* The Niagara range has WRAS certification. Driptray not included

optional	code	dimension (WxDxH)
RETROFIT KIT for NIAGARA FS & TOP TOUCH. STILL	209617	-
RETROFIT KIT for FS & TOP TOUCH. WG	302189	-
RETROFIT KIT for NIAGARA TOP EC TOUCH. CARBON.	302201	-



ACWG VERSION

COMPLETE INSTALLATION WITH:



DRIPTRAY VR-P



DRIPTRAY VR-PA



DRIPTRAY VR-IS



DRIPTRAY VR-IS2

# NIAGARA IN

Ideal for optimising space, it can be installed under the bar counter or in remote corners of a room. Appropriate technological solutions ensure the supply of room temperature, cold and / or sparkling water even at a distance from the taps and fittings. A wide range of taps and columns complete this product.

## Suggested optionals

WATER BLOCK, NO SHOCK, filtration system



Types of water:










Colors:



Certifications\*:

## 55 VERSION



description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
NIAGARA IN 55 IB ACWG		•	•	•	55	12	213676	200037	25,5x45x40
NIAGARA IN 65 IB AC		•	•		65	40	213874	200038	35x42x50
NIAGARA IN 65 IB ACWG		•	•	•	65	40	211784	200039	35x42x50
 NIAGARA IN 65 IB ACWG IW	•	•	•	•	65	40	215660	208883	35x42x50
NIAGARA IN 120 IB AC		•	•		120	70	300394	200040	35x48x50
NIAGARA IN 120 IB ACWG		•	•	•	120	70	300398	200041	35x48x50
 NIAGARA IN 120 IB ACWG IW	•	•	•	•	120	70	W.I.P.	208884	35x48x50
NIAGARA IN 180 IB AC		•	•		180	100	300417	200042	35x53x50
NIAGARA IN 180 IB ACWG		•	•	•	180	100	300424	300423	35x53x50
 NIAGARA IN 180 IB ACWG IW	•	•	•	•	180	100	215653	208885	35x53x50

*Circular pump on request for versions 65, 120, 180. Drip tray not included*  
*Max. quantity for pallet 12 (55) / 8 (65) / 6 (120) / 6 (180). Pallet dimensions (WxDxH) 80x120x160 cm (55) / 80x120x140 cm (65, 120, 180)*  
*\* The Niagara range has WRAS certification. All Niagara IN models also have NSF certification*





65/120/180 VERSION

## COMPLETE INSTALLATION WITH:



**DRIPTRAY**  
for the complete range  
go to page 130



**TOWER**  
for the complete range  
go to page 128



**DRINK TOWER**  
for the complete range  
go to page 68



# TE-MIX

## The under-the-counter dispenser for the ho.re.ca.

The Te-Mix range offers different under-counter solutions, all characterized by very high reliability. They are all professional, robust solutions and allow you to improve efficiency in any type of venue. Excellent to install under the bar counter or in remote corners of a room.



TE-MIX

## TE-MIX

The various versions of Te-Mix deliver large quantities of cold, still or sparkling water and are therefore suitable for large scale users. The double coil ice bank makes dispensing faster and more efficient for the dispensing of cold sparkling water.






Types of water:



### Suggested optionals

WATER BLOCK, NO SHOCK, filtration system,

PRV, PRV+, R-RIC+, R-RIC MAX 5,5, KIT INST

description				lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
TEM16-8LT	•	•	•	50	12	215597	300037	33,0x43,0x40,5
TEM16-15L CSSC- 1/5A- 3.8S	•	•	•	80	60	215591	084924	33,4x40,7x61,2
TEM16-25L CSSC- 1/4A- 7.0S	•	•	•	150	80	102889	084860	42,7x42,6x61,2
TEM16-50L CSSC- 1/2A- 6.5C	•	•	•	220	150	215594	085613	49,1x54,1x74,2
TEM16-65L CSSC- 3/4A- 6.5C	•	•	•	280	200	215595	073007	54,1x59,1x77,5

*Circulation pump included, double water coil included, equipped with rollers. Drip tray not included  
Max. quantity for pallet 4 (25, 50, 65) / 8 (8, 15). Pallet dimensions (WxDxH) 80x120x160 cm*





COMPLETE INSTALLATION WITH:



**DRIPTRAY**  
for the complete range  
go to page 130



**TOWER**  
for the complete range  
go to page 128



**DRINK TOWER**  
for the complete range  
go to page 68



**WATERBAR**  
for the complete range  
go to page 94





# CARBONATOR

## Water that sparkles

The carbonators allow for the production of sparkling water which will then be cooled by a separate machine which doesn't have an internal carbonator. For this reason they are the ideal solution to add to already installed dispensers that don't provide sparkling water.



CARBONATOR

# CARBONATOR


When carbonization is needed, Carbonator can integrate other systems to produce cold sparkling water (not hot).

Types of water:



## Suggested optionals

WATER BLOCK, NO SHOCK, filtration system, PRV, PRV+, R-RIC+,  
R-RIC MAX 5,5, KIT INST wide range of taps and drip trays

description		code	dimension (WxDxH)
GEN SODA A CALDO 200LT SKIN FORO 1	•	208230	21,4x41,8x43
GEN SODA A CALDO 200LT SKIN FORO 1,5	•	065256	21,4x41,8x43
GEN SODA A CALDO 300LT SKIN FORO 1,8	•	068143	21,4x41,8x55

Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x110 cm









# BRAVE 90

## The dispenser that is second to none

The performance of Brave 90 makes it ideal for water kiosks, large restaurants or canteens where it ensures that you always maintain the highest standards of water that can be supplied. The double coil ice bank makes the simultaneous dispensing of cold and sparkling water faster and more efficient.



BRAVE 90

# BRAVE 90

Brave 90 does not shy away from any challenge: it is great for large distribution points and utilities. It is our most powerful cooler fitted with wheels.



Types of water:



### Suggested optionals

WATER BLOCK, NO SHOCK, PRV, PRV+, R-RIC+,  
R-RIC MAX 5,5, KIT INST, filtration system

NEW

description			continuously lt	R290 code	R134a code	dimension (WxDxH)
BRAVE 90 ACWG ENERGY SAVING WITH RECIRCULATION	•	•	240	W.I.P.	110791	57,6x88,8x81,5

Double water coil included, equipped with rollers. Drip tray not included  
Pallet dimensions (WxDxH) 68x94,5x94,5 cm



COMPLETE INSTALLATION WITH:



**DRIPTRAY**  
for the complete range  
go to page 130



**TOWER**  
for the complete range  
go to page 128



**DRINK TOWER**  
for the complete range  
go to page 68



# DRINK TOWER

## The ideal dispenser for bars and restaurants

Ideal for dispensing large quantities of cold water, both still and sparkling, it fits perfectly in the catering sector, in bars, restaurants, hotels and canteens. This dispenser can be associated with any under-the-counter system, to meet any dispensing requirement. The Drink Tower dispenser is NSF certified.



DRINK TOWER

# DRINK TOWER

The ease of use and the choice of high quality materials guarantee maximum hygiene and at the same time reduce the need for non-routine maintenance.

Types of water:



Colors:



Certifications:



## description



## code

## dimension (WxDxH)

NEW	DRINKTOWER EC ACWG	•	•	•	•	206827	17,6x27x57
NEW	DRINKTOWER EC ACWG BLACK	•	•	•	•	300020	17,6x27x57
NEW	DRINKTOWER EC ACWG BLACK	•	•	•	•	302210	17,6x27x57
NEW	DRINKTOWER EC ACWG IW BLACK	•	•	•	•	208888	17,6x27x57

*Drip tray not included*

## optional

## code

## dimension (WxDxH)

RETROFIT KIT for TOUCHLESS DRINK TOWER BLACK 2pcs

209730

-





COMPLETE INSTALLATION WITH:



**DRIPTRAY VR-I**  
for the complete range  
go to page 130



**DRIPTRAY VR-IR**  
for the complete range  
go to page 130



**TE-MIX**  
for the complete range  
go to page 56



**TOUCHLESS**



# AQUATAP 12

## The practical and compact bench-top dispenser

The Aquatap line is ideal for bar and restaurant counters, where small dimensions and mechanical delivery are required.



AQUATAP 12

# AQUATAP 12

It is in fact equipped with three dispensing taps to deliver room temperature, cold and sparkling water. The drip tray is equipped with a support so as not to take up space on the counter.






Types of water:



## Suggested optionals

WATER BLOCK, NO SHOCK, PRV, PRV+, R-RIC+,  
R-RIC MAX 5,5, KIT INST filtration system

description				lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
AQUA TAP/12 1/5E GS+3R/FC4 PC+P/PRO	•	•	•	80	40	W.I.P.	206880	33,1x57,6x52,8

*Driptray included  
Max. quantity for pallet 8. Pallet dimensions (WxDxH) 80x120x125 cm*







# AQUALITY POU

## Great efficiency and modern design

Aquality Pou is a point-of-use water cooler that stands out for efficiency, solidity and simplicity of management and maintenance. Equipped with ice bank cooling, it is available in two models with differentiated performances, from 20 l / h to 28 l / h. The design with simple and clean lines and the predominance of metal give it a modern and technological look.



AQUALITY POU



# AQUALITY POU

Aquality Pou is the cooler with a contemporary and sophisticated design. The robustness of the materials and cutting-edge technology make it a champion of efficiency and reliability.



1-30  
PEOPLE

Types of water:



Safety:  
Anti flooding valve

Colors:



## Suggested optionals

WATER BLOCK, PRV, No Shock, KIT NST, Filtration system,

R-RIC o R-UG (only WG version)

description						lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
AQUALITY 20 IB AC F16 BLACK		•	•			20	3	214716	200273	33,4x33x112
AQUALITY 20 IB AC F16 WHITE		•	•			20	3	214743	302308	33,4x33x112
AQUALITY 20 IB ACH F16 BLACK		•	•	•		20-8	3	214759	302310	33,4x33x112
AQUALITY 20 IB ACH F16 WHITE		•	•	•		20-8	3	214774	302314	33,4x33x112
AQUALITY 20 IB AC F16 - BLACK + FILTER (FC)		•	•			20	3	214781	212504	33,4x33x112
AQUALITY 20 IB ACH F16 - BLACK + FILTER (FC)		•	•	•		20	3	216158	212506	33,4x33x112
AQUALITY 28 IB AC F16 BLACK		•	•			28	5	214965	300140	33,4x33x112
AQUALITY 28 IB AC F16 BLACK	•	•	•			28	5	214841	212262	33,4x33x112
AQUALITY 28 IB AC F16 WHITE		•	•			28	5	214962	300146	33,4x33x112
AQUALITY 28 IB ACH F16 BLACK		•	•	•		28-13	5	214940	300148	33,4x33x112
AQUALITY 28 IB ACH F16 WHITE		•	•	•		28-13	5	214938	300152	33,4x33x112
AQUALITY 28 IB ACWG F16 BLACK		•	•	•		28	5	214922	208733	33,4x33x112
AQUALITY 28 IB ACWG F16 BLACK	•	•	•	•		28	5	214844	309272	33,4x33x112
AQUALITY 28 IB ACWG F16 WHITE		•	•	•		28	5	214926	300781	33,4x33x112
AQUALITY 28 IB CHWG F16 BLACK			•	•	•	28-13	5	214916	300785	33,4x33x112
AQUALITY 28 IB CHWG F16 WHITE			•	•	•	28-13	5	214917	300789	33,4x33x112
AQUALITY 28 IB AC F16 UV BLACK		•	•			28	5	214961	209923	33,4x33x112
AQUALITY 28 IB AC F16 UV WHITE		•	•			28	5	214973	300156	33,4x33x112
AQUALITY 28 IB ACH F16 UV BLACK		•	•	•		28-13	5	214945	300807	33,4x33x112
AQUALITY 28 IB ACH F16 UV WHITE		•	•	•		28-13	5	214944	300809	33,4x33x112
AQUALITY 28 IB ACWG F16 UV BLACK		•	•	•		28	5	214933	300070	33,4x33x112
AQUALITY 28 IB ACWG F16 UV WHITE		•	•	•		28	5	214930	300035	33,4x33x112
AQUALITY 28 IB CHWG F16 UV BLACK			•	•	•	28-13	5	214919	300036	33,4x33x112
AQUALITY 28 IB AC F16 - BLACK + FILTER (F)		•	•			28	5	214800	212513	33,4x33x112
AQUALITY 28 IB ACWG F16 - BLACK + FILTER (F)		•	•	•		28	5	214792	212509	33,4x33x112

Cup dispenser integrated. MOQ 12 pcs. Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x245 cm

optional	code	dimension (WxDxH)
Cup holder for Premium version	302054	-
RETROFIT KIT for AQUALITY 28 TOUCHLESS BLACK	309536	-
RETROFIT KIT for AQUALITY 28 TOUCHLESS WHITE	309537	-



ACWG UV VERSION



TOUCHLESS





# AQUALITY BOTTLE

## Technology and design, without compromise

Aquality Bottle is a top of the range model. The clean and elegant design, the refinement of the materials and the high technological focus make it one of the most beautiful coolers to ever be on the market . The product can be customized with different combinations of colors and materials according to your needs.



AQUALITY BOTTLE



# AQUALITY BOTTLE

Aquality Bottle is the bottle cooler characterized by advanced technology, elegant design and robust materials. The two versions, which differ in the type of water supplied, provide different water combinations.

Types of water:



Safety:  
“NO WATER” DEVICE  
to protect the carbonator  
in case of water exhaustion  
(versions CWG & CHWG)

Colors:



## Suggested optionals

R-RIC or R-UG (only for WG versions)

description					lt/h	R290 code	R134a code	dimension (WxDxH)
AQUALITY BOTTLE 22 ACWG F16 BLACK	•	•	•		22	214819	300936	33,7x34,5x111,9
AQUALITY BOTTLE 22 ACWG F16 WHITE	•	•	•		22	215550	300940	33,7x34,5x111,9
AQUALITY BOTTLE 22 ACWG F16 UV BLACK	•	•	•		22	215545	300946	33,7x34,5x111,9
AQUALITY BOTTLE 22 ACWG F16 UV WHITE	•	•	•		22	215546	300947	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 BLACK		•	•	•	22-8	214816	300942	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 WHITE		•	•	•	22-8	215547	300944	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 UV BLACK		•	•	•	22-8	215544	300948	33,7x34,5x111,9
AQUALITY BOTTLE 22 CHWG F16 UV WHITE		•	•	•	22-8	215549	300949	33,7x34,5x111,9

*AQUALITY BOTTLE is sold without bottle. Cup dispenser integrated. Removable stainless steel tank. MOQ 12 pcs  
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x245 cm*

optional	code	dimension (WxDxH)
Cup holder	302054	-



ACWG VERSION



# RIVER

## The water dispenser ready for everything

Suitable for use in public places, waiting rooms, schools and shopping centers, River connects to the water supply with great ease and always ensures fresh water. The pre-filled ice bank cooling system combines performance and ease of installation as well as maximum compliance with hygiene standards. Two different models and various levels of performance make it a reliable system to respond to even the most critical usage situations. The River range is WRAS and ACS certified.



RIVER



RIVER UP





# RIVER

River is a drinking fountain connected to the water mains, ensuring constant quality over time, with barely any maintenance and the guarantee of a reliable system for drinking water in public areas. It is available with different performance levels to meet different needs and user loads. There is also a pedal-operated version for safer dispensing.

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, KIT INST, filtration system



1-30  
PEOPLE

Types of water:



Colors:



Certifications:

description		lt/h	condensation	R290 code	R134a code	dimension (WxDxH)
RIVER 20 IB C G62/61 C6	●	20	static	215279	302543	34x32,5x96
RIVER 20 IB C G62/61 C6 50-60Hz	●	20	static	N.A.	300683	34x32,5x96
RIVER 20 IB C G62/61 C8	●	20	static	215281	302545	34x32,5x96
RIVER 20 IB C G62 C8 50-60Hz	●	20	static	N.A.	300682	34x32,5x96
RIVER 30 IB C G61 C6	●	30	ventilated	215104	300104	34x32,5x96
RIVER 30 IB C G61 C6 50-60Hz	●	30	ventilated	215043	300684	34x32,5x96
RIVER 30 IB C G61 WITH PEDAL C6	●	30	ventilated	N.A.	300126	34x32,5x96
RIVER 30 IB C G61 C8	●	30	ventilated	215114	209388	34x32,5x96
RIVER 30 IB C G61 WITH PEDAL C8	●	30	ventilated	N.A.	300044	34x32,5x96
RIVER 30 IB C G62 C6	●	30	ventilated	215100	300080	34x32,5x96
RIVER 30 IB C G62 C8	●	30	ventilated	215090	300081	34x32,5x96
RIVER 30 IB C G62 C8 AF	●	30	ventilated	215145	300165	34x32,5x96
RIVER 30 IB C G62/61 C6	●	30	ventilated	215131	200011	34x32,5x96
RIVER 30 IB C G62/61 C6 50-60Hz	●	30	ventilated	215085	300687	34x32,5x96
RIVER 30 IB C G62/61 C8	●	30	ventilated	214867	200010	34x32,5x96
RIVER 30 IB C G62/61 C8 50-60Hz	●	30	ventilated	N.A.	300686	34x32,5x96
RIVER 30 IB C G62/61 C8 50-60Hz AF	●	30	ventilated	215035	300178	34x32,5x96
RIVER 30 IB C G62/61 C8 AF	●	30	ventilated	215144	206822	34x32,5x96
RIVER 30 IB C G63/61 C6	●	30	ventilated	215122	300122	34x32,5x96
RIVER 30 IB C G63/61 C6 50-60Hz	●	30	ventilated	215046	300689	34x32,5x96
RIVER 30 IB C G63/61 C8	●	30	ventilated	215125	209320	34x32,5x96
RIVER 30 IB C G63/61 C8 50-60Hz	●	30	ventilated	N.A.	300688	34x32,5x96
RIVER 30 IB C G62/61 C6 + FILTER (F)	●	30	ventilated	215088	212490	34x32,5x96
RIVER 30 IB C G62/61 C8 + FILTER (F)	●	30	ventilated	215092	212488	34x32,5x96
RIVER 55 IB C G61 C8	●	55	ventilated	N.A.	300179	34x32,5x96
RIVER 55 IB C G62/61 C6	●	55	ventilated	215197	200019	34x32,5x96
RIVER 55 IB C G62/61 C6 50-60Hz	●	55	ventilated	215056	300693	34x32,5x96
RIVER 55 IB C G62/61 C8	●	55	ventilated	215202	200020	34x32,5x96
RIVER 55 IB C G62/61 C8 50-60Hz	●	55	ventilated	N.A.	300695	34x32,5x96
RIVER 55 IB C G62/61 C8 AF	●	55	ventilated	N.A.	300220	34x32,5x96
RIVER 55 IB C G63/61 C6	●	55	ventilated	215203	300204	34x32,5x96
RIVER 55 IB C G63/61 C6 50-60Hz	●	55	ventilated	N.A.	300697	34x32,5x96
RIVER 55 IB C G63/61 C8	●	55	ventilated	215205	300206	34x32,5x96
RIVER 55 IB C G63/61 C8 50-60Hz	●	55	ventilated	N.A.	300698	34x32,5x96

MOQ 12 pcs. Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x225 cm

## optional

RIVER WALL FIX

## code

302151

## dimension (WxDxH)

-



TOPS AVAILABLE:



G61



G62



G62 - G61



G63 - G61  
with pedal control



# RIVER UP

Practicality and compactness characterized in a wall-mounted version. River UP is the mains fed fountain connected to the water system. It offers all the advantages of the floor standing model but in a smaller space. It features a pre-filled ice bank technology.



1-30  
PEOPLE

Types of water:



Colors:




Certifications:

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK,

KIT INST, filtration system.

description		lt/h	R290 code	R134a code	dimension (WxDxH)
RIVER UP 30 IB C G62 C6	•	30	215057	300129	43,2x36x50,5
RIVER UP 30 IB C G62 C8	•	30	215054	200015	43,2x36x50,5
RIVER UP 30 IB C G62/61 C6	•	30	215271	200014	43,2x36x50,5
RIVER UP 30 IB C G62/61 C8	•	30	215282	200013	43,2x36x50,5
RIVER UP 30 IB C G62/61 C6 50-60Hz	•	30	N.A.	300691	43,2x36x50,5
RIVER UP 30 IB C G62/61 C8 50-60Hz	•	30	215127	300690	43,2x36x50,5
RIVER UP 55 IB C G62 C6	•	55	N.A.	300211	43,2x36x50,5
RIVER UP 55 IB C G62 C8	•	55	215664	300209	43,2x36x50,5
RIVER UP 55 IB C G62/61 C6	•	55	215212	209319	43,2x36x50,5
RIVER UP 55 IB C G62/61 C8	•	55	215059	300212	43,2x36x50,5

MOQ 12 pcs

Max. quantity for pallet 12. Pallet dimensions (WxDxH) 100x130x150 cm



TOPS AVAILABLE:



G62



G62- G61





**DON'T  
RECYCLE  
REFILL**

**COSMETAL**  
Solving water access



# ACQUA ALMA POINT

## The on-the-go consumption revolution

All the quality of Acqua Alma, available in Refill mode. Thanks to integration with a dedicated app and with the Smart Bottle, Acqua Alma Point offers rapid user authentication to offer a total customised experience when it comes to drinking water. Healthier and more sustainable. A style that adapts to every apartment block, thanks to the numerous effects and colours available.



ACQUA ALMA POINT

# ACQUA ALMA POINT






A next-gen water dispenser to allow users to manage their own preferences, using the Acqua Alma Refill app. Moreover, the service manager, using the connection to the Celli Cloud platform, can monitor consumption remotely as well as obtain data for sales forecasts, and manage prices and promotions. In just a few clicks.



Types of water:



Safety:  
Anti flooding valve

	description						lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
NEW	ACQUA ALMA EVO PREMIUM	•	•	•	•	•	30	7	109987	109987	74x75x183
NEW	ACQUA ALMA EVO STANDARD	•	•	•	•	•	30	7	110628	110628	74x75x183

optional	code	dimension (WxDxH)
ADDITIONAL BIB KIT (UP TO 4)	107334	-



**12" Touchscreen**  
for a completely interactive  
experience





# WATERBAR

## Smart, creative and customised consumption

WaterBar is an ultra-modern solution that can be used in any type of environment, from bars to restaurants, schools, gyms, offices, and canteens. It can be controlled remotely because it is always connected to provide you with drinks that can be customised with flavourings, essences, supplements and different carbonation levels.



WATERBAR







**10" Touchscreen**  
for the maximum  
interactive experience.



COMPLETE INSTALLATION WITH:



**TE-MIX 15-25**  
for the complete range  
go to page 56



# J-CLASS

## Great performance, for small venues

J-Class combines technology and quality. Compact and functional, it connects to the water network to supply cold water, still or sparkling and hot water up to 98 ° C. It is ideal for preparing tea and herbal teas. Available in two versions, from a counter top to a built-in version, and in two models with differentiated performances, from 30l / h to 45l / h. The J-Class is a very flexible product suitable for a varied target: offices, private practice studios, homes, bars and small restaurants. The J-Class range is WRAS certified.



J-CLASS TOP



J-CLASS IN

# J-CLASS TOP

Elegant and compact, it offers great performance and high reliability. It can be placed on any support surface or on the appropriately coordinated cabinet. The electronic model is equipped with enhanced professional functions in cold water dispensing and in the volumetric management of the doses.



10-50  
PEOPLE

Types of water:



Safety:

Anti flooding valve

Colors:



Certifications:



## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, filtration system,

R-RIC or R-UG (only WG version) and cabinet

description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
JCLASS TOP 30 IB AC GREY	•	•			30	7	215512	200025	28x52x40
JCLASS TOP 30 IB AC BLACK	•	•			30	7	215495	200026	28x52x40
JCLASS TOP 30 IB ACWG GREY	•	•	•		30	7	215503	300277	28x52x40
JCLASS TOP 30 IB ACWG BLACK	•	•	•		30	7	214870	200028	28x52x40
JCLASS TOP 30 IB ACWG CU BLACK	•	•	•		30	7	N.A.	302222	28x52x40
JCLASS TOP 30 IB ACWG EC GREY	•	•	•		30	7	215508	300347	28x52x40
JCLASS TOP 30 IB ACWG EC BLACK	•	•	•		30	7	216140	300348	28x52x40
JCLASS TOP 30 IB ACWG EC CU GREY	•	•	•		30	7	216137	302239	28x52x40
JCLASS TOP 30 IB ACWG EC CU BLACK	•	•	•		30	7	214882	302240	28x52x40
JCLASS TOP 45 IB AC GREY	•	•			45	9	216112	300311	28x52x40
JCLASS TOP 45 IB AC BLACK	•	•			45	9	215570	200033	28x52x40
JCLASS TOP 45 IB ACH GREY	•	•	•		45-8	9	N.A.	206829	28x52x40
JCLASS TOP 45 IB ACH BLACK	•	•	•		45-8	9	N.A.	207922	28x52x40
JCLASS TOP 45 IB ACWG GREY	•	•	•		45	9	215565	300316	28x52x40
JCLASS TOP 45 IB ACWG BLACK	•	•	•		45	9	214884	300318	28x52x40
JCLASS TOP 45 IB ACWG CU BLACK	•	•	•		45	9	215759	302232	28x52x40
JCLASS TOP 45 IB ACWG EC GREY	•	•	•		45	9	215569	300357	28x52x40
JCLASS TOP 45 IB ACWG EC BLACK	•	•	•		45	9	215566	300358	28x52x40

MOQ 12 pcs

Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x160 cm

## optional

	code	dimension (WxDxH)
Unit for JCLASS K22-GREY	301912	28x52x90
New cabinet JCLASS BLACK-SILVER	300026	34x57x92





ACWG EC VERSION



CABINET



CABINET SQ



ACWG VERSION

# J-CLASS IN

J-Class In is the perfect under-counter solution for small venues. Easy to install, it is ideal to be placed under the counter hence freeing up support surface space. J-Class offers the fastest service for delivering room temperature, cold or sparkling water.



Types of water:






Colors:



Certifications:

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, Filtration system,  
R-RIC or R-UG, Flow regulator (only WG version)

description				lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
JCLASS IN 30 IB AC	•	•		30	7	215039	200030	25,5x40x40
JCLASS IN 30 IB ACWG	•	•	•	30	7	214872	200032	25,5x40x40
JCLASS IN 45 IB AC	•	•		45	9	214903	200034	25,5x40x40
JCLASS IN 45 IB ACWG	•	•	•	45	9	214869	200035	25,5x40x40

*Drip tray not included. MOQ 12 pcs  
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 80x120x160 cm*



COMPLETE INSTALLATION WITH:



**DRIPTRAY**  
for the complete range  
go to page 130



**TOWER**  
for the complete range  
go to page 128



**DRINK TOWER**  
for the complete range  
go to page 68



**TAPS**  
for the complete range  
go to page 108



# H2OMY

## Water at home exactly as you want it

The water dispensers in the H2omy line simplify water management at home, eliminating the need for actions such as buying, transporting and storing bottles. A triple saving: money, time and space.



H2OMY TOP



H2OMY IN



# H2OMY TOP

Compact dimensions, modern design and intuitive operation; a champion of efficiency, style and simplicity. Room temperature, cold, sparkling and hot water are always available practically and quickly. The housing is built in stainless steel with a front in anti-fingerprint material.



Types of water:







Safety:  
Anti flooding valve

Colors:



## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, Filtration system,  
R-RIC o R-UGN (only WG version)

description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
H2OMY TOP 15 IB AC BLACK	•	•			15	3	215378	207925	26x33x40,7
H2OMY TOP 15 IB AC WHITE	•	•			15	3	215384	300846	26x33x40,7
H2OMY TOP 15 IB ACH BLACK	•	•	•		15-13	3	215382	300849	26x33x40,7
H2OMY TOP 15 IB ACH WHITE	•	•	•		15-13	3	215390	300848	26x33x40,7
H2OMY TOP 15 IB ACWG BLACK	•	•	•		15	3	214820	200070	26x33x40,7
H2OMY TOP 15 IB ACWG WHITE	•	•	•		15	3	215377	300853	26x33x40,7
H2OMY TOP 15 IB CHWG BLACK		•	•	•	15	3	214822	300859	26x43x40,7
H2OMY TOP 15 IB CHWG WHITE		•	•	•	15	3	215379	300858	26x43x40,7

MOQ 18 pcs  
Max. quantity for pallet 18 (AC, ACH, ACWG) / 12 (CHWG). Pallet dimensions (WxDxH) 80x120x160 cm

optional	code	dimension (WxDxH)
Cabinet cooler cabinet with integrated cup dispenser and internal filter compartment	302027	39,5x36x95,3
EXTENSION CABINET H2OMY CHWG	303387	26x10,2x10



CABINET

# H2OMY IN

Essential in shape and function, H2omy In is synonymous with functionality and efficiency. Small and discreet, it can be positioned under the sink of the house. Cold, sparkling and hot water can immediately be available from the house tap. This the fastest and most practical way to drink good tasting water!



Types of water:







Colors:



Certifications\*:

## Suggested optionals

WATER BLOCK, PRV, NO SHOCK, Filtration system,  
R-RIC o R-UGN, Flow regulator (only WG version)

description					lt/h	continuously lt	R290 code	R134a code	dimension (WxDxH)
H2OMY IN 15 IB C*	•				15	3	215354	200068	26x23,5x40,7
H2OMY IN 15 IB ACH	•	•		•	15-13	3	215364	300818	26x30x40,7
H2OMY IN 15 IB CWG	•		•		15	3	215350	200069	26x30x40,7
H2OMY IN 15 IB CHWG	•	•	•		15-13	3	215360	209532	26x30x40,7

MOQ 18 pcs  
Max. quantity for pallet 18. Pallet dimensions (WxDxH) 80x120x160 cm  
\*The H2omy IN 15 IB C cooler is WRAS certified



COMPLETE INSTALLATION WITH:



**GZERO**  
for the complete range  
go to page 118



**G100**



**G200**



**G300**



**G400**





PRO-STREAM

G7 EC

GZERO

G100

G200

G300

G400

G65

G71

G68

G72

G73

# Taps



# TAPS

## Safe and good tasting water at home and in the office

The refined and contemporary design of Cosmetal water taps allows them to adapt to any type of environment, from the home to the office, ensuring long life and ease of use. Stainless steel taps available in different finishes and colors, to always have hot, cold and sparkling water at your disposal.



PRO-STREAM

G7 EC

GZERO

G100

G200

G300

G400

G65

G71

G68

G72

G73

PRO-STREAM


HOT

Pro-Stream can dispense up to 215 cups per hour of extra hot water at 98°C: a 250 ml cup is ready in just 5 seconds and the temperature is guaranteed from the first cup. Compatible with H2omy IN, J-Class IN and Niagara IN under-counter dispensers, for cold and also carbonated water.

Types of water:



Colors:



description		cups per hour	way	code	dimension (WxDxH)
PRO-STREAM IN 55 OT H	•	215	1	309262	24,2x31,5x40,7

Cup 250 ml  
Max. quantity for pallet 12. Pallet dimensions (WxDxH) 90x120x160 cm

description	code
1-Way solenoid box for PRO-STREAM + cold water dispenser	206840
2-Way solenoid box for PRO-STREAM + cold and carbonated water dispenser	206825

**The price includes:**

One way tap with touch screen;  
Hot water boiler, 98°C; Drilling template;  
Drip tray with drain..



# PRO-STREAM


## HOT & COLD / HOT, COLD & SPARKLING




The Pro-Stream water tap system consists of a built-in water boiler with a coordinated tap, ideal for preparing tea, coffee and other hot drinks in a practical and fast way. The tap is characterized by a modern and refined design, by a thermally insulated body and touch controls.

Types of water:



Colors:



description				cups per hour	way	R290 code	R134a code	dimension (WxDxH)
PRO-STREAM IN 55 OT HC	•		•	215	3	216266	309264	24,2x31,5x40,7
PRO-STREAM IN 55 OT HCWG	•	•	•	215	3	216267	309266	24,2x31,5x40,7

*Cup 250 ml  
Max. quantity for pallet 6 boiler + 6 dispensers. Pallet dimensions (WxDxH) 90x120x160 cm*

description	code
1-Way solenoid box for PRO-STREAM + cold water dispenser	206840
2-Way solenoid box for PRO-STREAM + cold and carbonated water dispenser	206825



**The price includes:**

Two or three ways tap with touch screen;  
Hot water boiler, 98°C; H2omy; Drip tray with drain;  
Drilling template; Solenoid box.


# G7 EC





G7 EC is a 3-way hot water dispenser with touch screen and solenoid box included, for filtered and natural sparkling water, cold, room temperature and hot. The ideal solution for the office and common areas with low consumption. Easy to install to the water supply, it offers hot and cold water coordinated with the recessed Pro-Stream water-boiler, for the preparation of tea, coffee and hot drinks.

Types of water:



Colors:



description					way	code
G7 EC ACWG	•	•	•		3	206861
G7 EC AC	•	•			2	302057
BOX G7 EC CH		•		•	2	206840
BOX G7 EC CHWG		•	•	•	3	206825

To know the dimensions and technical data of the taps, please consult pages 126-127



# GZERO





Water tap with touch control and a chrome finish with black crystal and brushed stainless steel cover. Thanks to the practical connection to the water supply, GZero is the perfect dispenser for domestic, office and restaurants.

Types of water:



Colors:



description					way	R290 code	R134a code
GZERO ACHWG EC BLACK	•	•	•	•	3	099432	210056
GZERO ACHWG EC	•	•	•	•	3	099433	209531
GZERO ACWG EC BLACK	•	•	•		3	099434	302153
GZERO ACWG EC	•	•	•		3	099435	302154

To know the dimensions and technical data of the taps, please consult pages 126-127







# TAPS






Cosmetal taps guarantee sustainable water consumption, high hygiene standards and efficient use of energy for the supply of hot water.

Types of water:



Colors:



description						way	R290 code	R134a code
G100 ACWG CHROME		•	•	•		5	099343	300009
G100 ACWG BRUSHED STEEL		•	•	•		5	099344	208204
G100 CHWG CHROME			•	•	•	5	099345	208149
G100 CHWG BRUSHED STEEL			•	•	•	5	099346	208205
G200 ACWG CHROME		•	•	•		5	099347	208075
G200 ACWG BRUSHED STEEL		•	•	•		5	099348	208206
G300 ACWG CHROME		•	•	•		5	099349	300018
G300 CHWG CHROME			•	•	•	5	099350	210241
G400 ACWG CHROME		•	•	•		3	099430	209096
G400 CHWG CHROME			•	•	•	3	099431	208207
G400 TOUCHLESS COMPLETE SET WITH BOX	•	•	•	•	•	3	02521817	304657

To know the dimensions and technical data of the taps, please consult pages 126-127



G100



G200



G300



G400



# TAPS




The perfect solution for dispensing still and sparkling cold water quickly and in total safety.

Types of water:



Colors:



description				way	R290 code	R134a code
KIT G65 - NIAGARA	•	•	•	1	090017	300965
G71	•	•	•	1	099150	206851
G68 WG	•	•	•	3	099041	208191
KIT G72 A	•	•	•	2	099232	206826
G72 WG	•	•	•	2	099149	206842
G73	•	•	•	3	099208	301975

To know the dimensions and technical data of the taps, please consult pages 126-127



G65



G71



G68



G72



G73







TAPS

TOWERS

DRIPTRAYS

CABINETS AND SUPPORTS

FILTRATION

SPAREPARTS FOR FILTRATION SYSTEMS

SANITIZATION

HYDRAULIC ACCESSORIES

CARBONATION ACCESSORIES

VARIOUS ACCESSORIES















HYGIENE

# Accessories

## Taps for domestic and office use







Taps and riser fittings are always supplied with fittings and pipe for connection to the water mains, as well as with flow compensator for the riser fittings or solenoid box for electronic taps.






			AC	ACH	ACHWG	ACWG	C	CWG	CHWG	
code	name	description								
300009	G100 ACWG chrome	5 ways tap with double control, available for ACWG/CHWG versions, and with two finishing: chromated or brushed steel				•				
208204	G100 ACWG brushed steel					•				
208149	G100 CHWG chrome								•	
208205	G100 CHWG brushed steel								•	
208075	G200 ACWG chrome	5 ways tap with double control, available for ACWG version, and with two finishing: chromated or brushed steel				•				
208206	G200 ACWG brushed steel					•				
300018	G300 ACWG chrome	5 ways tap, with double control, available for ACWG/CHWG version, swivel spout, pull-out showerhead, chromated finishing				•				
210241	G300 CHWG chrome								•	
209096	G400 ACWG chrome	3 ways electronic tap with keys, available for ACWG and CHWG version, chromated finishing				•				
208207	G400 CHWG chrome								•	
304657	G400 Touchless complete set with box					•			•	
210056	GZero ACHWG EC black	Chrome touch tap with black or brushed stainless steel cover. Available in ACWG and ACHWG version			•					
209531	GZero ACHWG EC brushed stainless steel				•					
302153	GZero ACWG EC black					•				
302154	GZero ACWG EC brushed stainless steel					•				

			AC	ACH	ACHWG	ACWG	C	CWG	CHWG	
code	name	description								
300965	G65	1 way push button tap					•			 
206851	G71	1 way tap push button control					•			 
208191	G68 WG	3 ways lever tap				•		•		 
206826	G72 A	2 ways lever tap	•				•			 
206842	G72 WG					•		•		 
301975	G73 WG	3 ways faucet				•		•		 
206861	G7 EC ACWG	2 or 3 ways tap with touch screen: ambient and cold, or ambient, cold and sparkling 2 or 3 ways solenoid box included				•				 
302057	G7 EC AC		•							
206840	BOX G7 EC CH	1 way solenoid box for PRO-STREAM + cold water dispenser					•			
206825	BOX G7 EC CHWG	2 way solenoid box for PRO-STREAM + cold and soda water dispenser						•		

## Towers for HoReCa use

Taps and riser fittings are always supplied with fittings and pipe for connection to the water mains, as well as with flow compensator for the riser fittings or solenoid box for electronic taps.

code	name	description	J-CLASS IN		NIAGARA IN		TE-MIX	BRAVE 90	
			AC	ACWG	AC	ACWG	CWG	CWG	
207933	COBRA® plus-large	1-way chrome-plated brass tower Height of the tower: 46 cm Height from the tap: 29,7 cm	•		•				
302061	FALCO	1-way chrome-plated brass tower Height of the tower: 56 cm Height from the tap: 38,2 cm	•		•				
208116	LOTUS	1-way chrome-plated brass tower Height of the tower: 57,5 cm Height from the tap: 31,2 cm	•		•				
206864	COBRA® 2	2-way chrome-plated brass tower Height of the tower: 49,3 cm Height from the tap: 30,5 cm	•	•	•	•	•	•	
208145	COBRA® 2 GOLD	2-way goldplated brass tower Height of the tower: 49,3 cm Height from the tap: 30,5 cm	•	•	•	•	•	•	
208146	FALCO 2	2-way chrome-plated brass tower Height of the tower: 58,1 cm Height from the tap: 36,2 cm	•	•	•	•	•	•	
208117	LOTUS 2	2-way chrome-plated brass tower Height of the tower: 54,4 cm Height from the tap: 31,2 cm	•	•	•	•	•	•	

code	name	description	J-CLASS IN		NIAGARA IN		TE-MIX	BRAVE 90	
			AC	ACWG	AC	ACWG	CWG	CWG	
302063	TUBE	2-way straight stainless steel tower with white luminous cover Height of the tower: 60 cm Height from the tap: 31,1 cm	•	•	•	•	•	•	
208150	COBRA® light	3-way chrome-plated brass tower Height of the tower: 60 cm Height from the tap: 29,5 cm		•		•	•	•	
302060	COBRA® light GOLD	3-way goldplated brass tower Height of the tower: 60 cm Height from the tap: 29,5 cm		•		•	•	•	
208147	FALCO 3	3-way chrome-plated brass tower Height of the tower: 59,2 cm Height from the tap: 36,4 cm		•		•	•	•	
088125	LOTUS 3	3-way chrome-plated brass tower Height of the tower: 61,5 cm Height from the tap: 31,2 cm		•		•	•	•	
088108	MAGIC	3-way vitreous ceramic tower White ceramic handles Height of the tower: 45,9 cm Height from the tap: 31,2 cm		•		•	•	•	



# Driptrays

			H2OMY	J-CLASS	NIAGARA		HI-CLASS	DRINK TOWER	TE MIX	BRAVE 90	
code	name	description	IN	IN	IN	TOP	45				
206845	VR-P	Plastic driptray 33,8x16x2,5 cm	•	•	•	•			•	•	
206849	VR-P2	Plastic driptray with drainage 33,8x16x2,5 cm	•	•	•	•			•	•	
301900	VR-PA	Plastic deep driptray 33,8x16x5,5 cm	•	•	•	•			•	•	
301901	VR-PA2	Plastic deep driptray with drainage 33,8x16x5,5 cm	•	•	•	•			•	•	
206848	VR-I	On-the-counter stainless steel driptray 40,5x22,5x22,8 cm	•	•	•			•	•	•	
301034	VR-I GOLD	On-the-counter goldplated stainless steel driptray and grill in stainless steel 40,5x22,5x22,8 cm	•	•	•				•	•	
206850	VR-I2	Recessed stainless steel driptray with drainage 40x22x3 cm	•	•	•	•		•	•	•	
301035	VR-I2 GOLD	Recessed goldplated stainless steel driptray and grill in stainless steel with drainage 40x18x3 cm	•	•	•	•			•	•	








			H2OMY	J-CLASS	NIAGARA		HI-CLASS	G7-EC	DRINK TOWER	TE MIX	BRAVE 90	
code	name	description	IN	IN	IN	TOP	45					
206863	VR-IS	Inox hooks on drip tray 40,8x18,9x3,2 cm				•						
209529	VR-IS2	Higher inox drip tray with drainage 40,8x18,9x5,4 cm				•						
209530	VR-IR	On-the-counter reduced inox drip tray 15x22x3 cm	•	•	•				•	•	•	
030954	VR-IR2	Reduced inox drip tray with drainage 23x21x3 cm	•	•	•				•	•	•	
208203	VR-G7	Drip tray with drain 12,8x12,2x8,6 cm						•				
302142	VR-IH2	Drip tray with drainage for Hi-Class Top 45 40x18x3 cm					•					

## Cabinets and supports

			H2OMY	J-CLASS	HI-CLASS				
code	name	description	TOP	TOP	20	30	45	65	
300026	CABINET JCLASS BLACK-SILVER	Cabinet for J-Class 34x57x92 cm		•					
301912	CABINET JCLASS K22 GREY	Cabinets for J-Class, refrigerator holder, cup distributor, equipped for filter storage 28x52x90 cm		•					
210444	CABINET HI-CLASS TOP 20	Cabinet for Hi-Class Top 20 36x43,7x105,5 cm			•				
210443	CABINET HI-CLASS TOP 30	Cabinet for Hi-Class Top 30 36x55,3x105,5 cm				•			
206838	CABINET HI-CLASS TOP 45 PREMIUM	Complete cabinet for Hi-Class Top 45 34x53,5x107,2 cm					•		

code	name	description	H2OMY	J-CLASS	HI-CLASS				
			TOP	TOP	20	30	45	65	
309508	CABINET HI-CLASS TOP 65	Cabinet for Hi-Class Top 65 42,2x51,8x108,7 cm						•	
302155	VASCHETTA CON SCARICO HI-CLASS TOP 65	Stainless steel drip tray with drainage for Hi-Class Top 65 on cabinet						•	
302027	CABINET H2OMY	Cabinet for H2omy 39,5x36x95,3 cm	•						
303387	EXTENSION CABINET H2OMY CHWG	Cabinet extension for H2omy CHWG 26x10,2x10 cm	•						
305649	PLINTH	Riser for Hi-Class Top 45 for installation without cabinet 34x54x4 cm					•		

## Filtration

			HI-CLASS				J-CLASS		NIAGARA			PRO-STREAM	H2OMY		AQUALITY POU	RIVER		
code	name	description	20	30	45	65	TOP	IN	FS	TOP	IN		TOP	IN		FS	UP	
209370	F	4C Chlorine filter/ purifier with head and shut off valve	●	●	●	●	●	●		●	●					●	●	
301980																■		
300957									■									
300955																■		
300956																	■	
300979	FC	Multilayer + Carbon Block filters	●	●	●	●	●	●					●	●				
301979																■		
301914	F-CAL	Customized chlorine purifier filter, bacteriostatic, descaler with shut off head	●	●	●	●	●	●	●	●	●	●	●	●		●	●	
301976																■		
300007	F-MICRO	Customized antibacterial micro-filter, with shut off head	●	●	●	●	●	●	●	●	●		●	●		●	●	
301977																■		
301974	F-SMALL+	Customized chlorine filter/ purifier with bypassing head	●	●	●	●	●	●					●	●				
302082																■		
301996																		
301969	F-SOFT	Ion exchange resin filter purifier for hardness reduction with shut off head	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
301872	F-UV	F + UV 12W sterilizer	●	●	●	●	●	●		●	●	●						
301862									■									

■ Filtration system installed inside the cooler ● External filtration system

## Spareparts for filtration systems

			F	FC	F-CAL	F-MICRO	F-SMALL+	F-SOFT	F-UV
code	name	description							
300021	4C	Filter cartridge 0,5µ 11.000 lt	•						•
302384	C.B.	Carbon block 0,5µ filter cartridge 6.000 lt		•					
302377	FM	Multilayered 5µ filter cartridge 6.000 lt		•					
301915	CAL	Filter cartridge 0,5µ 7.600 lt			•				
300022	MICRO	Filter cartridge 0,2µ 7.600 lt				•			
302392	SMALL+	Filter cartridge 0,5µ 4.000 lt					•		
302430	SOFT	Filter cartridge 2.300 lt						•	
304946	O-RING QUARZ N	O-ring for quartz sleeve for 12W UV (1pc)							•
306403	QUARZ N	Quartz sleeve for UV 12W + O-RING							•
306400	UV bulb N	UV bulb 12w for water filtration 8.000 h							•























## Sanitization

[illegible]

# Hydraulic accessories











NEW

code	name	description	EVO					HI-CLASS			J-CLASS		NIAGARA		TE-MIX					AQUATAP2	CARBONATOR	BRV-EVO	PRO-STREAM	H2OMY	AQUALITY POU	RIVER	WATERBAR	AQUALITY BOTTLE
			HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 65 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65			TOP	IN	FS	UP	
210474	 ELECTRONIC NO LEAK	Electronic shut-off system	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
304858	Flow Regulator 8 mm	Flow regulator														●	●	●	●	●	●	●						
208078	Flow Regulator 6 mm											●											●					
301916	 No shock	Water hammer arrestor	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
301906	 PRV 1/4"	Water pressure reducing valve																						●				
208200	 PRV 8 mm							●	●	●	●	●	●			●	●	●	●	●	●	●	●		●	●		
302081	 PRV+ 1/4"	Water pressure stabilizer with gauge																						●				
302080	 PRV+ 8 mm																●	●	●	●	●	●	●					
300023	 WATER BLOCK 8 mm (high-flow)	Anti-flooding valve				●	●						●	●	●	●	●	●	●	●	●	●						
207928	 WATER BLOCK 8 mm (low-flow)		●	●	●			●	●	●	●	●											●	●	●	●		
301883	 WATER BLOCK 1/4" (low-flow)																							●				
301946	WATER METER 8 mm	Mechanical liter counter	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●		
301948	WATER METER 1/4"																							●				

● Product recommended for additional security, against floods. It includes fittings for connection

138

Carbonation accessories

code	name	description	EVO						HI-CLASS			J-CLASS		NIAGARA			TE-MIX						AQUATAP2	CARBONATOR	BRAVERO	PRO-STREAM	H2OMY	AQUALITY POU	RIVER	WATERBAR	AQUALITY BOTTLE	
			NI-CLASS 30 EVO	NI-CLASS 30 EVO PREMIUM	NI-CLASS 30 EVO PREMIUM	NI-CLASS 30 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65					TOP	IN	FS	UP		
206882	B-UG	CO2 cylinder 0,600 Kg one use							•	•	•	•	•	•												•	•	•			•	
209615	OR-RIC	Gasket for R-RIC and R-RIC+ (10 pcs)							•	•	•	•	•	•	•	•	•								•	•	•	•			•	
302053	OR-UG NEW	Gasket for R-UG and R-UGN (10 pcs)								•	•	•	•	•	•										•	•	•	•			•	
301927	OR-UG OLD	OR 106 for R-UG and R-UGN (10 pcs)								•	•	•	•	•	•										•	•	•	•			•	
207930	R-RIC	Pressure reducer for refillable bottle (max 4.7 bar)							•	•	•		•	•											•	•	•	•			•	
300024	R-RIC 5.5	Double gauge pressure reducer for refillable bottle (max 5.5 bar)																•	•	•	•	•	•									
208171	R-RIC+	Double gauge pressure reducer for refillable bottle (max 4.7 bar)	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•									
208190	R-UG	Pressure reducer for B-UG (max 4.7 bar)							•	•	•		•	•											•	•	•				•	
208131	R-UGN	Pressure reducer for B-UG (max 4.7 bar)							•	•	•		•	•											•	•	•	•			•	
208118	ADAPTOR	Adapter for pressure regulator from B-UG to B-RIC							•	•	•	•	•	•											•	•	•	•			•	

## Various accessories








code	name	description	EVO					HI-CLASS			J-CLASS		NIAGARA		TE-MIX					AQUARIAP2	CARBONATOR	BRAVEO	PRO-STREAM	H2OMY	AQUALITY POU	RIVER	WATERBAR	AQUALITY BOTTLE
			HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 65 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65			TOP	IN	FS	UP	
301943	KIT INST	Water connection kit																										
302085																												
302079																												
302078																												
208079																												
300025																												
302077																												
271995	TUB	8 mm tubing																										
272235		1/4" tubing																										
272038		6 mm tubing																										
305679		3/8" tubing																										
301922	KIT 8	8 mm quick insertion fittings kit																										
301924	KIT 6	6 mm quick insertion fittings kit																										
209616	KIT WG	Carbonator fittings kit																										
301878	PRA	Recycling water pump for python (no Niagara 55)																										
305720	PIT	Recycle python (tubing 8 mm – recirculation 3/8")																										
107462	PUMP	Low ratio peristaltic																										
107463	PUMP	High ratio peristaltic																										



## Various accessories

[illegible]

NEW

			EVO					HI-CLASS			J-CLASS		NIAGARA		TE-MIX						AQUAPAR2	CARBONATOR	BRAVEO	PRO-STREAM	H2OMY		AQUALITY POU	RIVER		WATERBAR	AQUALITY BOTTLE		
code	name	description	HI-CLASS 30 EVO	HI-CLASS 30 EVO PREMIUM	HI-CLASS 65 EVO PREMIUM	NIAGARA EVO	NIAGARA EVO SMART	20	30	45	65	TOP	IN	FS	TOP	IN	8	15	25	50	65					TOP	IN		FS	UP			
304591	KL	UVC-led reactor		●	●	●	●	●																									
306396	UV BULB A	Replacement UV lamp for dispensing area										●		●	●																		
308184																															●		
308185																											●						
301926	NOZZLE	Anti-splash nozzle (10 pcs)																															
208141	KEY	Key for unscrewing the outlet spouts (10 pcs)	●	●	●			●	●	●	●	●		●	●											●	●						
301928	AIR	Hygienic-system air filter + o-ring (10 pcs)																														●	





По вопросам продаж и поддержки обращайтесь:				
Алматы (727)345-47-04 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89	Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47	Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35	Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93
Россия +7(495)268-04-70	Казахстан +7(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47

эл.почта: [cie@nt-rt.ru](mailto:cie@nt-rt.ru) || сайт: <https://celli.nt-rt.ru/>